

BASF Catalyst O4-86

Honeycomb Catalysts for Dioxin Destruction

The BASF honeycombs normally applied in dioxin destruction applications are indicated in the table below. The V2O5 concentration, also a variable, is tailored to the actual flue gas composition and performance requirements for each application.

Nomenclature is explained by the following example:

BASF O4-86 Type 899 / G / 060

- Type 899 specifies the pitch, according to the geometric surface area
- G designates natural gas-fired applications
- 060 indicates the catalyst activity

Honeycomb Dimensions for BASF Catalyst O4-86 Series

Geometric Surface (m ² /m ³)	Cell Array	Cells per Square Inch (cpsi)	Nominal Pitch (mm)	Size of Openings (mm)	Open Area (%)	Face Dimensions (mm)	Wall Thickness (mm)
801	35 x 35	35.1	4.2	3.68	73.7	150 x 150	0.55
899	40 x 40	45.9	3.7	3.16	71.0	150 x 150	0.55

Note 1: Pitch is calculated as opening size plus internal wall thickness.

Note 2: Wall thickness given above is for internal walls; external wall thickness is slightly greater.

Note 3: Additional, non-standard types (e.g. pitch sizes not shown in table above) are available or can be produced for special requirements.

About Us

BASF's Catalysts division is the world's leading supplier of environmental and process catalysts. The group offers exceptional expertise in the development of technologies that protect the air we breathe, produce the fuels that power our world and ensure efficient production of a wide variety of chemicals, plastics and other products, including advanced battery materials. By leveraging our industry-leading R&D platforms, passion for innovation and deep knowledge of precious and base metals, BASF's Catalysts division develops unique, proprietary solutions that drive customer success.

BASF - We create chemistry

Americas

BASF Corporation
25 Middlesex/Essex Turnpike
Iselin, New Jersey, 08830, USA
Tel : +1-732-205-5000
Fax: +1-732-205-7725
Email: catalysts-america@basf.com

Asia Pacific

BASF (China) Company Limited
300 Jiang Xin Sha Road,
Pudong, Shanghai 200137
P.R. China
Tel: +86-21-2039 2549
Fax: +86-21-2039 4800-2549
Email: catalysts-asia@basf.com

Europe, Middle East, Africa

BASF De Meern BV Catalysts
The Netherlands
Tel: +31-30-666 9437
Email: catalysts-europe@basf.com

Although all statements and information in this publication are believed to be accurate and reliable, they are presented gratis and for guidance only, and risks and liability for results obtained by use of the products or application of the suggestions described are assumed by the user. NO WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH. Statements or suggestions concerning possible use of the products are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe any patent. The user should not assume that toxicity data and safety measures are indicated or that other measures may not be required. © 2015 BASF