We create chemistry

AQACell® HIDE 6299 na

State of the art organic opacifying pigment, designed to provide opacity and whiteness to paints in architectural coatings by extending and/or improving the efficiency of TiO2 without sacrificing interior or exterior coating properties.

Chemical Nature **Anionic dispersion**

Properties

Typical Properties

Solids content, weight	%	29.0 – 31.0
pH		8.1 – 9.5
Solids by volume	%	51.0 – 52.0
Viscosity	mPa s	≤ 200
(ASTM Brookfield RVT SP1, 50RPM, 23°C, 60s)		

Other properties

Encapsulated H_2O	%	22.2
MFFT	°C	> 80
Specific gravity (wet polymer)	g/cm³	~ 1.025
Specific gravity (dry polymer)	g/cm³	~ 0.59

Application

Application Areas

- Exterior and interior paints
- Low and high PVC paints

Safety

General

The usual safety precautions when handling chemicals must be observed. These include the measures described in Federal, State and Local health and safety regulations, thorough ventilation of the workplace, good skin care and wearing of protective goggles.

Safety Data Sheet

All safety information is provided in the Safety Data Sheet for AQACell HIDE 6299 na.

Storage

Please refer to the “Handling and Storage of Polymer Dispersions” brochure.

Important

WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, THEY ARE PROVIDED FOR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, BASF RECOMMENDS THAT THE READER MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR A PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESCRIPTIONS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF BASF'S TERMS AND CONDITIONS OF SALE. FURTHER, THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY BASF HEREUNDER ARE GIVEN GRATIS AND BASF ASSUMES NO OBLIGATION OR LIABILITY FOR THE DESCRIPTIONS, DESIGNS, DATA OR INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT THE READER'S RISK.

AQACell is a registered trademark of BASF Group.

© BASF Corporation, 2025

Responsible Care®
Good Chemistry at Work

BASF Corporation is fully committed to the Responsible Care® Initiative in the USA, Canada, and Mexico.
For more information on Responsible Care® go to:
U.S.: www.basf.us/responsiblecare_usa
Canada: www.basf.us/responsiblecare_canada
México: www.basf.us/responsiblecare_mexico

BASF Corporation
Dispersions and Resins
11501 Steele Creek Road
Charlotte, North Carolina 28273
Phone: (800) 251 – 0612
Email: CustCare-Charlotte@basf.com
www.basf.us/dpsolutions