

CLA FFA 80

Chemical name of active ingredient

Conjugated Linoleic Acid (CLA)

CAS-No.

2540-56-9	cis-9, trans-11 CLA
2420-56-6	trans-10, cis-12 CLA


PRD-No.

30537112

Articles*

50210958	185 kg steel drum
50750810	900 kg composite IBC

*packed under inert gas



$C_{18}H_{32}O_2$

Molar mass 280.44 g/mol

Country of origin

Germany

Description

CLA FFA 80 is a clear, colorless to slightly yellow liquid oil at room temperature with characteristic taste and odor. It consists of free fatty acids of which typically 80 % are conjugated linoleic acid. CLA FFA 80 is derived from safflower oil and contains a 50:50 ratio of the active conjugated linoleic acid isomers (C18:2 c9, t11 and C18:2 t10, c12).

Composition

Ingredients in descending order of weight:
CLA-rich free fatty acids from safflower oil,
tocopherol-rich extract (E 306).

Solubility

Insoluble in water; sparingly soluble in ethanol, miscible with organic solvents, vegetable oils and fats.

Specification

Assay	
CLA content	≥ 78 %

For further information see separate document: "Standard Specification" (not for regulatory purposes).

Standards

Product is kosher and halal. Produced under ISO 9001, FSSC 22000.

Regulations

Conjugated linoleic acid is approved for use as a dietary supplement ingredient in most countries. However, specific regulations on the product and its ingredients in the respective countries and for its intended use have to be observed. CLA FFA 80 is derived from not genetically modified raw materials and is thus not subject to labeling under EU Regulations (EC) 1829/2003 and 1830/2003.

Stability, Storage and Handling

Stored in its unopened original packaging at ambient temperatures (max. 25°C), the product is stable for at least 36 months. The product is sensitive to atmospheric oxygen, light and heat. It should therefore be stored in the tightly sealed, lightproof packaging in a cool place. Once opened, it is recommended to flush the packaging with inert gas and to use the remaining contents as quickly as possible. Precipitation may occur at temperatures below 15 °C. This will not affect the quality of the product. Precipitation can be reverted by warming gently to 30 – 40 °C under nitrogen atmosphere and agitation. Warming for up to 24 h may be required to achieve complete dissolution depending on the degree of solidification and container size. Conjugated linoleic acid is a drying oil that can polymerize in presence of oxygen, specifically if it gets into contact with blank metals such as iron, brass, copper etc. Processing and/or handling equipment in contact with conjugated linoleic acid should be of inert material such as stainless steel. Spills should be cleaned for example with water and detergent to avoid stains or varnishes of dried oil on equipment/packaging.

This document and any information provided herein does not constitute a legally binding obligation of BASF and has been prepared in good faith and is believed to be accurate as of the date of issuance. Unless expressly agreed otherwise in writing in a supply contract or other written agreement between you and BASF:

- a) To the fullest extent not prohibited by the applicable laws, BASF EXPRESSLY DISCLAIMS ALL REPRESENTATIONS, WARRANTIES, CONDITIONS OR GUARANTEES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, WRITTEN OR ORAL, BY FACT OR LAW, INCLUDING ANY IMPLIED WARRANTIES, REPRESENTATIONS OR CONDITIONS OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, SATISFACTORY QUALITY, NON-INFRINGEMENT, AND ANY REPRESENTATIONS, WARRANTIES, CONDITIONS OR GUARANTEES, ARISING FROM STATUTE, COURSE OF DEALING OR USAGE OF TRADE AND BASF HEREBY EXPRESSLY EXCLUDES AND DISCLAIMS ANY LIABILITY RESULTING FROM OR IN CONNECTION WITH THIS DOCUMENT OR ANY INFORMATION PROVIDED HEREIN, including, without limitation, any liability for any direct, consequential, special, or punitive damages relating to or arising therefrom, except in cases of (i) death or personal injury, (ii) BASF's or its agents and assistants willful misconduct, fraud or fraudulent misrepresentation or (iii) any matter in respect of which it would be unlawful for BASF to exclude or restrict liability under the applicable laws;
- b) Any information provided herein can be changed at BASF's sole discretion anytime and neither this document nor the information provided herein may be relied upon to satisfy any obligations you may have to undertake your own inspections and evaluation;
- c) BASF rejects any obligation to, and will not, automatically update this document and any information provided herein, unless required by applicable law; and
- d) You are responsible for confirming that you have retrieved the most current version of this document from BASF.
- e) This document or any information provided herein must not be used for purposes of pharmaceutical registrations.

If you have any further questions or need additional support, please contact your BASF sales representative.

Applications

Dietary supplements:

CLA FFA 80 is intended for use in dietary supplements. Ideal for use in dosage forms such as soft gelatin capsules in which the product is protected against oxidation.

Notes

CLA FFA 80 must be handled in accordance with the Material Safety Data Sheet.