

Safety data sheet

Product: PALAMOLL® 646

Page: 1/13

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time. Date / Revised: 11.11.2022 Version: 7.0 Date previous version: 29.07.2016 Previous version: 6.1 Date / First version: 29.04.2002

> (ID no. 30034733/SDS_GEN_GB/EN) Date of print 04.07.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

PALAMOLL® 646

Chemical name: Palamoll 646 CAS Number: 150923-12-9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: plasticizers

1.3. Details of the supplier of the safety data sheet

Company: BASF SE 67056 Ludwigshafen GERMANY <u>Contact address:</u> BASF plc 4th and 5th Floors, 2 Stockport Exchange Railway Road, Stockport, SK1 3GG UNITED KINGDOM

Telephone: +44 161 475 3000 E-mail address: product-safety-uk-and-ireland@basf.com

1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

(ID no. 30034733/SDS_GEN_GB/EN) Date of print 04.07.2025

No need for classification according to GHS criteria for this product.

2.2. Label elements

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

No data available.

2.3. Other hazards

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

See section 12 - Results of PBT and vPvB assessment.

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Chemical nature

Hexanedioic acid, polymer with 1,3-butanediol and 1,4-butanediol,acetate CAS Number: 150923-12-9

Hazardous ingredients (GHS)

No particular hazards known.

3.2. Mixtures

Not applicable

SECTION 4: First-Aid Measures

4.1. Description of first aid measures No special precautions necessary.

Page: 3/13

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time. Date / Revised: 11.11.2022 Version: 7.0 Date previous version: 29.07.2016 Previous version: 6.1 Date / First version: 29.04.2002 Product: PALAMOLL® 646

(ID no. 30034733/SDS_GEN_GB/EN) Date of print 04.07.2025

If inhaled: Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

antidote.

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in section 2 and/or in section 11.

4.3. Indication of any immediate medical attention and special treatment needed Treatment: Treat according to symptoms (decontamination, vital functions), no known specific

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media: dry powder, water spray, carbon dioxide, foam

Unsuitable extinguishing media for safety reasons: water jet

Additional information: Use extinguishing measures to suit surroundings.

5.2. Special hazards arising from the substance or mixture

Advice: Do not breathe gas/vapour. The product is combustible. Burning produces harmful and toxic fumes.

Advice: Shut off or stop released substance/product under safe conditions. Cool endangered containers with water-spray. Due to the organic compound content of the preparation, fire will produce dense black smoke. Inhalation of dangerous decomposition products may cause serious damage to health.

Advice: Do not release chemically contaminated water into drains, soil or surface water. Sufficient measures must be taken to retain the water used for extinguishing. Dispose of contaminated water and soil according to local regulations.

5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus. Special protective equipment for firefighters

(ID no. 30034733/SDS_GEN_GB/EN) Date of print 04.07.2025

Page: 4/13

Further information:

Evacuate area of all unnecessary personnel. Fight fire from maximum distance.

Extend fire extinguishing measures to the surroundings. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6: Accidental Release Measures

High risk of slipping due to leakage/spillage of product.

Shut off or stop source of leak. Shut off or stop released substance/product under safe conditions.

Pack in tightly closed containers for disposal.

6.1. Personal precautions, protective equipment and emergency procedures

Avoid all sources of ignition: heat, sparks, open flame. Avoid contact with the skin, eyes and clothing. Ensure adequate ventilation. Breathing protection required.

Take off immediately all contaminated clothing. Keep people away and stay on the upwind side. Beware of pits and confined spaces.

Use antistatic tools. Handle in accordance with good industrial hygiene and safety practice.

6.2. Environmental precautions

Discharge into the environment must be avoided. Collect contaminated washing water for appropriate disposal.

6.3. Methods and material for containment and cleaning up

For large amounts: Pump off product.

Suppress gases/vapours/mists with water spray jet.

Ensure adequate ventilation. Cleaning operations should be carried out only while wearing breathing apparatus.

Pick up with suitable appliance and dispose of. Spills should be contained, solidified, and placed in suitable containers for disposal. Dispose of absorbed material in accordance with regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

(ID no. 30034733/SDS_GEN_GB/EN) Date of print 04.07.2025

Handle in accordance with good industrial hygiene and safety practice. Ensure thorough ventilation of stores and work areas. Avoid all sources of ignition: heat, sparks, open flame. Protect from direct sunlight. Take precautionary measures against static discharges. Avoid inhalation of dusts/mists/vapours. Change clothes immediately after contamination. Avoid contact with the skin, eyes and clothing. Avoid aerosol formation.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

No substance specific occupational exposure limits known.

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Manufacturer's directions for use should be observed because of great diversity of types. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

(ID no. 30034733/SDS_GEN_GB/EN) Date of print 04.07.2025

Page: 6/13

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment.

Environmental exposure controls

All appropriate measures must be taken to prevent the release of this product to the environment and to limit the dispersion of any release when it occurs. Suitable risk management measures should be in place.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form: Colour: Odour: Odour threshold:	viscous colourless to slightly yellow ester-like, of acetic acid	
pH value:	not determined	
pour point: Boiling point:	not applicable, of very low solubility -17 °C	(DIN ISO 3016)
Flash point: Evaporation rate:	not applicable > 100 °C	
·	Value can be approximated from Henry's Law Constant or vapor pressure.	
Flammability: Lower explosion limit:	not flammable	
	For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:		
	For liquids not relevant for classification and labelling.	
Ignition temperature:	390 °C	(DIN 51794)
Vapour pressure:	< 0.1 mbar (20 °C)	
	< 0.1 mbar	
Doncity:	(50 °C)	(DIN 51757)
Density:	1.125 - 1.140 g/cm3 (20 °C)	(DIN 51757)
Relative density:	1.125 - 1.140	
(20 °C) Relative vapour density (air):		
. ,	not determined	

(ID no. 30034733/SDS_GEN_GB/EN) Date of print 04.07.2025

Page: 7/13

Solubility in water:			
	3.4 mg/l		
	(20 °C)		
Solubility (qualitative) solvent(s): organic solvents			
	soluble		
Partitioning coefficient n-octanol/water (log Kow):			
	not applicable		
Self ignition:	Temperature: 20 °C		
	not self-igniting		
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.		
Viscosity, dynamic:	10 - 13 Pa.s	(calculated (from kinematic	
	(20 °C)	viscosity))	
Explosion hazard:	not explosive	(other)	
Fire promoting properties: not fire-propagating		(other)	

9.2. Other information

pKA:

The substance does not dissociate.

SECTION 10: Stability and Reactivity

10.1. Reactivity

Corrosion to metals: No corrosive effect on metal. Formation of Remarks: flammable gases:

Forms no flammable gases in the presence of water.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

Reacts with strong oxidizing agents.

10.4. Conditions to avoid

No special precautions other than good housekeeping of chemicals.

10.5. Incompatible materials

Substances to avoid: strong oxidizing agents

10.6. Hazardous decomposition products

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

(ID no. 30034733/SDS_GEN_GB/EN)

Date of print 04.07.2025

Page: 8/13

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion.

Experimental/calculated data: LD50 rat (oral): > 32,000 mg/kg (BASF-Test)

Irritation

Assessment of irritating effects: Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data: Skin corrosion/irritation rabbit: non-irritant (BASF-Test)

Serious eye damage/irritation rabbit: non-irritant (BASF-Test)

Respiratory/Skin sensitization

Assessment of sensitization: The chemical structure does not suggest a sensitizing effect.

Germ cell mutagenicity

Assessment of mutagenicity: The chemical structure does not suggest a specific alert for such an effect.

Carcinogenicity

Assessment of carcinogenicity: The chemical structure does not suggest a specific alert for such an effect.

Reproductive toxicity

Assessment of reproduction toxicity: The chemical structure does not suggest a specific alert for such an effect.

Specific target organ toxicity (single exposure)

Assessment of STOT single: Not relevant.

(ID no. 30034733/SDS_GEN_GB/EN) Date of print 04.07.2025

Page: 9/13

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Aspiration hazard

Not relevant.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The LC50 is higher than the solubility limit. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish: LC50 (96 h) 1,250 mg/l, Oncorhynchus mykiss (OECD 203; ISO 7346; 84/449/EEC, C.1, static) Nominal concentration.

Microorganisms/Effect on activated sludge: EC10 (16 h) > 10,000 mg/l, Pseudomonas putida (DIN 38412 Part 8, aerobic) The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O): Biodegradable.

Elimination information: 75 % BOD of COD (28 d) (OECD 301F; ISO 9408; 92/69/EEC, C.4-D) (aerobic, activated sludge, industrial) Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulation potential: No data available.

12.4. Mobility in soil

Assessment transport between environmental compartments: Volatility: No data available.

12.5. Results of PBT and vPvB assessment

(ID no. 30034733/SDS_GEN_GB/EN) Date of print 04.07.2025

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative). Self classification

12.6. Other adverse effects

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.7. Additional information

Other ecotoxicological advice:

Do not release untreated into natural waters. At the present state of knowledge, no negative ecological effects are expected.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

Contaminated packaging: Disposal must be made according to official regulations.

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user	Not classified as a dangerous good under transport regulations Not applicable Not applicable Not applicable Not applicable Not applicable None known
RID	
	Not classified as a dangerous good under transport regulations

UN number or ID number: Not classified as a dangerous good under transport regulations Not applicable

Page: 11/13

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time. Date / Revised: 11.11.2022 Version: 7.0 Date previous version: 29.07.2016 Previous version: 6.1 Date / First version: 29.04.2002 Product: PALAMOLL® 646

> (ID no. 30034733/SDS_GEN_GB/EN) Date of print 04.07.2025

UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable Special precautions for user

Inland waterway transport ADN

UN number or ID number:

UN proper shipping name:

Environmental hazards: Special precautions for

Transport hazard class(es):

Not classified as a dangerous good under transport regulations Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable None known

Transport in inland waterway vessel Not evaluated

Sea transport

Packing group:

IMDG

user:

Not classified as a dangerous good under transport regulationsUN number or ID number:Not applicableUN proper shipping name:Not applicableTransport hazard class(es):Not applicablePacking group:Not applicableEnvironmental hazards:Not applicableSpecial precautions forNone knownuserNone known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	None known

Page: 12/13

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time. Date / Revised: 11.11.2022 Version: 7.0 Date previous version: 29.07.2016 Previous version: 6.1 Date / First version: 29.04.2002 Product: PALAMOLL® 646

(ID no. 30034733/SDS_GEN_GB/EN) Date of print 04.07.2025

user

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): Listed in above regulation: no

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2. Chemical Safety Assessment

Product is not classified as hazardous.

(ID no. 30034733/SDS_GEN_GB/EN) Date of print 04.07.2025

SECTION 16: Other Information

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.