

# Safety Data Sheet

## METHOXYPROPYLACETATE

Revision date : 2026/03/06

Version: 5.0

Page: 1/12

(30034751/SDS\_GEN\_CA/EN)

### 1. Identification

#### Product identifier used on the label

## METHOXYPROPYLACETATE

#### Recommended use of the chemical and restriction on use

Recommended use\*: process chemical, solvent(s)

Recommended use\*: process chemical

Unsuitable for use: Not intended for sale to or use by the general public.

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

##### Company:

BASF Canada Inc.  
5025 Creekbank Road  
Building A, Floor 2  
Mississauga, ON, L4W 0B6, CANADA

Telephone: +1 289 360-1300

#### Emergency telephone number

##### 24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: (800) 454-COPE (2673)

#### Other means of identification

Molecular formula: CH<sub>3</sub>-O-CH<sub>2</sub>-CH(OOCCH<sub>3</sub>)-CH<sub>3</sub>

Synonyms: Not available. Use: process chemical

### 2. Hazards Identification

#### According to Hazardous Products Regulations (HPR) (SOR/2022-272)

#### Classification of the product

Flam. Liq.  
STOT SE3  
3 (May cause  
drowsiness and  
dizziness.)Flammable liquids  
Specific target organ toxicity — single exposure

# Safety Data Sheet

## METHOXYPROPYLACETATE

Revision date: 2026/03/06

Version: 5.0

Page: 2/12

(30034751/SDS\_GEN\_CA/EN)

### Label elements

Pictogram:



Signal Word:

Warning

Hazard Statement:

H226 Flammable liquid and vapour.  
H336 May cause drowsiness or dizziness.

Precautionary Statements (Prevention):

P271 Use only outdoors or in a well-ventilated area.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P280 Wear protective gloves and eye protection or face protection.  
P261 Avoid breathing mist or vapour or spray.  
P243 Take action to prevent static discharges.  
P241 Use explosion-proof electrical, ventilating and lighting equipment.  
P240 Ground and bond container and receiving equipment.  
P242 Use non-sparking tools.

Precautionary Statements (Response):

P312 Call a POISON CENTER or physician if you feel unwell.  
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P370 + P378 In case of fire: Use water spray, dry powder, foam or carbon dioxide for extinction.

Precautionary Statements (Storage):

P233 Keep container tightly closed.  
P403 + P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

### Hazards not otherwise classified

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. See section 12 - Results of PBT and vPvB assessment.

---

## 3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2022-272)

# Safety Data Sheet

## METHOXYPROPYLACETATE

Revision date: 2026/03/06  
Version: 5.0

Page: 3/12  
(30034751/SDS\_GEN\_CA/EN)

| 1-methoxy-2-propylacetate  
| CAS Number: 108-65-6  
| Content (W/W): >= 99.5 - < 100.0%  
| Synonym: 2-Methoxy-1-methylethyl acetate; 1-Methoxy-2-propyl acetate

---

### 4. First-Aid Measures

#### Description of first aid measures

##### General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

##### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

##### If on skin:

Wash thoroughly with soap and water

##### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

##### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

#### Most important symptoms and effects, both acute and delayed

Symptoms: Overexposure may cause: nausea, vomiting, dizziness, diarrhea, abdominal cramps  
Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

#### Indication of any immediate medical attention and special treatment needed

##### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

### 5. Fire-Fighting Measures

Suitable extinguishing media:

dry powder, water spray, carbon dioxide, alcohol-resistant foam

Unsuitable extinguishing media for safety reasons:

water jet

Additional information:

Use extinguishing measures to suit surroundings.

# Safety Data Sheet

## METHOXYPROPYLACETATE

Revision date: 2026/03/06

Version: 5.0

Page: 4/12

(30034751/SDS\_GEN\_CA/EN)

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:

Flammable liquid Cool endangered containers with water-spray. See SDS section 7 - Handling and storage.

### Advice for fire-fighters

Protective equipment for fire-fighting:

Wear a self-contained breathing apparatus. Special protective equipment for firefighters

### Further information:

Evacuate area of all unnecessary personnel. Fight fire from maximum distance.

Extend fire extinguishing measures to the surroundings. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

### Impact Sensitivity:

Remarks: Based on the chemical structure there is no shock-sensitivity.

---

## 6. Accidental release measures

### Further accidental release measures:

High risk of slipping due to leakage/spillage of product.

Release of substance/product can cause fire or explosion. Shut off or stop source of leak. Shut off or stop released substance/product under safe conditions.

Pack in tightly closed containers for disposal.

### Personal precautions, protective equipment and emergency procedures

Handle in accordance with good industrial hygiene and safety practice.

Avoid all sources of ignition: heat, sparks, open flame. Use antistatic tools.

### Environmental precautions

Discharge into the environment must be avoided.

### Methods and material for containment and cleaning up

Pick up with suitable appliance and dispose of. Spills should be contained, solidified, and placed in suitable containers for disposal. Dispose of absorbed material in accordance with regulations.

---

## 7. Handling and Storage

### Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Take precautionary measures against static discharges.

# Safety Data Sheet

## METHOXYPROPYLACETATE

Revision date: 2026/03/06  
Version: 5.0

Page: 5/12  
(30034751/SDS\_GEN\_CA/EN)

### Conditions for safe storage, including any incompatibilities

Unsuitable materials for containers: Low density polyethylene (LDPE), Paper/Fibreboard

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

## 8. Exposure Controls/Personal Protection

No substance specific occupational exposure limits known.

### Advice on system design:

Ensure adequate ventilation.

### Personal protective equipment

#### Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator as needed.

#### Hand protection:

Wear chemical resistant protective gloves., Consult with glove manufacturer for testing data.

#### Eye protection:

Tightly fitting safety goggles (chemical goggles).

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

### General safety and hygiene measures:

Avoid contact with eyes. Wearing of closed work clothing is required additionally to the stated personal protection equipment.

## 9. Physical and Chemical Properties

Physical state:	liquid	
Form:	liquid	
Odour:	ether-like	
Odour threshold:	not determined	
Colour:	colourless	
pH value:	not applicable	
Melting point:	-66 °C ( 1,013.25 hPa) Literature data.	(measured)
Freezing point:	No data available.	
Boiling point:	145.8 °C ( 1,013.25 hPa) Extrapolated value	(OECD Guideline 103)
Boiling range:	No data available.	
Flash point:	45.5 °C	(ASTM D3278, closed cup)
Flammability:	Flammable.	(derived from flash point)

# Safety Data Sheet

## METHOXYPROPYLACETATE

Revision date: 2026/03/06

Version: 5.0

Page: 6/12

(30034751/SDS\_GEN\_CA/EN)

Lower explosion limit:	For liquids not relevant for classification and labelling. The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Autoignition:	333 °C	(DIN 51794)
Vapour pressure:	3.5997 hPa ( 20 °C) dynamic	(OECD Guideline 104)
Density:	0.9677 g/cm3 ( 20 °C, 1,013 hPa) Literature data.	
	0.9286 g/cm3 ( 55 °C)	(calculated)
Relative density:	0.967 ( 20 °C, 1,013 hPa)	(DIN 51757)
Relative vapour density:	4.55 ( 20 °C) Heavier than air.	(calculated)
Partitioning coefficient n-octanol/water (log Pow):	1.2 ( 20 °C)	(OECD Guideline 117)
Self-ignition temperature:	Based on its structural properties the product is not classified as self-igniting.	
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, kinematic:	1.23 mm2/s ( 20 °C)	(DIN 51562)
Solubility in water:	198 g/l ( 20 °C)	
Solubility (qualitative):	soluble solvent(s): organic solvents,	
Molecular weight:	132.16 g/mol	
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.	

### Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form.

## 10. Stability and Reactivity

### Reactivity

When heated can give off ignitable vapours.

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Formation of

flammable gases:

Remarks:

Forms no flammable gases in the presence of water.

# Safety Data Sheet

## METHOXYPROPYLACETATE

Revision date: 2026/03/06  
Version: 5.0

Page: 7/12  
(30034751/SDS\_GEN\_CA/EN)

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

Reacts with strong oxidizing agents.

### Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame.

### Incompatible materials

strong oxidizing agents

### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

---

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

#### Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

#### Oral

Type of value: LD50

Species: rat (male/female)

Value: > 5,000 mg/kg (similar to OECD guideline 401)

#### Inhalation

Type of value: LC50

Species: rat

Value: > 23.5 mg/l (similar to OECD guideline 403)

Exposure time: 6 h

The vapour was tested.

No mortality was observed.

#### Dermal

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg (similar to OECD guideline 402)

No mortality was observed.

# Safety Data Sheet

## METHOXYPROPYLACETATE

Revision date: 2026/03/06

Version: 5.0

Page: 8/12

(30034751/SDS\_GEN\_CA/EN)

Type of value: LD50  
Species: rabbit  
Value: > 5,000 mg/kg (similar to OECD guideline 402)  
No mortality was observed.

### Assessment other acute effects

Assessment of STOT single:  
Possible narcotic effects (drowsiness or dizziness).

### Irritation / corrosion

Assessment of irritating effects: Not irritating to the skin. Not irritating to the eyes.

### Skin

Species: rabbit  
Result: non-irritant  
Method: similar to OECD guideline 404

### Eye

Species: rabbit  
Result: non-irritant  
Method: similar to OECD guideline 405

### Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

### Guinea pig maximization test

Species: guinea pig  
Result: Non-sensitizing.  
Method: OECD Guideline 406

### Aspiration Hazard

No aspiration hazard expected.

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: Repeated dermal uptake of the substance did not cause substance-related effects. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. The substance may cause damage to the olfactory epithelium after repeated inhalation. Repeated oral uptake of the substance did not cause substance-related effects.

### Genetic toxicity

Assessment of mutagenicity: The substance was not mutagenic in bacteria. The substance was not mutagenic in mammalian cell culture. The substance was not genotoxic in mammalian cell culture. Genetic toxicity in vitro: similar to OECD guideline 471 Ames-test Salmonella typhimurium:with and without metabolic activation negative  
similar to OECD guideline 473 Chromosomal Aberration Test CHO cells:with and without metabolic activation negative

### Carcinogenicity

Assessment of carcinogenicity: In long-term studies in rats and mice in which the substance was given by inhalation, a carcinogenic effect was not observed. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

# Safety Data Sheet

## METHOXYPROPYLACETATE

Revision date: 2026/03/06

Version: 5.0

Page: 9/12

(30034751/SDS\_GEN\_CA/EN)

### Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

### Teratogenicity

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies.

---

## 12. Ecological Information

### Toxicity

#### Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

#### Toxicity to fish

LC50 (96 h) 134 mg/l, *Oncorhynchus mykiss* (OECD Guideline 203, static)

The details of the toxic effect relate to the nominal concentration.

#### Aquatic invertebrates

EC50 (48 h) > 500 mg/l, *Daphnia magna* (Daphnia test acute, semistatic)

The details of the toxic effect relate to the nominal concentration.

#### Aquatic plants

EC50 (72 h) > 1,000 mg/l (growth rate), *Selenastrum capricornutum* (OECD Guideline 201, static)

The details of the toxic effect relate to the nominal concentration.

#### Chronic toxicity to fish

No observed effect concentration (14 d) 47.5 mg/l, *Oryzias latipes* (OECD Guideline 204, Flow through.)

The details of the toxic effect relate to the nominal concentration.

#### Chronic toxicity to aquatic invertebrates

No observed effect concentration (21 d) >= 100 mg/l, *Daphnia magna* (OECD Guideline 202, part 2, semistatic)

#### Assessment of terrestrial toxicity

No data available concerning terrestrial toxicity.

### Microorganisms/Effect on activated sludge

#### Toxicity to microorganisms

DIN EN ISO 8192-OECD 209-88/302/EEC, P. C aerobic activated sludge, industrial/EC10 (30 min): > 1,000 mg/l

The details of the toxic effect relate to the nominal concentration.

### Persistence and degradability

#### Assessment biodegradation and elimination (H2O)

Readily biodegradable (according to OECD criteria).

# Safety Data Sheet

## METHOXYPROPYLACETATE

Revision date: 2026/03/06  
Version: 5.0

Page: 10/12  
(30034751/SDS\_GEN\_CA/EN)

### Elimination information

83 % BOD of the ThOD (28 d) (OECD 301F; ISO 9408; 92/69/EWG, C.4-D) (aerobic, activated sludge, domestic, non-adapted)

### Assessment of stability in water

In contact with water the substance will hydrolyse slowly.

### Information on Stability in Water (Hydrolysis)

$t_{1/2} > 1$  a (25 °C, pH value 7), (OECD Guideline 111, pH 7)

## **Bioaccumulative potential**

### Assessment bioaccumulation potential

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

### Bioaccumulation potential

No data available.

## **Mobility in soil**

### Assessment transport between environmental compartments

The substance will slowly evaporate into the atmosphere from the water surface.  
Adsorption to solid soil phase is not expected.

## **Additional information**

Adsorbable organically-bound halogen(AOX):  
This product contains no organically-bound halogen.

---

## **13. Disposal considerations**

### **Waste disposal of substance:**

Dispose of in accordance with national, state and local regulations.

### **Container disposal:**

WARNING: Empty containers may still contain hazardous residue. Uncleaned empties should be disposed of in the same manner as the contents.

---

## **14. Transport Information**

### **Land transport**

TDG

Hazard class:	3
Packing group:	III
ID number:	UN 1993
Hazard label:	3
Proper shipping name:	FLAMMABLE LIQUID, N.O.S. (contains 2-METHOXY-1-METHYLETHYL ACETATE)

# Safety Data Sheet

## METHOXYPROPYLACETATE

Revision date: 2026/03/06  
Version: 5.0

Page: 11/12  
(30034751/SDS\_GEN\_CA/EN)

### Sea transport

IMDG  
Hazard class: 3  
Packing group: III  
ID number: UN 1993  
Hazard label: 3  
Marine pollutant: NO  
Proper shipping name: FLAMMABLE LIQUID, N.O.S. (contains 2-METHOXY-1-METHYLETHYL ACETATE)

### Air transport

IATA/ICAO  
Hazard class: 3  
Packing group: III  
ID number: UN 1993  
Hazard label: 3  
Proper shipping name: FLAMMABLE LIQUID, N.O.S. (contains 2-METHOXY-1-METHYLETHYL ACETATE)

---

## 15. Regulatory Information

### Federal Regulations

#### Registration status:

Chemical DSL, CA

DSL listed and/or otherwise compliant.

#### NFPA Hazard codes:

Health: 1 Fire: 2 Reactivity: 0 Special:

#### Assessment of the hazard classes according to UN GHS criteria (most recent version):

Flam. Liq.	3	Flammable liquids
STOT SE	3 (May cause drowsiness and dizziness.)	Specific target organ toxicity — single exposure

---

## 16. Other Information

#### SDS Prepared by:

BASF NA Product Regulations  
SDS Prepared on: 2026/03/06

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our

# Safety Data Sheet

## METHOXYPROPYLACETATE

Revision date: 2026/03/06

Page: 12/12

Version: 5.0

(30034751/SDS\_GEN\_CA/EN)

---

operations on society and the environment during production, storage, transport, use and disposal of our products.

---

Date / Revised: 2026/03/06

Version: 5.0

Date / Previous version: 2025/12/09

Previous version: 4.1

---

END OF DATA SHEET