

# Safety data sheet

Page: 1/13

---

BASF Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 08.09.2023

Version: 4.0

Product: **NONANOL N (IZ)**

(ID no. 30034821/SDS\_GEN\_00/EN)

Date of print 26.05.2024

---

## 1. Identification

### Product identifier

## NONANOL N (IZ)

Chemical name: Nonanol N

CAS Number: 27458-94-2

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Only to be used as intermediate according to the REACH Regulation (EC) No 1907/2006, art. 18

### Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Operating Division Petrochemicals

Telephone: +49 621 60-42151

E-mail address: sds-petrochemicals@basf.com

### Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

---

## 2. Hazards Identification

### Classification of the substance or mixture

According to UN GHS criteria

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 08.09.2023

Version: 4.0

Product: **NONANOL N (IZ)**

(ID no. 30034821/SDS\_GEN\_00/EN)

Date of print 26.05.2024

Flam. Liq. 4  
 Acute Tox. 5 (oral)  
 Skin Corr./Irrit. 2  
 Eye Dam./Irrit. 1  
 Aquatic Acute 2

For the classifications not written out in full in this section the full text can be found in section 16.

## Label elements

### Globally Harmonized System (GHS)

Pictogram:



Signal Word:

Danger

Hazard Statement:

H227	Combustible liquid.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H303	May be harmful if swallowed.
H401	Toxic to aquatic life.

Precautionary Statements (Prevention):

P280	Wear protective gloves and eye protection or face protection.
P273	Avoid release to the environment.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P310	Immediately call a POISON CENTER or physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303 + P352	IF ON SKIN (or hair): Wash with plenty of soap and water.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P370 + P378	In case of fire: Use water spray, dry powder, foam or carbon dioxide for extinction.

Precautionary Statements (Storage):

P403	Store in a well-ventilated place.
------	-----------------------------------

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.
------	---

## Other hazards

According to UN GHS criteria

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

See section 12 - Results of PBT and vPvB assessment.

---

### 3. Composition/Information on Ingredients

#### Substances

##### Chemical nature

Isononyl alcohol (Content (W/W): > 99 %)

CAS Number: 27458-94-2

EC-Number: 248-471-3

##### Hazardous ingredients (GHS)

According to UN GHS criteria

Isononyl alcohol

Content (W/W): > 99 % - <= 100 %	Flam. Liq. 4
CAS Number: 27458-94-2	Acute Tox. 5 (oral)
EC-Number: 248-471-3	Skin Corr./Irrit. 2
	Eye Dam./Irrit. 1
	Aquatic Acute 2
	H227, H318, H315, H303, H401

For the classifications not written out in full in this section the full text can be found in section 16.

#### Mixtures

Not applicable

---

### 4. First-Aid Measures

#### Description of first aid measures

If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). If not breathing, give artificial respiration. First aid personnel should pay attention to their own safety.

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

### **Most important symptoms and effects, both acute and delayed**

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

---

## **5. Fire-Fighting Measures**

### **Extinguishing media**

Suitable extinguishing media:

dry powder, water spray, carbon dioxide, foam

Unsuitable extinguishing media for safety reasons:

water jet

Additional information:

Use extinguishing measures to suit surroundings.

### **Special hazards arising from the substance or mixture**

Flammable liquid Cool endangered containers with water-spray. See SDS section 7 - Handling and storage.

### **Advice for fire-fighters**

Special protective equipment:

Wear a self-contained breathing apparatus. Special protective equipment for firefighters

Further information:

Evacuate area of all unnecessary personnel. Fight fire from maximum distance.

Extend fire extinguishing measures to the surroundings. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## **6. Accidental Release Measures**

High risk of slipping due to leakage/spillage of product.

Release of substance/product can cause fire or explosion. Shut off or stop source of leak. Shut off or stop released substance/product under safe conditions.

Pack in tightly closed containers for disposal.

**Personal precautions, protective equipment and emergency procedures**

Handle in accordance with good industrial hygiene and safety practice.

| Avoid all sources of ignition: heat, sparks, open flame. Use antistatic tools.

**Environmental precautions**

| Discharge into the environment must be avoided.

**Methods and material for containment and cleaning up**

| Pick up with suitable appliance and dispose of. Spills should be contained, solidified, and placed in suitable containers for disposal. Dispose of absorbed material in accordance with regulations.

---

**7. Handling and Storage****Precautions for safe handling**

| Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

| Avoid all sources of ignition: heat, sparks, open flame. Ground all transfer equipment properly to prevent electrostatic discharge.

**Conditions for safe storage, including any incompatibilities**

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

**Specific end use(s)**

| For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

---

**8. Exposure Controls/Personal Protection****Exposure controls**Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):

butyl rubber (butyl) - 0.7 mm coating thickness

Manufacturer's directions for use should be observed because of great diversity of types.

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eye protection:

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 08.09.2023

Version: 4.0

Product: **NONANOL N (IZ)**

(ID no. 30034821/SDS\_GEN\_00/EN)

Date of print 26.05.2024

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment.

**9. Physical and Chemical Properties****Information on basic physical and chemical properties**

Form:	liquid	
Colour:	colourless	
Odour:	almost odourless	
Odour threshold:	not determined	
pH value:	not applicable	
Melting point:	< -50 °C	
Boiling range:	195 - 203 °C (1.013 mbar)	(DIN 51751)
Flash point:	93 °C	(DIN 51755, closed cup)
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.	
Flammability:	hardly combustible	(derived from flash point)
Lower explosion limit:	For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Ignition temperature:	275 °C	(DIN 51794)
Vapour pressure:	0,03 mbar (20 °C) 0,6 mbar (50 °C)	
Density:	0,8335 g/cm <sup>3</sup> (20 °C)	(DIN 53217-5)
Relative density:	approx. 0,83 (20 °C)	(Directive 92/69/EEC, A.3)
Relative vapour density (air):	4,97 (20 °C) Heavier than air.	(calculated)
Solubility in water:	approx. 245 mg/l (20 °C)	(Directive 92/69/EEC, A.6)

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 08.09.2023

Version: 4.0

Product: **NONANOL N (IZ)**

(ID no. 30034821/SDS\_GEN\_00/EN)

Date of print 26.05.2024

Solubility (qualitative) solvent(s):	organic solvents soluble	
Partitioning coefficient n-octanol/water (log Kow):	3,8 (26 °C; pH value: approx. 6,5)	(Directive 84/449/EEC, A.8)
Self ignition:	not self-igniting	Test type: Spontaneous self-ignition at room-temperature.
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:	12,95 mPa.s (20 °C) The value was determined by calculation from the detected kinematic viscosity.	
Viscosity, kinematic:	15,54 mm <sup>2</sup> /s (20 °C)	(DIN 51562)
Explosion hazard:	Based on the chemical structure there is no indication of explosive properties.	
Fire promoting properties:	Based on its structural properties the product is not classified as oxidizing.	(other)

### Other information

pKA:		
Adsorption/water - soil:	The substance does not dissociate. KOC: 148; log KOC: 2,17 Adsorption to solid soil phase is possible.	(OECD Guideline 121)
Surface tension:	approx. 38,6 mN/m (20 °C; 0,221 g/l)	(OECD-Guideline 115, OECD harmonized ring method)
Grain size distribution:	The substance / product is marketed or used in a non solid or granular form.	
Molar mass:	144,26 g/mol	

## 10. Stability and Reactivity

### Reactivity

| When heated can give off ignitable vapours.

Corrosion to metals:	Corrosive effects to metal are not anticipated.	
Formation of flammable gases:	Remarks:	Forms no flammable gases in the presence of water.

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

Reacts with strong oxidizing agents.

### Conditions to avoid

No special precautions other than good housekeeping of chemicals.

## Incompatible materials

Substances to avoid:  
strong oxidizing agents

## Hazardous decomposition products

Hazardous decomposition products:  
No hazardous decomposition products if stored and handled as prescribed/indicated.

---

# 11. Toxicological Information

## Information on toxicological effects

### Acute toxicity

Assessment of acute toxicity:  
Of low toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Experimental/calculated data:  
LD50 rat (oral): 3.950 mg/kg (OECD Guideline 401)

LC50 rat (by inhalation): > 21,7 mg/l 7 h (BASF-Test)  
No mortality was observed. An aerosol was tested.

LD50 rat (dermal): > 4.000 mg/kg (OECD Guideline 402)

### Irritation

Assessment of irritating effects:  
Skin contact causes irritation. May cause severe damage to the eyes.

Experimental/calculated data:  
Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 404)

Serious eye damage/irritation rabbit: irreversible damage (OECD Guideline 405)

### Respiratory/Skin sensitization

Assessment of sensitization:  
Skin sensitizing effects were not observed in animal studies.

Experimental/calculated data:  
Buehler test guinea pig: Non-sensitizing. (OECD Guideline 406)

### Germ cell mutagenicity

Assessment of mutagenicity:  
The substance was not mutagenic in bacteria. The chemical structure does not suggest a specific alert for such an effect.

### Carcinogenicity



**Assessment of carcinogenicity:**

The chemical structure does not suggest a specific alert for such an effect.

**Reproductive toxicity****Assessment of reproduction toxicity:**

No data available. The chemical structure does not suggest a specific alert for such an effect.

**Developmental toxicity****Assessment of teratogenicity:**

Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

**Specific target organ toxicity (single exposure)****Assessment of STOT single:**

not applicable

**Repeated dose toxicity and Specific target organ toxicity (repeated exposure)****Assessment of repeated dose toxicity:**

Repeated oral uptake of the substance did not cause substance-related effects.

**Aspiration hazard**

No aspiration hazard expected.

---

## 12. Ecological Information

### Toxicity

**Assessment of aquatic toxicity:**

Acutely toxic for aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

**Toxicity to fish:**

LC50 (96 h) 11 mg/l, *Cyprinus carpio* (OECD 203; ISO 7346; 84/449/EEC, C.1, semistatic)

The statement of the toxic effect relates to the analytically determined concentration.

**Aquatic invertebrates:**

EC50 (48 h) 9 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

The statement of the toxic effect relates to the analytically determined concentration.

**Aquatic plants:**

EC50 (72 h) 11 mg/l (growth rate), *Desmodium subspicatus* (Guideline 92/69/EEC, C.3)

The statement of the toxic effect relates to the analytically determined concentration.

**Microorganisms/Effect on activated sludge:**

EC10 (6 h) 114,5 mg/l, *Pseudomonas putida* (DIN EN ISO 10712)

**Chronic toxicity to fish:**

No data available regarding toxicity to fish.

Chronic toxicity to aquatic invertebrates:  
No data available regarding toxicity to daphnids.

Assessment of terrestrial toxicity:  
No data available concerning terrestrial toxicity.  
No data available concerning terrestrial toxicity.

### **Persistence and degradability**

Assessment biodegradation and elimination (H<sub>2</sub>O):  
Readily biodegradable (according to OECD criteria).

Elimination information:  
79 % CO<sub>2</sub> formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EEC, C.4-C) (aerobic, activated sludge, domestic)

Assessment of stability in water:  
According to structural properties, hydrolysis is not expected/probable.

### **Bioaccumulative potential**

Assessment bioaccumulation potential:  
Significant accumulation in organisms is not to be expected.

Bioaccumulation potential:  
Bioconcentration factor: < 100 (14 d), *Oncorhynchus mykiss* (OECD Guideline 305 E)  
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### **Mobility in soil**

Assessment transport between environmental compartments:  
Volatility: The substance will slowly evaporate into the atmosphere from the water surface.  
Adsorption in soil: Adsorption to solid soil phase is possible.

### **Results of PBT and vPvB assessment**

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative). Self classification

### **Other adverse effects**

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

### **Additional information**

Adsorbable organically-bound halogen (AOX):  
This product contains no organically-bound halogen.

## 13. Disposal Considerations

### Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

## 14. Transport Information

### Land transport

ADR

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

RID

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

### Inland waterway transport

ADN

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	None known

Transport in inland waterway vessel

UN number or ID number: ID9003

---

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 08.09.2023

Version: 4.0

Product: **NONANOL N (IZ)**

(ID no. 30034821/SDS\_GEN\_00/EN)

Date of print 26.05.2024

UN proper shipping name: SUBSTANCES WITH FLASH-POINT BETWEEN 60°C - 100°C  
(NONYLALCOHOL)

Transport hazard class(es): 9, N3, F  
Packing group: Not applicable  
Environmental hazards: yes  
Type of inland waterway vessel: N  
Cargo tank design: 4  
Cargo tank type: 3

### **Sea transport**

#### IMDG

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable  
UN proper shipping name: Not applicable  
Transport hazard class(es): Not applicable  
Packing group: Not applicable  
Environmental hazards: Not applicable  
Special precautions for user: None known

### **Air transport**

#### IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable  
UN proper shipping name: Not applicable  
Transport hazard class(es): Not applicable  
Packing group: Not applicable  
Environmental hazards: Not applicable  
Special precautions for user: None known

### **Maritime transport in bulk according to IMO instruments**

Regulation: IBC-Code

Product name: Nonyl alcohol (all isomers)  
Pollution category: Y  
Ship Type: 2

---

## 15. Regulatory Information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

## 16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Flam. Liq.	Flammable liquids
Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
Aquatic Acute	Hazardous to the aquatic environment - acute
H227	Combustible liquid.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H303	May be harmful if swallowed.
H401	Toxic to aquatic life.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.