

# Safety Data Sheet Linalool

Revision date : 2023/04/28 Version: 6.2 Page: 1/11 (30034999/SDS\_GEN\_US/EN)

## 1. Identification

Product identifier used on the label

# Linalool

#### Recommended use of the chemical and restriction on use

Recommended use\*: Chemical, Chemical for detergents, Cosmetic and oral care chemical, flavoring substance

Unsuitable for use: Not intended for sale to or use by the general public.

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

<u>Company:</u> BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

#### **Emergency telephone number**

24 Hour Emergency Response Information CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification Synonyms: Linalool

#### 2. Hazards Identification

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### **Classification of the product**

Flam. Liq.	4	Flammable liquids
Skin Corr./Irrit.	2	Skin corrosion/irritation
Eye Dam./Irrit.	2A	Serious eye damage/eye irritation
Skin Sens.	1	Skin sensitization

Linalool

Revision date: 2023/04/28 Version: 6.2 Page: 2/11 (30034999/SDS\_GEN\_US/EN)

Aquatic Acute	3	Hazardous to the aquatic environment - acute	
Label elements			
Pictogram:			
Signal Word: Warning			
Hazard Statement: H227 H319 H315 H317 H402	Combustible liquid. Causes serious eye irritatio Causes skin irritation. May cause an allergic skin Harmful to aquatic life.		
Precautionary Stateme		love protection or face protection	
P280 P261	Avoid breathing mist or vap	l eye protection or face protection.	
P280	Wear eye protection.		
P210		surfaces, sparks, open flames and other	
	ignition sources. No smokir		
P273	Avoid release to the enviro	nment.	
P272		g should not be allowed out of the workplace.	
P264	Wash contaminated body p	parts thoroughly after handling.	
Precautionary Stateme	nts (Response):		
P305 + P351 + P338		sly with water for several minutes. Remove	
		nd easy to do. Continue rinsing.	
P302 + P352	IF ON SKIN: Wash with ple		
P333 + P313	If skin irritation or rash occu		
P332 + P313	If skin irritation occurs: Get		
P362 + P364		ning and wash it before reuse.	
P337 + P313 P370 + P378	If eye irritation persists: Ge	resistant foam, carbon dioxide, dry powder	
F370 + F376	or water spray for extinction		
Precautionary Statements (Storage):			
P403	Store in a well-ventilated pl	ace.	
Precautionary Stateme P501		ner in accordance with local regulations.	
Hazards not otherw	ISE CIASSIFIED		
No data available.			

# 3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

# Linalool

Revision date: 2023/04/28 Version: 6.2

Linalool

CAS Number: 78-70-6 Content (W/W): 75.0 - 100.0% Synonym: 3,7-Dimethyl-1,6-octadien-3-ol; .beta.-Linalool

## 4. First-Aid Measures

#### Description of first aid measures

#### General advice:

Remove contaminated clothing immediately and clean before re-use or dispose it if necessary.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

#### If on skin:

Remove contaminated clothing. Wash skin with soap and water, rinse abundantly. Seek medical attention.

#### If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. If irritation develops, seek medical attention.

#### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

#### Most important symptoms and effects, both acute and delayed

Symptoms: Overexposure may cause:, Eye irritation, skin irritation, erythema, allergic contact dermatitis, nausea, headache, vomiting, dizziness, diarrhea, abdominal cramps

#### Indication of any immediate medical attention and special treatment needed

Note to physician Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## 5. Fire-Fighting Measures

#### **Extinguishing media**

Suitable extinguishing media: water spray, carbon dioxide, dry powder, alcohol-resistant foam

Unsuitable extinguishing media for safety reasons: water jet

#### Special hazards arising from the substance or mixture

Hazards during fire-fighting: carbon oxides, harmful vapours The substances/groups of substances mentioned can be released in case of fire. Combustible Liquid

# Linalool

Revision date: 2023/04/28 Version: 6.2

#### Advice for fire-fighters

Protective equipment for fire-fighting: Wear a self-contained breathing apparatus.

#### Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Cool endangered containers with water-spray.

## 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures, see section 8. Ensure adequate ventilation. Do not breathe vapour/spray. Avoid contact with the skin, eyes and clothing.

#### **Environmental precautions**

Do not discharge into drains/surface waters/groundwater.

#### Methods and material for containment and cleaning up

For large amounts: Dike spillage. Cover with blanket of foam (alcohol-resistant foam). Pump off product.

For residues: Contain with absorbent material (e.g. sand, silica gel, acid binder, general purpose binder, sawdust).

Dispose of absorbed material in accordance with regulations.

#### 7. Handling and Storage

#### Precautions for safe handling

Ensure thorough ventilation of stores and work areas. Wear suitable protective clothing and eye/face protection. Avoid contact with the skin, eyes and clothing. Keep container tightly sealed. This product may cause irritations; wash your hands after every contact.

Protection against fire and explosion:

The product is combustible. Avoid all sources of ignition: heat, sparks, open flame. Take precautionary measures against static discharges. If exposed to fire, keep containers cool by spraying with water. Vapours may form explosive mixture with air.

#### Conditions for safe storage, including any incompatibilities

Odour-sensitive: Segregate from products releasing odours.

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place. Protect containers from physical damage.

## 8. Exposure Controls/Personal Protection

No substance specific occupational exposure limits known.

Advice on system design:

Ensure adequate ventilation.

#### Personal protective equipment

#### **Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

#### Hand protection:

Wear chemical resistant protective gloves.

#### Eye protection:

Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

#### **Body protection:**

Body protection must be chosen based on level of activity and exposure.

#### General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment. Avoid contact with the skin, eyes and clothing. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

### 9. Physical and Chemical Properties

Form: Odour: Odour threshold: Colour: pH value:	liquid flowery < 100 ppm colourless 4.5	
Melting point:	( 1.45 g/l,  25 °C) < -100 °C	(OECD Guideline 102)
glass transition temperature:	-99 °C	)
Freezing point: Boiling point:	No data available. 196.3 °C ( 1,013.25 hPa)	(OECD Guideline 103)
Flash point:	77.2 °C	(ISO 2719, closed cup)
Flammability:	Combustible liquid.	(derived from flash point)
Lower explosion limit:	For liquids not relevant for classification and labelling. The lower explosion point may be 5 - 15 °C below the flash point.	1 - 7
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Autoignition:	260 °C	(Directive 92/69/EEC, A.15)
Vapour pressure:	0.3 hPa ( 20 °C) dynamic	(measured)
Density:	0.862 g/cm3 ( 20 °C, 1,013 hPa)	(pyknometer)

# Linalool

Revision date: 2023/04/28 Version: 6.2

Relative density:	0.862 ( 20 °C)	
Vapour density:	<ul> <li>(20°C)</li> <li>Heavier than air.</li> </ul>	(calculated)
Partitioning coefficient n- octanol/water (log Pow): Self-ignition temperature: Thermal decomposition:	2.7 ( 25 °C) Based on its structural properties the product is not classified as self- igniting. approx. >= 260 °C (DSC (DIN 51007))	(OECD Guideline 107)
Viscosity, dynamic:	4.46 mPa.s ( 25 °C) Literature data.	
Viscosity, kinematic:	approx. 5.19 mm2/s ( 25 °C)	(calculated (from dynamic viscosity))
Particle size:	The substance / product is marketed or used in a non solid or granular form.	
Solubility in water:	1.45 g/l ( 25 °C,  1,013 hPa)	
Solubility (qualitative):	soluble solvent(s): organic solvents,	
Molar mass: Evaporation rate:	154.25 g/mol Value can be approximated from	

## 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

#### Corrosion to metals:

Corrosive effects to metal are not anticipated.

#### Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.Formation ofRemarks:flammable gases:Forms no flammable gases in the<br/>presence of water.

#### **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

Evolution of heat under influence of acids.

#### Conditions to avoid

Avoid electro-static discharge. Avoid all sources of ignition: heat, sparks, open flame.

# Incompatible materials

acids

#### Hazardous decomposition products

# Safety Data Sheet Linalool

Revision date: 2023/04/28 Version: 6.2

Decomposition products: Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition: approx. >= 260 °C (DSC (DIN 51007))

## **11. Toxicological information**

#### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

#### **Acute Toxicity/Effects**

#### Acute toxicity

Assessment of acute toxicity: Of low toxicity after single ingestion. Virtually nontoxic after a single skin contact.

<u>Oral</u> Type of value: LD50 Species: rat Value: 2,790 mg/kg Literature data.

Inhalation No data available.

Dermal Type of value: LD50 Species: rabbit Value: 5,610 mg/kg Literature data.

Assessment other acute effects Assessment of STOT single: Based on available data, the classification criteria are not met.

Irritation / corrosion Assessment of irritating effects: Skin contact causes irritation. Eye contact causes irritation.

Skin Species: rabbit Result: Irritant. Method: OECD Guideline 404 Literature data.

<u>Eye</u> Species: rabbit Result: Irritating.

# Linalool

Revision date: 2023/04/28 Version: 6.2

<u>Sensitization</u> Assessment of sensitization: Caused skin sensitization in animal studies.

Mouse Local Lymph Node Assay (LLNA) Species: mouse Result: sensitizing Method: OECD Guideline 429

Aspiration Hazard No data available.

#### **Chronic Toxicity/Effects**

#### Repeated dose toxicity

Assessment of repeated dose toxicity: Effects on the kidney of male rats were detected after repeated exposure. These effects are specific for the male rat and are known to be of no relevance to humans.

#### Genetic toxicity

Assessment of mutagenicity: Results from a number of mutagenicity studies with microorganisms, mammalian cell culture and mammals are available. Taking into account all of the information, there is no indication that the substance is mutagenic.

#### Carcinogenicity

Assessment of carcinogenicity: The whole of the information assessable provides no indication of a carcinogenic effect.

#### Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect.

#### **Teratogenicity**

Assessment of teratogenicity: Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

## **12. Ecological Information**

#### Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish

LC50 (96 h) 27.8 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static) The statement of the toxic effect relates to the analytically determined concentration.

Aquatic invertebrates

EC50 (48 h) 59 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

#### Aquatic plants

EC50 (72 h) 156.6 mg/l (growth rate), Desmodesmus subspicatus (DIN 38412 Part 9, static)

## Linalool

Revision date: 2023/04/28 Version: 6.2

<u>Chronic toxicity to fish</u> Study does not need to be conducted.

<u>Chronic toxicity to aquatic invertebrates</u> Study does not need to be conducted.

Assessment of terrestrial toxicity Study scientifically not justified.

#### Microorganisms/Effect on activated sludge

<u>Toxicity to microorganisms</u> OECD Guideline 209 static activated sludge of a predominantly domestic sewage/EC10 (3 h): > 100 mg/l

#### Persistence and degradability

Assessment biodegradation and elimination (H2O) Readily biodegradable (according to OECD criteria).

Elimination information

60 - 70 % BOD of the ThOD (28 d) (OECD 301D; EEC 92/69, C.4-E) (aerobic, municipal sewage treatment plant effluent)

Assessment of stability in water Study does not need to be conducted.

#### **Bioaccumulative potential**

<u>Assessment bioaccumulation potential</u> Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

#### Mobility in soil

<u>Assessment transport between environmental compartments</u> The substance will not evaporate into the atmosphere from the water surface. Adsorption to solid soil phase is not expected.

## 13. Disposal considerations

#### Waste disposal of substance:

Do not discharge into waterways or sewer systems without proper authorization. Dispose of in accordance with national, state and local regulations.

#### Container disposal:

Dispose of in accordance with national, state and local regulations.

## **14. Transport Information**

Land transport USDOT

Linalool

Revision date: 2023/04/28 Version: 6.2

gallons.
Not classified as a dangerous good under transport regulations
Not classified as a dangerous good under transport regulations

Land Transport USDOT: NA1993 COMBUSTIBLE LIQUID, N.O.S., (3,7-DIMETHYLOCTADIEN-1,6-OL-3), PG III.

## **15. Regulatory Information**

#### **Federal Regulations**

Registration status: Chemical TSCA, US released / listed

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

NFPA Hazard codes:

Health: 2 Fire: 2 Reactivity: 0 Special:

HMIS III rating Health: 2 Flammability: 2 Physical hazard:0

#### Assessment of the hazard classes according to UN GHS criteria (most recent version):

Acute Tox. Skin Corr./Irrit. Eye Dam./Irrit.	5 (oral) 2 2A	Acute toxicity Skin corrosion/irritation Serious eye damage/eye irritation
Aquatic Acute	3	Hazardous to the aquatic environment - acute
Flam. Liq.	4	Flammable liquids
Skin Sens.	1B	Skin sensitization
SKIII SEIIS.		Skill Selisilization

#### **16. Other Information**

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2023/04/28

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring

# Safety Data Sheet Linalool

Revision date: 2023/04/28 Version: 6.2

the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET