

Safety Data Sheet

Na-Methylate sol. 30 %

Revision date : 2022/10/17

Version: 4.0

Page: 1/14

(30036699/SDS_GEN_MX/EN)

1. Identification

Product identifier used on the label

Na-Methylate sol. 30 %

Recommended use of the chemical and restriction on use

Recommended use*: industrial chemicals

Recommended use*: process chemical; Intermediate; catalyst

Unsuitable for use: Not intended for sale to or use by the general public.

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF Mexicana S.A. de C.V.

Av. Insurgentes Sur 975

Col. CD. De Los Deportes,

C.P. 03710 Ciudad de México

MÉXICO

Telephone: +52 55 5325 2600

Emergency telephone number

24 Hour Emergency Response Information

SETIQ: 1800-00-214-(Rep. Mexicana) or 55-59-15-88 (CDMX)

Telephone: +1-800-849-5204 or +1-833-229-1000

Other means of identification

Synonyms:

Sodium Methylate Solution 30%

Sodium Methoxide Solution 30%

Use: Industrial Chemicals

2. Hazards Identification

According to Regulation NOM-018-STPS-2015

Classification of the product

Safety Data Sheet

Na-Methylate sol. 30 %

Revision date: 2022/10/17

Version: 4.0

Page: 2/14

(30036699/SDS_GEN_MX/EN)

Flam. Liq.	3	Flammable liquids
Met. Corr.	1	Corrosive to metals
Acute Tox.	3 (Inhalation - vapour)	Acute toxicity
Acute Tox.	3 (oral)	Acute toxicity
Acute Tox.	3 (dermal)	Acute toxicity
Skin Corr./Irrit.	1A	Skin corrosion/irritation
Eye Dam./Irrit.	1	Serious eye damage/eye irritation
STOT SE	1	Specific target organ toxicity — single exposure

Label elements

Pictogram:



Signal Word:

Danger

Hazard Statement:

H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H370	Causes damage to organs.
H314	Causes severe skin burns and eye damage.
H301 + H311 + H331	Toxic if swallowed, in contact with skin or if inhaled

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P271	Use only outdoors or in a well-ventilated area.
P260	Do not breathe dust/gas/mist/vapours.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P243	Take action to prevent static discharges.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P264	Wash contaminated body parts thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P234	Keep only in original packaging.
P242	Use only non-sparking tools.
P240	Ground and bond container and receiving equipment.

Precautionary Statements (Response):

P310	Immediately call a POISON CENTER or physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P303 + P361 + P353	IF ON SKIN (or hair): Remove or Take off immediately all contaminated clothing. Rinse skin with water or shower.
P361 + P364	Take off immediately all contaminated clothing and wash it before reuse.
P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P390	Absorb spillage to prevent material damage.
P370 + P378	In case of fire: Use foam, dry powder or dry sand for extinction.

Precautionary Statements (Storage):

Safety Data Sheet

Na-Methylate sol. 30 %

Revision date: 2022/10/17
Version: 4.0

Page: 3/14
(30036699/SDS_GEN_MX/EN)

P233	Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P406	Store in a corrosion-resistant container with a resistant inner liner.

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. No specific dangers known, if the regulations/notes for storage and handling are considered.

3. Composition / Information on Ingredients

According to Regulation NOM-018-STPS-2015

Methanol

CAS Number: 67-56-1
Content (W/W): ≥ 50.0 - $< 75.0\%$
Synonym: Methyl alcohol

sodium methanolate

CAS Number: 124-41-4
Content (W/W): ≥ 25.0 - $< 50.0\%$
Synonym: Methanol, sodium salt; Sodium methanolate

sodium hydroxide

CAS Number: 1310-73-2
Content (W/W): ≥ 0.0 - $< 1.0\%$
Synonym: Sodium hydroxide; Caustic soda

4. First-Aid Measures

Description of first aid measures

If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes. Remove contaminated clothing. Immediate medical attention required.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. Seek medical attention.

If swallowed:

Immediately rinse mouth and then drink 200 - 300 ml water, do not induce vomiting, seek medical attention. Administer 50 ml of pure ethanol in a drinkable concentration. Seek medical attention.

Most important symptoms and effects, both acute and delayed

Safety Data Sheet

Na-Methylate sol. 30 %

Revision date: 2022/10/17
Version: 4.0

Page: 4/14
(30036699/SDS_GEN_MX/EN)

Symptoms: skin corrosion, irritates the eyes and respiratory tract, blindness, Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far
Hazards: No hazard is expected under intended use and appropriate handling.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Extinguishing media

Special hazards arising from the substance or mixture

Advice for fire-fighters

6. Accidental release measures

Further accidental release measures:

Release of substance/product can cause fire or explosion.

Personal precautions, protective equipment and emergency procedures

Sources of ignition should be kept well clear. Use personal protective clothing. Avoid inhalation. Avoid contact with skin and eyes.

Environmental precautions

Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

Methods and material for containment and cleaning up

Spills should be contained and placed in suitable containers for disposal.

7. Handling and Storage

Precautions for safe handling

Ensure thorough ventilation of stores and work areas. Protect against moisture. Protect against heat.

Solidified/precipitated product can be redissolved with a non-igniting heat source provided that the formation of an atmosphere capable to explode is suppressed by inertization or sources of ignition are absent. A possible rise in pressure caused by evaporating solvent has to be taken into account.

Protection against fire and explosion:

Take precautionary measures against static discharges. Use antistatic tools. Render equipment and apparatus inert (nitrogen, inert gases) and ground before putting into operation. Fire extinguishers should be kept handy. Sources of ignition should be kept well clear.

Conditions for safe storage, including any incompatibilities

Segregate from acids and acid forming substances. Keep away from water.

Safety Data Sheet

Na-Methylate sol. 30 %

Revision date: 2022/10/17

Version: 4.0

Page: 5/14

(30036699/SDS_GEN_MX/EN)

Suitable materials for containers: Stove-lacquer KNS L-35, Carbon steel (Iron), Stainless steel 1.4401, Stainless steel 1.4301 (V2), High density polyethylene (HDPE), glass, Low density polyethylene (LDPE), Stainless steel 1.4541, Stainless steel 1.4571

Unsuitable materials for containers: Aluminium, Galvanized carbon steel (Zinc), Paper/Fibreboard

Further information on storage conditions: Keep container tightly closed in a cool, well-ventilated place. Keep under dry nitrogen. Protect against moisture. Protect against heat. Keep away from sources of ignition - No smoking.

Protect from temperatures below: 7 °C

The product crystallizes below the limit temperature.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

Methanol	OEL, MX:	Skin Designation ; The substance can be absorbed through the skin.
	OEL, MX:	TWA value 200 ppm ;
	OEL, MX:	STEL value 250 ppm ;
sodium hydroxide	OEL, MX:	CLV 2 mg/m3 ;

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1), Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1);, butyl rubber (butyl) - 0.7 mm coating thickness, fluoroelastomer (FKM) - 0.7 mm coating thickness

Suitable materials for short-term contact (recommended: At least protective index 2, corresponding > 30 minutes of permeation time according to EN ISO 374-1), nitrile rubber (NBR) - 0.4 mm coating thickness, chloroprene rubber (CR) - 0.5 mm coating thickness, polyvinylchloride (PVC) - 0.7 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing., Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (f.e. EN 166) and face shield

Safety Data Sheet

Na-Methylate sol. 30 %

Revision date: 2022/10/17

Version: 4.0

Page: 6/14

(30036699/SDS_GEN_MX/EN)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Form:	liquid	
Odour:	perceptible, of methanol	
Odour threshold:	Not determined since harmful by inhalation.	
Colour:	colourless to yellowish	
pH value:	approx. 11	(ISO 1148)
crystallization temperature:	6.8 °C	
Freezing point:	< 6 °C (760 mmHg)	
Melting point:	5.00 °C	
Boiling point:	92 °C (1,013 bar)	
Boiling range:	No data available.	
Flash point:	33 °C	(DIN 51755)
Flammability:	Flammable liquid and vapour.	
Lower explosion limit:	(29.6 °C) The lower explosion point of the substance/mixture has been determined. The explosion point describes the temperature of a flammable liquid at which the concentration of the saturated vapour mixed with air equals the lower explosion limit.	(DIN EN 15794)
<i>Information on: Methanol</i>		
Lower explosion limit:	5.5 %(V)	

Upper explosion limit:	For liquids not relevant for classification and labelling.	
<i>Information on: Methanol</i>		
Upper explosion limit:	36.5 %(V)	

Autoignition:	No data available.	
Vapour pressure:	approx. 34 hPa (20 °C) approx. 150 hPa (50 °C)	
Density:	0.969 g/cm ³ (20 °C) 0.943 g/cm ³ (50 °C) 0.938 g/cm ³ (55 °C)	(ISO 2811-3) (ISO 2811-3) (ISO 2811-3)
Relative density:	No data available.	

Safety Data Sheet

Na-Methylate sol. 30 %

Revision date: 2022/10/17

Version: 4.0

Page: 7/14

(30036699/SDS_GEN_MX/EN)

Information on: Methanol

Partitioning coefficient n-octanol/water (log Pow): -0.77 (measured)
(20 °C)
Literature data.

Self-ignition temperature: not self-igniting
Thermal decomposition: It is not a self-decomposable substance. Stable up to boiling point.
Viscosity, dynamic: 64 mPa.s (20 °C)
Viscosity, kinematic: No data available.
Solubility in water: (20 °C)
hydrolyzes
Miscibility with water: Reacts with water.
Evaporation rate: No applicable information available.,
Value can be approximated from Henry's Law Constant or vapor pressure.

10. Stability and Reactivity

Reactivity

Corrosion to metals:
Corrosive effect on metals.

Oxidizing properties:
not fire-propagating

Chemical stability

Peroxides: The product/the substance has not a tendency towards the formation of peroxide.

Possibility of hazardous reactions

Conditions to avoid

Avoid contact with air. Avoid moisture. Avoid sources of ignition.

Incompatible materials

carbon dioxide, water, acids, substances with an acid reaction, light metals

Hazardous decomposition products

Decomposition products:
Hazardous decomposition products: sodium hydroxide, Methanol

Thermal decomposition:
It is not a self-decomposable substance. Stable up to boiling point.

11. Toxicological information

Primary routes of exposure

Safety Data Sheet

Na-Methylate sol. 30 %

Revision date: 2022/10/17

Version: 4.0

Page: 8/14

(30036699/SDS_GEN_MX/EN)

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Toxic in contact with skin. Toxic by inhalation. Toxic if swallowed.

Information on: Methanol

Assessment of acute toxicity: Of high toxicity after single ingestion. Of high toxicity after short-term inhalation. Of high toxicity after short-term skin contact.

Oral

Information on: sodium methanolate

Type of value: LD50

Species: rat (male/female)

Value: 1,687 mg/kg (OECD Guideline 401)

An aqueous solution was tested.

Information on: Methanol

Type of value: LD50

Species: rat

Value: > 1187 - 2769 mg/kg (BASF-Test)

Inhalation

Information on: Methanol

Type of value: LC50

Species: rat (male/female)

Value: 128 mg/l (BASF-Test)

Exposure time: 4 h

The vapour was tested.

Dermal

Information on: Methanol

Type of value: LD50

Species: rabbit

Value: 17100 mg/kg (other)

Information on: sodium methanolate

Type of value: LD50

Species: rat (male/female)

Value: > 2,000 mg/kg (BASF-Test)

An aqueous solution was tested.

No mortality was observed.

Assessment other acute effects

Assessment of STOT single:

Safety Data Sheet

Na-Methylate sol. 30 %

Revision date: 2022/10/17
Version: 4.0

Page: 9/14
(30036699/SDS_GEN_MX/EN)

A single exposure may have relevant toxic effects on organs named in section 2 of this safety data sheet.

No data available.

Irritation / corrosion

Assessment of irritating effects: Corrosive to the skin, eyes and respiratory system.

Information on: sodium methanolate

Assessment of irritating effects: Corrosive! Damages skin and eyes.

Skin

Species: rabbit

Result: strongly corrosive

Method: BASF-Test

Eye

Species: rabbit

Result: strongly corrosive

Method: BASF-Test

Sensitization

Assessment of sensitization: As the substance is corrosive, conducting sensitization studies is not feasible.

The product has not been tested. The statement has been derived from the properties of the individual components.

Aspiration Hazard

Toxic if swallowed.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The substance may cause blindness after repeated ingestion. The substance may cause blindness after repeated inhalation.

Information on: Methanol

Assessment of repeated dose toxicity: The substance may cause blindness after repeated ingestion. The substance may cause blindness after repeated inhalation.

Genetic toxicity

Assessment of mutagenicity: Based on the ingredients, there is no suspicion of a mutagenic effect.

Information on: sodium methanolate

Assessment of mutagenicity: The substance was not mutagenic in bacteria.

Information on: Methanol

Assessment of mutagenicity: In the majority of studies performed with microorganisms and in mammalian cell culture, a mutagenic effect was not found. A mutagenic effect was also not observed in in vivo tests.

Safety Data Sheet

Na-Methylate sol. 30 %

Revision date: 2022/10/17
Version: 4.0

Page: 10/14
(30036699/SDS_GEN_MX/EN)

Carcinogenicity

Assessment of carcinogenicity: Based on the ingredients there is no suspicion of a carcinogenic effect in humans.

Information on: Methanol

Assessment of carcinogenicity: In long-term studies in rats and mice in which the substance was given by inhalation, a carcinogenic effect was not observed. In long-term animal studies in which the substance was given in the drinking water in high concentrations, a carcinogenic effect was observed. These effects are not relevant to humans at occupational levels of exposure.

Reproductive toxicity

Assessment of reproduction toxicity: Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Information on: Methanol

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Assessment of teratogenicity: Based on the ingredients, there is no suspicion of a teratogenic effect.

Information on: Methanol

Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

The product has not been tested. The statement has been derived from the properties of the hydrolysis products.

Aquatic toxicity

Information on: sodium hydroxide

Assessment of aquatic toxicity:

Depending on local conditions and existing concentrations, disturbances in the nitrification process of activated sludge are possible. There is a high probability that the product is not acutely harmful to aquatic organisms.

The effect strongly depends on the pH-value. The data refers to the dissociated form of the substance.

Information on: Methanol

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Safety Data Sheet

Na-Methylate sol. 30 %

Revision date: 2022/10/17

Version: 4.0

Page: 11/14

(30036699/SDS_GEN_MX/EN)

Toxicity to fish

Information on: sodium hydroxide

LC50 (96 h) 125 mg/l, Gambusia affinis (other, static)

The product will cause changes in the pH value of the test system. The result refers to an unneutralized sample. Literature data.

Information on: Methanol

LC50 (96 h) 15,400 mg/l, Lepomis macrochirus (other, Flow through.)

Aquatic invertebrates

Information on: sodium hydroxide

EC50 (48 h) 40.4 mg/l, Ceriodaphnia sp. (other, static)

Literature data.

Information on: Methanol

EC50 (48 h) 18,260 mg/l, Daphnia magna (OECD Guideline 202, part 1, semistatic)

Aquatic plants

Information on: Methanol

EC50 (96 h) approx. 22,000 mg/l (growth rate), Selastrum capricornutum (OECD Guideline 201, static)

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

Information on: Methanol

OECD Guideline 209 aquatic

activated sludge of a predominantly domestic sewage/EC50 (3 h): > 1,000 mg/l

Inhibition of nitrification aquatic

Bacteria/EC50 (24 h): 880 mg/l

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product is unstable in water. The elimination data also refer to products of hydrolysis.

Assessment biodegradation and elimination (H2O)

Information on: sodium hydroxide

Inorganic product which cannot be eliminated from water by biological purification processes.

Information on: Methanol

Readily biodegradable (according to OECD criteria).

Safety Data Sheet

Na-Methylate sol. 30 %

Revision date: 2022/10/17

Version: 4.0

Page: 12/14

(30036699/SDS_GEN_MX/EN)

Elimination information

Information on: Methanol

95 % BOD of the ThOD (20 d) (OECD 301D; EEC 92/69, C.4-E) (aerobic, activated sludge, domestic, non-adapted) Readily biodegradable (according to OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential

Information on: Methanol

Significant accumulation in organisms is not to be expected.

Information on: sodium hydroxide

Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments

Adsorption to solid soil phase is not expected.

Additional information

Other ecotoxicological advice:

Due to the pH-value of the product, neutralization is generally required before discharging sewage into treatment plants. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. Do not release untreated into natural waters.

13. Disposal considerations

Waste disposal of substance:

Incinerate or dispose of in a licensed facility. Observe all local regulations.

14. Transport Information

Land transport

TDG

Hazard class: 3
Packing group: III
ID number: UN 1289
Hazard label: 3, 8
Proper shipping name: SODIUM METHYLATE SOLUTION

Sea transport

IMDG

Hazard class: 3
Packing group: III

Safety Data Sheet

Na-Methylate sol. 30 %

Revision date: 2022/10/17

Version: 4.0

Page: 13/14

(30036699/SDS_GEN_MX/EN)

ID number: UN 1289
Hazard label: 3, 8
Marine pollutant: NO
Proper shipping name: SODIUM METHYLATE SOLUTION

Air transport

IATA/ICAO
Hazard class: 3
Packing group: III
ID number: UN 1289
Hazard label: 3, 8
Proper shipping name: SODIUM METHYLATE SOLUTION

15. Regulatory Information

Federal Regulations

Not applicable

NFPA Hazard codes:

Health: 3 Fire: 3 Reactivity: 0 Special:

16. Other Information

SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2022/10/17

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

This information is considered accurate but is not exhaustive and shall only be used as a guideline based on current knowledge of the chemical substance or mixture. Safety precautions suitable for the product must be applied.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET

Safety Data Sheet

Na-Methylate sol. 30 %

Revision date: 2022/10/17
Version: 4.0

Page: 14/14
(30036699/SDS_GEN_MX/EN)

FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.
END OF DATA SHEET