

# Safety data sheet

Page: 1/15

---

BASF Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 05.04.2024

Version: 6.0

Product: **n-PENTANOL**

(ID no. 30036709/SDS\_GEN\_00/EN)

Date of print 05.11.2024

---

## 1. Identification

### Product identifier

### **n-PENTANOL**

Chemical name: pentan-1-ol

CAS Number: 71-41-0

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical

### Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Operating Division Petrochemicals

Telephone: +49 621 60-42151

E-mail address: sds-petrochemicals@basf.com

### Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

---

## 2. Hazards Identification

### Classification of the substance or mixture

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 05.04.2024

Version: 6.0

Product: **n-PENTANOL**

(ID no. 30036709/SDS\_GEN\_00/EN)

Date of print 05.11.2024

According to UN GHS criteria

Flam. Liq. 3  
Acute Tox. 5 (oral)  
Acute Tox. 5 (dermal)  
Skin Irrit. 2  
Eye Dam. 1  
STOT SE 3 (irritating to respiratory system)  
Aquatic Chronic 2

For the classifications not written out in full in this section the full text can be found in section 16.

**Label elements**Globally Harmonized System (GHS)

Pictogram:



Signal Word:

Danger

Hazard Statement:

H226	Flammable liquid and vapour.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H303 + H313	May be harmful if swallowed or in contact with skin.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280	Wear protective gloves and eye protection or face protection.
P273	Avoid release to the environment.
P271	Use only outdoors or in a well-ventilated area.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing mist or vapour or spray.
P243	Take action to prevent static discharges.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P264	Wash contaminated body parts thoroughly after handling.
P240	Ground and bond container and receiving equipment.
P242	Use non-sparking tools.

Precautionary Statements (Response):

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 05.04.2024

Version: 6.0

Product: **n-PENTANOL**

(ID no. 30036709/SDS\_GEN\_00/EN)

Date of print 05.11.2024

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or physician.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P391	Collect spillage.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P370 + P378	In case of fire: Use alcohol-resistant foam, carbon dioxide, dry powder or water spray for extinction.

Precautionary Statements (Storage):

P233	Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.
------	-----------------------------------------------------------------------------------

### Other hazards

According to UN GHS criteria

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

See section 12 - Results of PBT and vPvB assessment.

---

## 3. Composition/Information on Ingredients

### Substances

Chemical nature

Pentan-1-ol

CAS Number: 71-41-0  
 EC-Number: 200-752-1  
 INDEX-Number: 603-200-00-1

Hazardous ingredients (GHS)

According to UN GHS criteria

Pentan-1-ol

---

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 05.04.2024

Version: 6.0

Product: **n-PENTANOL**

(ID no. 30036709/SDS\_GEN\_00/EN)

Date of print 05.11.2024

Content (W/W): > 99 % - <= 100 %	Flam. Liq. 3
CAS Number: 71-41-0	Acute Tox. 5 (oral)
EC-Number: 200-752-1	Acute Tox. 5 (dermal)
INDEX-Number: 603-200-00-1	Skin Irrit. 2
	Eye Dam. 1
	STOT SE 3 (irr. to respiratory syst.)
	Aquatic Chronic 2
	H226, H318, H315, H335, H303 + H313, H411

For the classifications not written out in full in this section the full text can be found in section 16.

## Mixtures

Not applicable

---

## 4. First-Aid Measures

### Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

### Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

(Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

---

**Indication of any immediate medical attention and special treatment needed**

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

**5. Fire-Fighting Measures****Extinguishing media**

Suitable extinguishing media:  
dry powder, water spray, carbon dioxide, alcohol-resistant foam

Unsuitable extinguishing media for safety reasons:  
water jet

Additional information:  
Use extinguishing measures to suit surroundings.

**Special hazards arising from the substance or mixture**

Flammable liquid Cool endangered containers with water-spray. See SDS section 7 - Handling and storage.

**Advice for fire-fighters**

Special protective equipment:  
Wear a self-contained breathing apparatus. Special protective equipment for firefighters

Further information:  
Evacuate area of all unnecessary personnel. Fight fire from maximum distance.

Extend fire extinguishing measures to the surroundings. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

**6. Accidental Release Measures**

High risk of slipping due to leakage/spillage of product.

Release of substance/product can cause fire or explosion. Shut off or stop source of leak. Shut off or stop released substance/product under safe conditions.

Pack in tightly closed containers for disposal.

**Personal precautions, protective equipment and emergency procedures**

Handle in accordance with good industrial hygiene and safety practice.

Avoid all sources of ignition: heat, sparks, open flame. Use antistatic tools.

**Environmental precautions**

Discharge into the environment must be avoided.

**Methods and material for containment and cleaning up**

Pick up with suitable appliance and dispose of. Spills should be contained, solidified, and placed in suitable containers for disposal. Dispose of absorbed material in accordance with regulations.

---

## 7. Handling and Storage

### Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

Avoid all sources of ignition: heat, sparks, open flame. Ground all transfer equipment properly to prevent electrostatic discharge.

### Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

### Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

---

## 8. Exposure Controls/Personal Protection

### Control parameters

#### Components with occupational exposure limits

71-41-0: Pentan-1-ol

### Exposure controls

#### Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Manufacturer's directions for use should be observed because of great diversity of types.

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

**Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

**General safety and hygiene measures**

Avoid inhalation of vapour. Avoid contact with the skin, eyes and clothing. Wearing of closed work clothing is required additionally to the stated personal protection equipment.

---

## 9. Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

State of matter:	liquid	
Form:	liquid	
Colour:	colourless	
Odour:	sweetish	
Odour threshold:		
	not determined	
Melting point:	-78,6 °C	(OECD Guideline 102)
Boiling point:	138 °C	(other)
	(1.013,25 hPa)	
Flammability:	Flammable.	(derived from flash point)
Lower explosion limit:		
	For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:		
	For liquids not relevant for classification and labelling.	
Flash point:	47 °C	(ISO 13736, closed cup)
Auto-ignition temperature:	300 °C	(DIN 51794)
Thermal decomposition:	10 J/g (DSC (DIN 51007))	
pH value:	approx. 7	
Viscosity, dynamic:	3,441 mPa.s	
	(24,9 °C)	
	Literature data.	
Thixotropy:	not thixotropic	
Solubility in water:		(Directive 92/69/EEC, A.6)
	19,4 g/l	
	(20 °C, pH 6,8)	
Solubility (qualitative) solvent(s):	organic solvents	
	soluble	
Partitioning coefficient n-octanol/water (log Kow):	1,51	(measured)
	(25 °C)	
	Literature data.	
Vapour pressure:	2,04 hPa	(measured)
	(20 °C)	
	dynamic	
Relative density:	0,81	(other)
	(20 °C)	
	Literature data.	

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 05.04.2024

Version: 6.0

Product: **n-PENTANOL**

(ID no. 30036709/SDS\_GEN\_00/EN)

Date of print 05.11.2024

Density: 0,81 g/cm<sup>3</sup>  
(20 °C)  
Literature data.

Relative vapour density (air): 3,03 (calculated)  
(20 °C)  
Heavier than air.

#### Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form. -

## 9.2. Other information

### Information with regard to physical hazard classes

#### Explosives

Explosion hazard: Based on the chemical structure there is no indication of explosive properties.

#### Oxidizing properties

Fire promoting properties: Based on its structural properties the product is not classified as oxidizing.

#### Flammable liquids

Sustained combustibility: not determined

#### Pyrophoric properties

Self-ignition temperature: Test type: Spontaneous self-ignition at room-temperature.

Based on its structural properties the product is not classified as self-igniting.

#### Self-heating substances and mixtures

Self heating ability: not applicable, the product is a liquid

#### Substances and mixtures, which emit flammable gases in contact with water

Formation of flammable gases: Forms no flammable gases in the presence of water.

#### Corrosion to metals

Corrosive effects to metal are not anticipated.

### Other safety characteristics

pKA: The substance does not dissociate.

Adsorption/water - soil: KOC: 6,33; log KOC: 0,8 (calculated)

Surface tension: Based on chemical structure, surface activity is not to be expected.

Molar mass: 88,15 g/mol

SAPT-Temperature: Study scientifically not justified.

Evaporation rate: Value can be approximated from Henry's Law Constant or vapor pressure.



## 10. Stability and Reactivity

### Reactivity

When heated can give off ignitable vapours.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Formation of flammable gases: Remarks: Forms no flammable gases in the presence of water.

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

### Conditions to avoid

No special precautions other than good housekeeping of chemicals.

### Incompatible materials

Substances to avoid:  
strong oxidizing agents

### Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

---

## 11. Toxicological Information

### Information on toxicological effects

#### Acute toxicity

Assessment of acute toxicity:

Of low toxicity after single ingestion. Of low toxicity after short-term skin contact. In animal studies the substance is virtually nontoxic after short-term inhalation. The European Union (EU) has classified this substance as 'harmful' after inhalation.

Experimental/calculated data:

LD50 rat (oral): approx. 3.645 mg/kg (BASF-Test)

LC0 rat (by inhalation): 8,29 mg/l 8 h (IRT)

No mortality within the stated exposition time as shown in animal studies. The European Union (EU) has classified this substance as 'harmful'. The vapour was tested.

LD50 rabbit (dermal): 2.292 mg/kg (similar to OECD guideline 402)

#### Irritation

Assessment of irritating effects:

Skin contact causes irritation. May cause severe damage to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit: Corrosive. Corrosive. (BASF-Test)

Serious eye damage/irritation rabbit: irreversible damage (BASF-Test)

#### Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

In vitro assay: Non-sensitizing. (In vitro skin sensitization test battery)

#### Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in bacteria. The substance was not mutagenic in mammalian cell culture. The substance was not mutagenic in a test with mammals. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

#### Carcinogenicity

Assessment of carcinogenicity:

A long-term carcinogenicity study which does not meet the current requirements did not show a carcinogenic effect.

#### Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

#### Specific target organ toxicity (single exposure)

Assessment of STOT single:

Causes temporary irritation of the respiratory tract.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

**Assessment of repeated dose toxicity:**

Repeated oral uptake of the substance did not cause substance-related effects.

**Aspiration hazard**

Some authorities consider isobutyl alcohol, n-primary alcohols and ketones with C3-C13 as "May be harmful if swallowed and enters airways"

**Other relevant toxicity information**

Has a degreasing effect on skin.

---

## 12. Ecological Information

### Toxicity

**Assessment of aquatic toxicity:**

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. Toxic to aquatic organisms based on long-term (chronic) toxicity study data.

**Toxicity to fish:**

LC50 (96 h) 530 mg/l, *Brachydanio rerio* (OECD 203; ISO 7346; 84/449/EWG, C.1, static)  
Nominal concentration.

**Aquatic invertebrates:**

EC50 (48 h) 341 mg/l, *Daphnia magna* (Directive 79/831/EEC, static)  
Nominal concentration.

**Aquatic plants:**

Toxic limit concentration (8 d) 260 mg/l (growth rate), *Scenedesmus quadricauda* (Algal growth inhibition test, static)  
Nominal concentration. Literature data.

**Microorganisms/Effect on activated sludge:**

EC10 (3 h) 370 mg/l, activated sludge, domestic (OECD Guideline 209, aerobic)  
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

**Chronic toxicity to fish:**

No observed effect concentration (35 d) 10 mg/l, *Brachydanio rerio* (OECD Guideline 210, Flow through.)  
The statement of the toxic effect relates to the analytically determined concentration.

**Chronic toxicity to aquatic invertebrates:**

EC10 (21 d) 0,059 mg/l, *Daphnia magna* (OECD Guideline 211, semistatic)  
The statement of the toxic effect relates to the analytically determined concentration.

**Assessment of terrestrial toxicity:**

No data available concerning terrestrial toxicity.

## Persistence and degradability

Assessment biodegradation and elimination (H<sub>2</sub>O):  
Readily biodegradable (according to OECD criteria).

Elimination information:

100 % CO<sub>2</sub> formation relative to the theoretical value (18 d) (OECD Guideline 310) (aerobic, activated sludge, domestic)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Assessment of stability in water:

According to structural properties, hydrolysis is not expected/probable.

## Bioaccumulative potential

Assessment bioaccumulation potential:

Significant accumulation in organisms is not to be expected.

Bioaccumulation potential:

No data available.

## Mobility in soil

Assessment transport between environmental compartments:

Volatility: The substance will slowly evaporate into the atmosphere from the water surface.

Adsorption in soil: Adsorption to solid soil phase is not expected.

## Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative). Self classification

## Other adverse effects

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

## Additional information

Adsorbable organically-bound halogen (AOX):

This product contains no organically-bound halogen.

---

## 13. Disposal Considerations

## Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

---

## 14. Transport Information

### Land transport

ADR

UN number or ID number: UN1105  
UN proper shipping name: PENTANOLS

Transport hazard class(es): 3, EHSM  
Packing group: III  
Environmental hazards: yes  
Special precautions for user: Tunnel code: D/E

RID

UN number or ID number: UN1105  
UN proper shipping name: PENTANOLS

Transport hazard class(es): 3, EHSM  
Packing group: III  
Environmental hazards: yes  
Special precautions for user: None known

### Inland waterway transport

ADN

UN number or ID number: UN1105  
UN proper shipping name: PENTANOLS

Transport hazard class(es): 3, EHSM  
Packing group: III  
Environmental hazards: yes  
Special precautions for user: None known

### Transport in inland waterway vessel

Not evaluated

**Sea transport**

## IMDG

UN number or ID number: UN 1105  
 UN proper shipping name: PENTANOLS

Transport hazard class(es): 3, EHSM  
 Packing group: III  
 Environmental hazards: yes  
 Marine pollutant: YES

Special precautions for user: EmS: F-E; S-D

**Air transport**

## IATA/ICAO

UN number or ID number: UN 1105  
 UN proper shipping name: PENTANOLS

Transport hazard class(es): 3  
 Packing group: III  
 Environmental hazards: No Mark as dangerous for the environment is needed  
 Special precautions for user: None known

**Maritime transport in bulk according to IMO instruments**

Maritime transport in bulk is not intended.

**15. Regulatory Information****Safety, health and environmental regulations/legislation specific for the substance or mixture**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

**16. Other Information**

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Flam. Liq.	Flammable liquids
Acute Tox.	Acute toxicity
Skin Irrit.	Skin irritation
Eye Dam.	Serious eye damage
STOT SE	Specific target organ toxicity — single exposure
Aquatic Chronic	Hazardous to the aquatic environment - chronic
H226	Flammable liquid and vapour.
H318	Causes serious eye damage.

---

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 05.04.2024

Version: 6.0

Product: **n-PENTANOL**

(ID no. 30036709/SDS\_GEN\_00/EN)

Date of print 05.11.2024

H315	Causes skin irritation.
H335	May cause respiratory irritation.
H303 + H313	May be harmful if swallowed or in contact with skin.
H411	Toxic to aquatic life with long lasting effects.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

---

Vertical lines in the left hand margin indicate an amendment from the previous version.