

# Safety data sheet

Page: 1/16

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 16.12.2022

Product: **Sodium Sulphite anhydrous food grade (E221)**

(ID no. 30042389/SDS\_GEN\_DE/EN)

Date of print 23.03.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

## Sodium Sulphite anhydrous food grade (E221)

Chemical name: sodium sulphite anhydrous

CAS Number: 7757-83-7

REACH registration number: 01-2119537420-49-0002

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: food additive(s)

Recommended use: food additive(s), inorganic reducing agents

### 1.3. Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Division Monomers

E-mail address: pss.monomers@basf.com

### 1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 16.12.2022

Product: **Sodium Sulphite anhydrous food grade (E221)**

(ID no. 30042389/SDS\_GEN\_DE/EN)

Date of print 23.03.2023

## SECTION 2: Hazards Identification

### 2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

No need for classification according to GHS criteria for this product.

### 2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

The product does not require a hazard warning label in accordance with GHS criteria.

Labeling of special preparations (GHS):

EUH031: Contact with acids liberates toxic gas.

### 2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. No specific dangers known, if the regulations/notes for storage and handling are considered. Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. The product does not contain a substance above legal limits fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

## SECTION 3: Composition/Information on Ingredients

### 3.1. Substances

Chemical nature

Na<sub>2</sub>SO<sub>3</sub>

E 221

Sodium sulphite

Content (W/W): > 97,5 %

EUH031

CAS Number: 7757-83-7

EC-Number: 231-821-4

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 16.12.2022

Product: **Sodium Sulfite anhydrous food grade (E221)**

(ID no. 30042389/SDS\_GEN\_DE/EN)

Date of print 23.03.2023

### 3.2. Mixtures

Not applicable

---

## SECTION 4: First-Aid Measures

### 4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: allergic symptoms

Hazards: Risk of sulfur dioxide formation by reaction with gastric acid after swallowing.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## SECTION 5: Fire-Fighting Measures

### 5.1. Extinguishing media

Suitable extinguishing media:

Water in copious quantities, dry powder, foam

### 5.2. Special hazards arising from the substance or mixture

Endangering substances: Sulphur dioxide

Advice: The substances/groups of substances mentioned can be released if the product is involved in a fire.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 16.12.2022

Product: **Sodium Sulphite anhydrous food grade (E221)**

(ID no. 30042389/SDS\_GEN\_DE/EN)

Date of print 23.03.2023

### 5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Contaminated extinguishing water must be disposed of in accordance with official regulations.

---

## SECTION 6: Accidental Release Measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Ensure adequate ventilation.

### 6.2. Environmental precautions

Do not empty into drains.

### 6.3. Methods and material for containment and cleaning up

For small amounts: Sweep/shovel up. Dispose of absorbed material in accordance with regulations.

For large amounts: Sweep/shovel up. Dispose of absorbed material in accordance with regulations.

### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

---

## SECTION 7: Handling and Storage

### 7.1. Precautions for safe handling

Avoid dust formation.

Protection against fire and explosion:

The substance/product is non-combustible.

### 7.2. Conditions for safe storage, including any incompatibilities

Segregate from acids and acid forming substances. Segregate from oxidants.

Suitable materials for containers: Stainless steel 1.4541, Stainless steel 1.4571, High density polyethylene (HDPE), Low density polyethylene (LDPE), Carbon steel (Iron)

Further information on storage conditions: Keep in a cool place. Keep container dry. Keep container in a well-ventilated place.

Storage class according to TRGS 510 (originally VCI, Germany): (13) Non-combustible solids

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 16.12.2022

Product: **Sodium Sulphite anhydrous food grade (E221)**

(ID no. 30042389/SDS\_GEN\_DE/EN)

Date of print 23.03.2023

### 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

---

## SECTION 8: Exposure Controls/Personal Protection

### 8.1. Control parameters

Components with occupational exposure limits

The nuisance dust limit value is to be kept.

No occupational exposure limits known.

The substance mentioned develops if the regulation/notes for storage and handling are not observed.

7446-09-5: Sulphur dioxide

Short Term Exposure Classification: (TRGS 900 (DE))

Category I: Substances for which the localized effect has an assigned exposure limit or for substances with a sensitizing effect in respiratory passages

OEL 2,7 mg/m<sup>3</sup> ; 1 ppm (TRGS 900 (DE))

Ceiling limit value/factor: 1

If the occupational exposure limit value (AGW) and the biological limit value (BGW) are complied with, there should be no risk of damage for the unborn child (see TRGS 900, Number 2.7)

Skin Designation (TRGS 900 (DE))

The substance can be absorbed through the skin.

#### PNEC

freshwater: 1,33 mg/l

marine water: 0,13 mg/l

STP: 99,9 mg/l

#### DNEL

worker:

Long-term exposure- systemic effects, Inhalation: 298 mg/m<sup>3</sup>

consumer:

Long-term exposure- systemic effects, oral: 11 mg/kg

consumer:

Long-term exposure- systemic effects, Inhalation: 88 mg/m<sup>3</sup>

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 16.12.2022

Product: **Sodium Sulfite anhydrous food grade (E221)**

(ID no. 30042389/SDS\_GEN\_DE/EN)

Date of print 23.03.2023

## 8.2. Exposure controls

### Personal protective equipment

Respiratory protection:

Breathing protection if dusts are formed. Suitable respiratory protection for lower concentrations or short-term effect: Particle filter with low efficiency for solid particles (e.g. EN 143 or 149, Type P1 or FFP1)

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):

polyvinylchloride (PVC) - 0.7 mm coating thickness

nitrile rubber (NBR) - 0.4 mm coating thickness

chloroprene rubber (CR) - 0.5 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

### General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

---

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

State of matter:	solid
Form:	powder, crystalline
Colour:	white to slightly yellow
Odour:	odourless
Odour threshold:	Not determined due to potential health hazard by inhalation.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 16.12.2022

Product: **Sodium Sulphite anhydrous food grade (E221)**

(ID no. 30042389/SDS\_GEN\_DE/EN)

Date of print 23.03.2023

melting point (decomposition):	Literature data. The substance / product decomposes.	
Boiling point:	(1.013,25 hPa)	
Flammability:	Study scientifically not justified. Study scientifically not justified., not highly flammable	(other)
Lower explosion limit:	For solids not relevant for classification and labelling.	
Upper explosion limit:	For solids not relevant for classification and labelling.	
Flash point:	Study scientifically not justified.	
Thermal decomposition:	500 °C	
pH value:	8,5 - 10,5 (5 %(m), 20 °C)	(pH Meter)
Viscosity, dynamic:	not applicable	
Solubility in water:	220 g/l (20 °C)	(internal method)
Partitioning coefficient n-octanol/water (log Kow):	-4 (25 °C)	(OECD Guideline 107)
Vapour pressure:	Study scientifically not justified.	
Relative density:	2,63 (20 °C)	
Density:	Literature data. 2,633 g/cm <sup>3</sup> (20 °C) Literature data.	
<u>Particle characteristics</u>		
Particle size distribution:	257 µm Test substance: other TS	(D50, ISO 13320-1)

## 9.2. Other information

### Information with regard to physical hazard classes

#### Explosives

Explosion hazard: Based on the chemical structure there is no indication of explosive properties.

Impact sensitivity: Based on the chemical structure there is no shock-sensitivity.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 16.12.2022

Product: **Sodium Sulfite anhydrous food grade (E221)**

(ID no. 30042389/SDS\_GEN\_DE/EN)

Date of print 23.03.2023

#### Oxidizing properties

Fire promoting properties: Based on its structural properties the product is not classified as oxidizing.

#### Flammable solids

Burning rate:

Study scientifically not justified.

#### Self-heating substances and mixtures

Self heating ability: It is not a substance capable of spontaneous heating.

#### **Other safety characteristics**

Bulk density: 1.400 - 1.600 kg/m<sup>3</sup> (other)

pKA: Study scientifically not justified.

Adsorption/water - soil: Study scientifically not justified.

Evaporation rate: The product is a non-volatile solid.

---

## **SECTION 10: Stability and Reactivity**

### **10.1. Reactivity**

No hazardous reactions if stored and handled as prescribed/indicated.

### **10.2. Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

### **10.3. Possibility of hazardous reactions**

Reacts with oxidizing agents. Reacts with acids. Reacts with nitrites. The product is stable if stored and handled as prescribed/indicated.

### **10.4. Conditions to avoid**

Avoid moisture. avoid atmospheric oxygen

### **10.5. Incompatible materials**

Substances to avoid:  
acids, oxidizing agents, nitrites, nitrates

### **10.6. Hazardous decomposition products**



BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 16.12.2022

Product: **Sodium Sulphite anhydrous food grade (E221)**

(ID no. 30042389/SDS\_GEN\_DE/EN)

Date of print 23.03.2023

Hazardous decomposition products:  
Sulphur dioxide

## SECTION 11: Toxicological Information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Assessment of acute toxicity:

Of low toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): approx. 2.610 mg/kg (OECD Guideline 401)

LC50 rat (by inhalation): > 5,5 mg/l 4 h (OECD Guideline 403)

No mortality was observed. Tested as dust aerosol.

LD50 rat (dermal): > 2.000 mg/kg (OECD Guideline 402)

No mortality was observed.

#### Irritation

Assessment of irritating effects:

Not irritating to eyes and skin.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (Draize test)

Serious eye damage/irritation

rabbit: non-irritant (Draize test)

#### Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies.

Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: Non-sensitizing. (OECD Guideline 429)

#### Germ cell mutagenicity

Assessment of mutagenicity:

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 16.12.2022

Product: **Sodium Sulphite anhydrous food grade (E221)**

(ID no. 30042389/SDS\_GEN\_DE/EN)

Date of print 23.03.2023

The substance was not mutagenic in bacteria. The substance was not mutagenic in a test with mammals.

#### Carcinogenicity

Assessment of carcinogenicity:

No data available concerning carcinogenic effects. The chemical structure does not suggest a specific alert for such an effect.

#### Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. The chemical structure does not suggest a specific alert for such an effect.

#### Developmental toxicity

Assessment of teratogenicity:

No data available. The chemical structure does not suggest a specific alert for such an effect.

#### Specific target organ toxicity (single exposure)

Remarks: No applicable information available.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Repeated oral uptake of the substance did not cause substance-related effects. Repeated inhalative uptake of the substance did not cause substance-related effects. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Aspiration hazard

not applicable

#### Interactive effects

No data available.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 16.12.2022

Product: **Sodium Sulfite anhydrous food grade (E221)**

(ID no. 30042389/SDS\_GEN\_DE/EN)

Date of print 23.03.2023

## 11.2. Information on other hazards

### Endocrine disrupting properties

The substance is not identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 nor is included in the Candidate List of substances of very high concern according to EU REACH Article 59 for having endocrine disrupting properties.

---

## SECTION 12: Ecological Information

### 12.1. Toxicity

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LC50 (96 h) 316 mg/l, *Leuciscus idus* (DIN 38412 Part 15, static)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. The details of the toxic effect relate to the nominal concentration.

Aquatic invertebrates:

EC50 (48 h) 59 mg/l, *Daphnia magna* (Directive 79/831/EEC, static)

The details of the toxic effect relate to the nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic plants:

EC50 (72 h) 31,9 mg/l (growth rate), *Scenedesmus subspicatus* (OECD Guideline 201, static)

The details of the toxic effect relate to the nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Microorganisms/Effect on activated sludge:

EC50 (3 h) > 1.000 mg/l, (OECD Guideline 209, static)

The details of the toxic effect relate to the nominal concentration.

EC10 (17 h) 260 mg/l, *Pseudomonas putida* (DIN 38412 Part 8, aquatic)

Nominal concentration.

Chronic toxicity to fish:

No observed effect concentration (34 d) 316 mg/l, *Brachydanio rerio* (OECD Guideline 210, Flow through.)

The details of the toxic effect relate to the nominal concentration.

Chronic toxicity to aquatic invertebrates:

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 16.12.2022

Product: **Sodium Sulfite anhydrous food grade (E221)**

(ID no. 30042389/SDS\_GEN\_DE/EN)

Date of print 23.03.2023

No observed effect concentration (21 d) > 10 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

The details of the toxic effect relate to the nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Assessment of terrestrial toxicity:

No data available.

Study scientifically not justified.

## 12.2. Persistence and degradability

Assessment biodegradation and elimination (H<sub>2</sub>O):

Inorganic product which cannot be eliminated from water by biological purification processes.

Elimination information:

Study scientifically not justified.

Assessment of stability in water:

According to structural properties, hydrolysis is not expected/probable.

Information on Stability in Water (Hydrolysis):

Study scientifically not justified.

## 12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

Significant accumulation in organisms is not to be expected.

Bioaccumulation potential:

Study scientifically not justified.

## 12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: Adsorption to solid soil phase is not expected.

## 12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative). Self classification

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 16.12.2022

Product: **Sodium Sulphite anhydrous food grade (E221)**

(ID no. 30042389/SDS\_GEN\_DE/EN)

Date of print 23.03.2023

## 12.6. Endocrine disrupting properties

The substance is not identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 nor is included in the Candidate List of substances of very high concern according to EU REACH Article 59 for having endocrine disrupting properties.

## 12.7. Other adverse effects

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

## 12.8. Additional information

Other ecotoxicological advice:

Higher concentrations of the substance may cause a strong chemical oxygen consumption in biological sewage-treatment plants and/or waterways. Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

---

## SECTION 13: Disposal Considerations

### 13.1. Waste treatment methods

Contact manufacturer regarding recycling.

Contact waste centre regarding recycling.

Must be disposed of by special means, e.g. suitable dumping after chemical/physical pretreatment (consolidation).

Contaminated packaging:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

---

## SECTION 14: Transport Information

### Land transport

ADR

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 16.12.2022

Product: **Sodium Sulfite anhydrous food grade (E221)**

(ID no. 30042389/SDS\_GEN\_DE/EN)

Date of print 23.03.2023

Special precautions for user      None known

#### RID

UN number or ID number:      Not classified as a dangerous good under transport regulations  
UN proper shipping name:      Not applicable  
Transport hazard class(es):      Not applicable  
Packing group:      Not applicable  
Environmental hazards:      Not applicable  
Special precautions for user      None known

#### **Inland waterway transport**

ADN

UN number or ID number:      Not classified as a dangerous good under transport regulations  
UN proper shipping name:      Not applicable  
Transport hazard class(es):      Not applicable  
Packing group:      Not applicable  
Environmental hazards:      Not applicable  
Special precautions for user:      None known

#### Transport in inland waterway vessel

Not evaluated

#### **Sea transport**

IMDG

UN number or ID number:      Not classified as a dangerous good under transport regulations  
UN proper shipping name:      Not applicable  
Transport hazard class(es):      Not applicable  
Packing group:      Not applicable  
Environmental hazards:      Not applicable  
Special precautions for user      None known

#### **Air transport**

IATA/ICAO

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 16.12.2022

Product: **Sodium Sulfite anhydrous food grade (E221)**

(ID no. 30042389/SDS\_GEN\_DE/EN)

Date of print 23.03.2023

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

#### **14.1. UN number or ID number**

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

#### **14.2. UN proper shipping name**

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

#### **14.3. Transport hazard class(es)**

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

#### **14.4. Packing group**

See corresponding entries for "Packing group" for the respective regulations in the tables above.

#### **14.5. Environmental hazards**

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

#### **14.6. Special precautions for user**

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

#### **14.7. Maritime transport in bulk according to IMO instruments**

Maritime transport in bulk is not intended.

---

## **SECTION 15: Regulatory Information**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Hazardous Incident Ordinance (Germany):

Listed in above regulation: no

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):

Listed in above regulation: no

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 16.12.2022

Product: **Sodium Sulphite anhydrous food grade (E221)**

(ID no. 30042389/SDS\_GEN\_DE/EN)

Date of print 23.03.2023

Classification according to 'TA-Luft' (Germany):

5.2.1: total dust, including fine dust

Water hazard class (§6 AwSV para.4 (Legal binding announcement of the substance in the Federal Gazette)): (1) Weakly water polluting. ID-No.: 282

## 15.2. Chemical Safety Assessment

Chemical Safety Assessment not required

---

## SECTION 16: Other Information

Assessment of the hazard classes according to UN GHS criteria (most recent version)

Acute Tox. 5 (oral)

Aquatic Acute 3

### Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.  
ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

---

Vertical lines in the left hand margin indicate an amendment from the previous version.