

# Safety data sheet

Page: 1/12

BASF Safety data sheet

Date / Revised: 08.09.2023 Version: 5.0

Product: Bentazon NA techn.600 g/l

(30056715/SDS\_CPA\_AU/EN)

Date of print: 03.06.2024

# 1. Substance/preparation and manufacturer/supplier identification

# **Product name:**

Bentazon NA techn.600 g/l

Use: crop protection product, herbicide

### Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867) Level 12, 28 Freshwater Place Southbank Victoria 3006, AUSTRALIA Telephone: +61 3 8855-6600

Telefax number: +61 3 8855-6511

#### **Emergency information:**

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia] BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

# 2. Hazard identification

Classification of the substance and mixture:

Acute toxicity: Cat.4 (oral)

Serious eye damage/eye irritation: Cat.2A

Skin sensitization: Cat.1

Reproductive toxicity: Cat.2 (unborn child)

Hazardous to the aquatic environment - acute: Cat.1 Hazardous to the aquatic environment - chronic: Cat.2

Label elements and precautionary statement:

Pictogram:







Product: Bentazon NA techn.600 g/l

(30056715/SDS\_CPA\_AU/EN)

Date of print: 03.06.2024

# Signal Word:

Warning

#### Hazard Statement:

H319	Causes serious eye irritation.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H361	Suspected of damaging the unborn child.
H411	Toxic to aquatic life with long lasting effects.
H400	Very toxic to aquatic life.

#### **Precautionary Statement:**

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.

P103 Read carefully and follow all instructions.

### Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P261	Avoid breathing mist or vapour or spray.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P272	Contaminated work clothing should not be allowed out of the workplace.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

### Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical attention.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you
	feel unwell.
P330	Rinse mouth.
P308 + P313	IF exposed or concerned: Get medical attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P337 + P313	If eye irritation persists: Get medical attention.

# Precautionary Statements (Storage):

P405 Store locked up.

## Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

BASF Safety data sheet Date / Revised: 08.09.2023

Product: Bentazon NA techn.600 g/l

Version: 5.0

(30056715/SDS\_CPA\_AU/EN)

Date of print: 03.06.2024

# 3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

crop protection product, herbicide, Soluble concentrate (SL)

#### **Hazardous ingredients**

1H-2,1,3-Benzothiadiazin-4(3H)-one, 3-(1-methylethyl)-, 2,2-dioxide, sodium salt

Content (W/W): 53 % Acute Tox.: Cat. 4 (oral)
CAS Number: 50723-80-3 Eye Dam./Irrit.: Cat. 2A
Skin Sens.: Cat. 1

Repr.: Cat. 2 (unborn child) Aquatic Acute: Cat. 1 Aquatic Chronic: Cat. 2

### 4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## 5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, foam, dry powder, carbon dioxide

Specific hazards:

carbon monoxide, carbon dioxide, nitrogen oxides, sulfur oxides

BASF Safety data sheet Date / Revised: 08.09.2023

Date / Revised: 08.09.2023 Version: 5.0

Product: Bentazon NA techn.600 g/l

(30056715/SDS\_CPA\_AU/EN)

Date of print: 03.06.2024

The substances/groups of substances mentioned can be released in case of fire.

#### Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

#### Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

### 6. Accidental Release Measures

#### Personal precautions:

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

#### Environmental precautions:

Do not discharge into drains/surface waters/groundwater.Do not discharge into the subsoil/soil.

### Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

# 7. Handling and Storage

#### **Handling**

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

#### Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below: 5 °C

The product can crystallize below the limit temperature.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

Product: Bentazon NA techn.600 g/l

(30056715/SDS\_CPA\_AU/EN)

Date of print: 03.06.2024

# 8. Exposure controls and personal protection

Components with occupational exposure limits

No substance specific occupational exposure limits known.

#### Personal protective equipment

#### Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

#### Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

### Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

#### General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

### 9. Physical and Chemical Properties

Form: liquid

Colour: yellow to red to brown

Odour: odourless

Odour threshold: not applicable, odour not perceivable

pH value: approx. 5 - 7

(0.2 %(m), 20 °C) (as aqueous solution)

Melting point: approx. 0 °C

(1,013.3 hPa)

Information applies to the solvent.

Boiling point: approx. 100 °C (1,013.3 hPa)

Information applies to the solvent.

Flash point:

Non-flammable.

Product: Bentazon NA techn.600 g/l

(30056715/SDS\_CPA\_AU/EN)

Date of print: 03.06.2024

Evaporation rate:

not applicable

Flammability (solid/gas): not applicable

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

Upper explosion limit:

Explosion hazard:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Ignition temperature: 537 °C

> The product has not been tested. The statement has been derived from substances/products of a similar

structure or composition.

No decomposition if stored and Thermal decomposition:

handled as prescribed/indicated. Based on the chemical structure

there is no indication of explosive

properties.

Fire promoting properties: Based on its structural properties

the product is not classified as

oxidizing.

Vapour pressure: approx. 23 hPa

(20 °C)

Information applies to the solvent.

Density: approx. 1.23 g/cm3

(20 °C)

Relative vapour density (air):

not applicable

Solubility in water: fully soluble

Partitioning coefficient n-octanol/water (log Pow):

The statements are based on the properties of the individual

components.

Information on: 1H-2,1,3-Benzothiadiazin-4(3H)-one, 3-(1-methylethyl)-, 2,2-dioxide, sodium salt

Partitioning coefficient n-octanol/water (log Pow): 0.77

(pH value: 5)

Viscosity, dynamic: approx. 22.3 mPa.s

(20 °C)

Product: Bentazon NA techn.600 g/l

(30056715/SDS\_CPA\_AU/EN)

Date of print: 03.06.2024

#### Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

# 10. Stability and Reactivity

Conditions to avoid:

See SDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as

prescribed/indicated.

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

# 11. Toxicological Information

### Routes of exposure

#### Acute oral toxicity

Experimental/calculated data:

LD50rat (oral): 1,260 mg/kg (OECD Guideline 401)

# Acute inhalation toxicity

LC50 rat (by inhalation): > 7.1 mg/l 4 h (OECD Guideline 403)

No mortality was observed. An aerosol was tested.

### **Acute dermal toxicity**

LD50 rat (dermal): > 2,000 mg/kg (OECD Guideline 402)

No mortality was observed.

#### Assessment of acute toxicity

Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

#### **Symptoms**

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

#### Irritation

BASF Safety data sheet Date / Revised: 08.09.2023

Date / Revised: 08.09.2023 Version: 5.0

Product: Bentazon NA techn.600 g/l

(30056715/SDS\_CPA\_AU/EN)

Date of print: 03.06.2024

Assessment of irritating effects:

Not irritating to the skin. Eye contact causes irritation.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: Irritant.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

## Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible.

Experimental/calculated data:

Guinea pig maximization test: skin sensitizing

## Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

# Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

### Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

### **Developmental toxicity**

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Assessment of teratogenicity:

Indications of possible developmental toxicity/teratogenicity were seen in animal studies. The substance did not cause malformations in animal studies. When given in high doses fetotoxicity was observed.

\_\_\_\_\_

# Specific target organ toxicity (single exposure)

Version: 5.0

BASF Safety data sheet Date / Revised: 08.09.2023

Product: Bentazon NA techn.600 g/l

(30056715/SDS\_CPA\_AU/EN)

Date of print: 03.06.2024

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organioxicity was observed after repeated administration to animals.

### **Aspiration hazard**

not applicable

### Other relevant toxicity information

Misuse can be harmful to health.

# 12. Ecological Information

# **Ecotoxicity**

Assessment of aquatic toxicity:

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Toxicity to fish:

LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss (EPA 72-1, static)

\_\_\_\_\_

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1)

-----

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Aquatic plants:

EC50 (72 h) 34.5 mg/l (growth rate), Pseudokirchneriella subcapitata

EC10 (72 h) 9 mg/l, Pseudokirchneriella subcapitata

EC50 (14 d) 0.595 mg/l, aquatic plant

EC10 (14 d) 0.172 mg/l, aquatic plant

No observed effect concentration 0.278 mg/l, aquatic plant

EC50 (14 d) 3.48 mg/l, aquatic plant

Version: 5.0

BASF Safety data sheet Date / Revised: 08.09.2023

Product: Bentazon NA techn.600 g/l

(30056715/SDS\_CPA\_AU/EN)

Date of print: 03.06.2024

EC10 (14 d) 0.5 mg/l, aquatic plant

-----

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Chronic toxicity to fish:

No observed effect concentration (35 d) > 9.16 mg/l, Pimephales promelas

-----

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d), > 91.6 mg/l, Daphnia magna

-----

### **Mobility**

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Assessment transport between environmental compartments:

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

# Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt

### **Bioaccumulation potential**

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

-----

# **Additional information**

Other ecotoxicological advice:

Do not discharge product into the environment without control.

Product: Bentazon NA techn.600 g/l

(30056715/SDS\_CPA\_AU/EN)

Date of print: 03.06.2024

# 13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

# 14. Transport Information

**Domestic transport:** 

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE

2,2-DIOXIDE, SODIUM SALT)

Transport hazard class(es): 9, EHSM

Packing group:

Environmental hazards: yes

Special precautions for

user:

None known

# **Further information**

Hazchem Code:3Z IERG Number:47

#### Sea transport

**IMDG** 

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE

2,2-DIOXIDE, SODIUM SALT)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Marine pollutant: YES

Special precautions for

user:

EmS: F-A; S-F

# Air transport

IATA/ICAO

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE

2,2-DIOXIDE, SODIUM SALT)

Transport hazard class(es): 9, EHSM

Packing group:

Product: Bentazon NA techn.600 g/l

(30056715/SDS\_CPA\_AU/EN)

Date of print: 03.06.2024

Environmental hazards:

Special precautions for

None known

yes

user:

#### **Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

# 15. Regulatory Information

# Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 5

APVMA Approval No.: 49343

Registration status:

AICIS, AU

Listed in AIIC.

#### 16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.