

Safety Data Sheet

Prenyl Acetate

Revision date : 2022/10/12
Version: 2.0

Page: 1/11
(30456214/SDS_GEN_CA/EN)

1. Identification

Product identifier used on the label

Prenyl Acetate

Recommended use of the chemical and restriction on use

Recommended use*: Chemical, Chemical for detergents, Cosmetic and oral care chemical, flavoring substance

Unsuitable for use: Not intended for sale to or use by the general public.

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF Canada Inc.
5025 Creekbank Road
Building A, Floor 2
Mississauga, ON, L4W 0B6, CANADA

Telephone: +1 289 360-1300

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300
BASF HOTLINE: (800) 454-COPE (2673)

Other means of identification

Synonyms: 3-Methyl-2-butenyl acetate

2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Classification of the product

Flam. Liq.	3	Flammable liquids
Aquatic Acute	3	Hazardous to the aquatic environment - acute

Safety Data Sheet

Prenyl Acetate

Revision date: 2022/10/12
Version: 2.0

Page: 2/11
(30456214/SDS_GEN_CA/EN)

Label elements

Pictogram:



Signal Word:
Warning

Hazard Statement:

H226 Flammable liquid and vapour.
H402 Harmful to aquatic life.

Precautionary Statements (Prevention):

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280 Wear protective gloves and eye protection or face protection.
P243 Take action to prevent static discharges.
P273 Avoid release to the environment.
P241 Use explosion-proof electrical, ventilating and lighting equipment.
P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
P242 Use only non-sparking tools.

Precautionary Statements (Response):

P303 + P361 + P353 IF ON SKIN (or hair): Remove or Take off immediately all contaminated clothing. Rinse skin with water or shower.
P370 + P378 In case of fire: Use alcohol-resistant foam, carbon dioxide, dry powder or water spray for extinction.

Precautionary Statements (Storage):

P403 + P235 Store in a well-ventilated place. Keep cool.

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

No data available.

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

2-Buten-1-ol, 3-methyl-, acetate
CAS Number: 1191-16-8
Content (W/W): 75.0 - 100.0%
Synonym: No data available.

Safety Data Sheet

Prenyl Acetate

Revision date: 2022/10/12
Version: 2.0

Page: 3/11
(30456214/SDS_GEN_CA/EN)

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Wash thoroughly with soap and water

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: No data available.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:	Treat according to symptoms (decontamination, vital functions), no known specific antidote.
------------	---

5. Fire-Fighting Measures

Suitable extinguishing media:

dry powder, water spray, alcohol-resistant foam, carbon dioxide

Unsuitable extinguishing media for safety reasons:

water jet

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon oxides, harmful vapours

The substances/groups of substances mentioned can be released in case of fire. Flammable liquid

Advice for fire-fighters

Protective equipment for fire-fighting:

Wear a self-contained breathing apparatus.

Safety Data Sheet

Prenyl Acetate

Revision date: 2022/10/12
Version: 2.0

Page: 4/11
(30456214/SDS_GEN_CA/EN)

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Cool endangered containers with water-spray.

Impact Sensitivity:

Remarks: Based on the chemical structure there is no shock-sensitivity.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures, see section 8. Avoid all sources of ignition: heat, sparks, open flame. Ensure adequate ventilation. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For large amounts: Dike spillage. Cover with blanket of foam (alcohol-resistant foam). Pump off product.

For residues: Contain with absorbent material (e.g. sand, silica gel, acid binder, general purpose binder, sawdust).

Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Precautions for safe handling

Ensure thorough ventilation of stores and work areas. Wear suitable protective clothing and eye/face protection. Avoid contact with the skin, eyes and clothing. Keep container tightly sealed.

Protection against fire and explosion:

The product is combustible. Avoid all sources of ignition: heat, sparks, open flame. Take precautionary measures against static discharges. If exposed to fire, keep containers cool by spraying with water. Vapours may form explosive mixture with air.

Temperature class: T2 (Autoignition temperature >300 °C).

Conditions for safe storage, including any incompatibilities

Suitable materials for containers: Stove-lacquer RDL 50, Aluminium, Stove-lacquer R 78433

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place. Protect containers from physical damage.

8. Exposure Controls/Personal Protection

No substance specific occupational exposure limits known.

Safety Data Sheet

Prenyl Acetate

Revision date: 2022/10/12
Version: 2.0

Page: 5/11
(30456214/SDS_GEN_CA/EN)

Personal protective equipment

Respiratory protection:

Wear a NIOSH-certified (or equivalent) respirator as necessary.

Hand protection:

Wear impermeable chemical resistant protective gloves.

Eye protection:

Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

Body protection:

Body protection must be chosen based on level of activity and exposure.

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

9. Physical and Chemical Properties

Form:	liquid	
Odour:	fruity	
Odour threshold:	< 100 ppm	
Colour:	colourless to yellowish	
pH value:	No data available.	
Melting temperature:	< -100 °C (1,013 hPa)	(OECD Guideline 102)
Freezing point:	No data available.	
Boiling point:	150 - 152 °C (1,013.25 hPa)	(measured)
Flash point:	46 °C	(ISO 13736, closed cup)
Flammability:	Flammable liquid and vapour.	
Lower explosion limit:	For liquids not relevant for classification and labelling. The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Autoignition:	417 °C	(DIN EN 14522)
SADT:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
Vapour pressure:	2.6 hPa (20 °C) Extrapolated value 3.7 hPa (25 °C) Extrapolated value 17.1 hPa (50 °C)	(OECD Guideline 104) (OECD Guideline 104) (OECD Guideline 104)
Density:	0.916 g/cm ³ (20 °C) Literature data.	

Safety Data Sheet

Prenyl Acetate

Revision date: 2022/10/12
Version: 2.0

Page: 6/11
(30456214/SDS_GEN_CA/EN)

Relative density:	0.9197 (20 °C, 1,013 hPa)	(OECD Guideline 109)
Vapour density:	> 1 (20 °C) Heavier than air.	(calculated)
Partitioning coefficient n-octanol/water (log Pow):	2.0 (23 °C)	(OECD Guideline 117)
Self-ignition temperature:	Based on its structural properties the product is not classified as self-igniting.	
Thermal decomposition:	approx. 260 °C (DSC (OECD 113))	
Viscosity, dynamic:	0.93 mPa.s (20 °C)	(OECD 114)
	0.71 mPa.s (40 °C)	(OECD 114)
Viscosity, kinematic:	1.01 mm ² /s (20 °C)	(OECD 114)
	0.78 mm ² /s (40 °C)	(OECD 114)
Particle size:	The substance / product is marketed or used in a non solid or granular form.	
Solubility in water:	4.3 g/l (20 °C)	
Molar mass:	128.17 g/mol	
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.	

10. Stability and Reactivity

Reactivity

Vapours may form explosive mixture with air.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Formation of flammable gases:	Remarks:	Forms no flammable gases in the presence of water.
-------------------------------	----------	--

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Peroxides: The product does not contain peroxides.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

Avoid electro-static discharge. Avoid all sources of ignition: heat, sparks, open flame.

Incompatible materials

Safety Data Sheet

Prenyl Acetate

Revision date: 2022/10/12
Version: 2.0

Page: 7/11
(30456214/SDS_GEN_CA/EN)

None known during use and storage if used according to instructions.

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

approx. 260 °C (DSC (OECD 113))

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Of low toxicity after single ingestion. Virtually nontoxic after a single skin contact.

Oral

Type of value: LD50

Species: rat

Value: approx. 3,000 mg/kg (similar to OECD guideline 401)

Literature data.

Inhalation

No data available.

Dermal

Type of value: LD50

Species: rabbit

Value: > 5,000 mg/kg (other)

Assessment other acute effects

Assessment of STOT single:

Based on available data, the classification criteria are not met.

Irritation / corrosion

Assessment of irritating effects: Not irritating to the skin. Not irritating to the eyes.

Skin

Species: rabbit

Result: non-irritant

Method: similar to OECD guideline 404

Literature data.

Eye

Safety Data Sheet

Prenyl Acetate

Revision date: 2022/10/12
Version: 2.0

Page: 8/11
(30456214/SDS_GEN_CA/EN)

Species: rabbit
Result: non-irritant
Method: similar to OECD guideline 405
Literature data.

Sensitization

Assessment of sensitization: A controlled medical study in humans did not reveal a skin sensitizing effect. Skin sensitizing effects were not observed in animal studies.

Mouse Local Lymph Node Assay (LLNA)

Species: mouse
Result: ambiguous
Method: OECD Guideline 429

Human Maximization Test

Species: human
Result: Non-sensitizing.
Method: other

Buehler test

Species: guinea pig
Result: Non-sensitizing.
Method: similar to OECD guideline 406

Aspiration Hazard

No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: No substance-specific organotoxicity was observed after repeated administration to animals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Genetic toxicity

Assessment of mutagenicity: No mutagenic effect was found in various tests with bacteria and mammalian cell culture. The substance was not mutagenic in a test with mammals. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Carcinogenicity

Assessment of carcinogenicity: No data available concerning carcinogenic effects.

Reproductive toxicity

Assessment of reproduction toxicity: Repeated oral uptake of the substance did not cause damage to the reproductive organs. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Teratogenicity

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

12. Ecological Information

Safety Data Sheet

Prenyl Acetate

Revision date: 2022/10/12
Version: 2.0

Page: 9/11
(30456214/SDS_GEN_CA/EN)

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. Acutely harmful for aquatic organisms.

Toxicity to fish

LC50 (96 h) 23.5 mg/l, Brachydanio rerio (OECD Guideline 203, semistatic)

The statement of the toxic effect relates to the analytically determined concentration.

Aquatic invertebrates

EC50 (48 h) 64.3 mg/l, Daphnia magna (OECD Guideline 202, part 1, semistatic)

The statement of the toxic effect relates to the analytically determined concentration.

Aquatic plants

EC50 (72 h) > 84.4 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

The statement of the toxic effect relates to the analytically determined concentration. Limit concentration test only (LIMIT test).

EC10 (72 h) > 84 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

The statement of the toxic effect relates to the analytically determined concentration. Limit concentration test only (LIMIT test).

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

DIN EN ISO 8192-OECD 209-88/302/EEC, P. C aquatic activated sludge, domestic/EC20 (180 min): > 1,000 mg/l

The details of the toxic effect relate to the nominal concentration.

Persistence and degradability

Assessment biodegradation and elimination (H₂O)

Readily biodegradable (according to OECD criteria).

Elimination information

90 - 100 % CO₂ formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EEC, C.4-C) (aerobic, activated sludge, domestic)

Bioaccumulative potential

Assessment bioaccumulation potential

No significant accumulation in organisms is expected as a result of the distribution coefficient of n-octanol/water (log Pow).

Mobility in soil

Assessment transport between environmental compartments

The substance will slowly evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is not expected.

Safety Data Sheet

Prenyl Acetate

Revision date: 2022/10/12
Version: 2.0

Page: 10/11
(30456214/SDS_GEN_CA/EN)

13. Disposal considerations

Waste disposal of substance:

Observe national and local legal requirements.

Container disposal:

Dispose of in accordance with national, state and local regulations.

14. Transport Information

Land transport

TDG

Hazard class: 3
Packing group: III
ID number: UN 3272
Hazard label: 3
Proper shipping name: ESTERS, N.O.S. (contains 3-METHYL-2-BUTENYL ACETATE)

Sea transport

IMDG

Hazard class: 3
Packing group: III
ID number: UN 3272
Hazard label: 3
Marine pollutant: NO
Proper shipping name: ESTERS, N.O.S. (contains 3-METHYL-2-BUTENYL ACETATE)

Air transport

IATA/ICAO

Hazard class: 3
Packing group: III
ID number: UN 3272
Hazard label: 3
Proper shipping name: ESTERS, N.O.S. (contains 3-METHYL-2-BUTENYL ACETATE)

15. Regulatory Information

Federal Regulations

Registration status:

Chemical DSL, CA released / listed

NFPA Hazard codes:

Health: 0 Fire: 2 Reactivity: 0 Special:

Assessment of the hazard classes according to UN GHS criteria (most recent version):

Acute Tox. 5 (oral) Acute toxicity
Flam. Liq. 3 Flammable liquids

Safety Data Sheet

Prenyl Acetate

Revision date: 2022/10/12
Version: 2.0

Page: 11/11
(30456214/SDS_GEN_CA/EN)

Aquatic Acute

3

Hazardous to the aquatic environment - acute

16. Other Information

SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2022/10/12

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

END OF DATA SHEET