

Safety data sheet

Page: 1/16

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.09.2022

Version: 2.0

Date previous version: 28.03.2022

Previous version: 1.0

Date / First version: 28.03.2022

Product: **Prenyl Acetate**

(ID no. 30456214/SDS_GEN_RU/EN)

Date of print 30.05.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Prenyl Acetate

Chemical name: 3-Methyl-2-butenyl acetate

CAS Number: 1191-16-8

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical, Chemical for detergents, Cosmetic and oral care chemical, flavoring substance

1.3. Details of the supplier of the safety data sheet

Company:

BASF SE
67056 Ludwigshafen
GERMANY

Contact address:

OOO BASF
37A-4, Leningradsky Prospekt
Moscow, 125167
RUSSIAN FEDERATION

Telephone: +7 495 231-7200 or 8 800 200 58 37

E-mail address: info.russia@basf.com

1.4. Emergency telephone number

LOCAL EMERGENCY NUMBER (Russia)

8 800 200 58 37

International emergency number:

Telephone: +49 180 2273-112

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.09.2022

Version: 2.0

Date previous version: 28.03.2022

Previous version: 1.0

Date / First version: 28.03.2022

Product: **Prenyl Acetate**

(ID no. 30456214/SDS_GEN_RU/EN)

Date of print 30.05.2026

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Flam. Liq. 3	H226 Flammable liquid and vapour.
Acute Tox. 5 (oral)	H303 May be harmful if swallowed.
Aquatic Acute 3	H402 Harmful to aquatic life.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:



Signal Word:

Warning

Hazard Statement:

H226	Flammable liquid and vapour.
H303	May be harmful if swallowed.
H402	Harmful to aquatic life.

Precautionary Statements (Prevention):

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves and eye protection or face protection.
P243	Take action to prevent static discharges.
P273	Avoid release to the environment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P242	Use only non-sparking tools.

Precautionary Statements (Response):

P303 + P361 + P353	IF ON SKIN (or hair): Remove or Take off immediately all contaminated clothing. Rinse skin with water or shower.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P370 + P378	In case of fire: Use alcohol-resistant foam, carbon dioxide, dry powder or water spray for extinction.

Precautionary Statements (Storage):

P403 + P235	Store in a well-ventilated place. Keep cool.
-------------	----------------------------------------------

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.
------	-----------------------------------------------------------------------------------

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.09.2022

Version: 2.0

Date previous version: 28.03.2022

Previous version: 1.0

Date / First version: 28.03.2022

Product: **Prenyl Acetate**

(ID no. 30456214/SDS_GEN_RU/EN)

Date of print 30.05.2026

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Chemical nature

3-Methyl-2-butenyl acetate

CAS Number: 1191-16-8

EC-Number: 214-730-4

Flam. Liq. 3

Acute Tox. 5 (oral)

Aquatic Acute 3

H226, H303, H402

Regulatory relevant ingredients

3-Methyl-2-butenyl acetate

Content (W/W): $\geq 75\%$ - $\leq 100\%$

CAS Number: 1191-16-8

EC-Number: 214-730-4

Flam. Liq. 3

Acute Tox. 5 (oral)

Aquatic Acute 3

H226, H303, H402

| 3-Methylbut-2-en-1-ol

Content (W/W): $> 0\%$ - $< 0,3\%$

CAS Number: 556-82-1

EC-Number: 209-141-4

Flam. Liq. 3

Acute Tox. 4 (oral)

Acute Tox. 5 (dermal)

Skin Corr./Irrit. 1C

Eye Dam./Irrit. 1

Aquatic Acute 3

H226, H313, H302, H314, H402

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

3.2. Mixtures

Not applicable

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.09.2022

Version: 2.0

Date previous version: 28.03.2022

Previous version: 1.0

Date / First version: 28.03.2022

Product: **Prenyl Acetate**

(ID no. 30456214/SDS_GEN_RU/EN)

Date of print 30.05.2026

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment (decontamination, vital functions).

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

dry powder, water spray, alcohol-resistant foam, carbon dioxide

Unsuitable extinguishing media for safety reasons:

water jet

5.2. Special hazards arising from the substance or mixture

Endangering substances: carbon oxides, harmful vapours

Advice: The substances/groups of substances mentioned can be released in case of fire. Flammable liquid

5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.09.2022

Version: 2.0

Date previous version: 28.03.2022

Previous version: 1.0

Date / First version: 28.03.2022

Product: **Prenyl Acetate**

(ID no. 30456214/SDS_GEN_RU/EN)

Date of print 30.05.2026

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Cool endangered containers with water-spray.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures, see section 8. Avoid all sources of ignition: heat, sparks, open flame. Ensure adequate ventilation. Avoid contact with the skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

For large amounts: Dike spillage. Cover with blanket of foam (alcohol-resistant foam). Pump off product.

For residues: Contain with absorbent material (e.g. sand, silica gel, acid binder, general purpose binder, sawdust).

Dispose of absorbed material in accordance with regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Ensure thorough ventilation of stores and work areas. Wear suitable protective clothing and eye/face protection. Avoid contact with the skin, eyes and clothing. Keep container tightly sealed.

Protection against fire and explosion:

The product is combustible. Avoid all sources of ignition: heat, sparks, open flame. Take precautionary measures against static discharges. If exposed to fire, keep containers cool by spraying with water. Vapours may form explosive mixture with air.

Temperature class: T2 (Autoignition temperature >300 °C).

7.2. Conditions for safe storage, including any incompatibilities

Suitable materials for containers: Stove-lacquer RDL 50, Aluminium, Stove-lacquer R 78433

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.09.2022

Version: 2.0

Date previous version: 28.03.2022

Previous version: 1.0

Date / First version: 28.03.2022

Product: **Prenyl Acetate**

(ID no. 30456214/SDS_GEN_RU/EN)

Date of print 30.05.2026

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place. Protect containers from physical damage.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

No substance specific occupational exposure limits known.

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen based on level of activity and exposure.

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter:	liquid
Form:	liquid
Colour:	colourless to yellowish
Odour:	fruity
Odour threshold:	< 100 ppm

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.09.2022

Version: 2.0

Date previous version: 28.03.2022

Previous version: 1.0

Date / First version: 28.03.2022

Product: **Prenyl Acetate**

(ID no. 30456214/SDS_GEN_RU/EN)

Date of print 30.05.2026

Melting temperature:	< -100 °C (1.013 hPa)	(OECD Guideline 102)
Boiling point:	150 - 152 °C (1.013,25 hPa)	(measured)
Flammability:	Flammable liquid and vapour.	
Lower explosion limit:	For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Flash point:	46 °C	(ISO 13736, closed cup)
Auto-ignition temperature:	417 °C	(DIN EN 14522)
Thermal decomposition:	approx. 260 °C (DSC (OECD 113))	
SADT:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
pH value:	No data available.	
Viscosity, kinematic:	1,01 mm ² /s (20 °C)	(OECD 114)
	0,78 mm ² /s (40 °C)	(OECD 114)
Viscosity, dynamic:	0,93 mPa.s (20 °C)	(OECD 114)
	0,71 mPa.s (40 °C)	(OECD 114)
Thixotropy:	not thixotropic	
Solubility in water:	(OECD Guideline 105)	
	4,3 g/l (20 °C)	
Partitioning coefficient n-octanol/water (log Kow):	2,0 (23 °C; pH value: 6,5)	(OECD Guideline 117)
Vapour pressure:	2,6 hPa (20 °C)	(OECD Guideline 104)
	Extrapolated value 3,7 hPa (25 °C)	(OECD Guideline 104)
	Extrapolated value 17,1 hPa (50 °C)	(OECD Guideline 104)
Relative density:	0,9197 (20 °C, 1.013 hPa)	(OECD Guideline 109)
Density:	0,916 g/cm ³ (20 °C)	
	Literature data.	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.09.2022

Version: 2.0

Date previous version: 28.03.2022

Previous version: 1.0

Date / First version: 28.03.2022

Product: **Prenyl Acetate**

(ID no. 30456214/SDS_GEN_RU/EN)

Date of print 30.05.2026

Relative vapour density (air):> 1 (calculated)
(20 °C)
Heavier than air.

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: Based on the chemical structure there is no indication of explosive properties.

Impact sensitivity: not shock-sensitive
Based on the chemical structure there is no shock-sensitivity.

Oxidizing properties

Fire promoting properties: Based on its structural properties the product is not classified as oxidizing.

Flammable liquids

Sustained combustibility: not determined

Pyrophoric properties

Self-ignition temperature: Test type: Spontaneous self-ignition at room-temperature.

Based on its structural properties the product is not classified as self-igniting.

Self-heating substances and mixtures

Self heating ability: It is not a substance capable of spontaneous heating.

Substances and mixtures, which emit flammable gases in contact with water

Formation of flammable gases: Forms no flammable gases in the presence of water.

Corrosion to metals

Corrosive effects to metal are not anticipated.

Other safety characteristics

pKA:

The substance does not dissociate.,
Study scientifically not justified.

Adsorption/water - soil: KOC: 28,42; log KOC: 1,45 (calculated)
Surface tension:

Based on chemical structure, surface activity is not to be expected.

Molar mass: 128,17 g/mol

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.09.2022

Version: 2.0

Date previous version: 28.03.2022

Previous version: 1.0

Date / First version: 28.03.2022

Product: **Prenyl Acetate**

(ID no. 30456214/SDS_GEN_RU/EN)

Date of print 30.05.2026

SAPT-Temperature:

Study scientifically not justified.

Evaporation rate:

Value can be approximated from Henry's Law Constant or vapor pressure.

SECTION 10: Stability and Reactivity

10.1. Reactivity

Vapours may form explosive mixture with air.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Formation of flammable gases: Remarks: Forms no flammable gases in the presence of water.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Peroxides: The product does not contain peroxides.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:

None known during use and storage if used according to instructions.

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.09.2022

Version: 2.0

Date previous version: 28.03.2022

Previous version: 1.0

Date / First version: 28.03.2022

Product: **Prenyl Acetate**

(ID no. 30456214/SDS_GEN_RU/EN)

Date of print 30.05.2026

Acute toxicity

Assessment of acute toxicity:

Of low toxicity after single ingestion. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): approx. 3.000 mg/kg (similar to OECD guideline 401)

Literature data.

LD50 rabbit (dermal): > 5.000 mg/kg (other)

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (similar to OECD guideline 404)

Literature data.

Serious eye damage/irritation

rabbit: non-irritant (similar to OECD guideline 405)

Literature data.

Respiratory/Skin sensitization

Assessment of sensitization:

A controlled medical study in humans did not reveal a skin sensitizing effect. Skin sensitizing effects were not observed in animal studies.

Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: ambiguous (OECD Guideline 429)

Human Maximization Test human: Non-sensitizing. (other)

Buehler test guinea pig: Non-sensitizing. (similar to OECD guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

No mutagenic effect was found in various tests with bacteria and mammalian cell culture. The substance was not mutagenic in a test with mammals. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.09.2022

Version: 2.0

Date previous version: 28.03.2022

Previous version: 1.0

Date / First version: 28.03.2022

Product: **Prenyl Acetate**

(ID no. 30456214/SDS_GEN_RU/EN)

Date of print 30.05.2026

Carcinogenicity

Assessment of carcinogenicity:

No data available concerning carcinogenic effects.

Reproductive toxicity

Assessment of reproduction toxicity:

Repeated oral uptake of the substance did not cause damage to the reproductive organs. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on available data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No substance-specific organotoxicity was observed after repeated administration to animals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aspiration hazard

No aspiration hazard expected.

Interactive effects

No data available.

11.2. Information on other hazards

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.09.2022

Version: 2.0

Date previous version: 28.03.2022

Previous version: 1.0

Date / First version: 28.03.2022

Product: **Prenyl Acetate**

(ID no. 30456214/SDS_GEN_RU/EN)

Date of print 30.05.2026

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. Acutely harmful for aquatic organisms.

Toxicity to fish:

LC50 (96 h) 23,5 mg/l, *Brachydanio rerio* (OECD Guideline 203, semistatic)

The statement of the toxic effect relates to the analytically determined concentration.

Aquatic invertebrates:

EC50 (48 h) 64,3 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, semistatic)

The statement of the toxic effect relates to the analytically determined concentration.

Aquatic plants:

EC50 (72 h) > 84,4 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)

The statement of the toxic effect relates to the analytically determined concentration. Limit concentration test only (LIMIT test).

EC10 (72 h) > 84 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)

The statement of the toxic effect relates to the analytically determined concentration. Limit concentration test only (LIMIT test).

Microorganisms/Effect on activated sludge:

EC20 (180 min) > 1.000 mg/l, activated sludge, domestic (DIN EN ISO 8192-OECD 209-88/302/EEC, P. C, aquatic)

The details of the toxic effect relate to the nominal concentration.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H₂O):

Readily biodegradable (according to OECD criteria).

Elimination information:

90 - 100 % CO₂ formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EEC, C.4-C) (aerobic, activated sludge, domestic)

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

No significant accumulation in organisms is expected as a result of the distribution coefficient of n-octanol/water (log Pow).

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.09.2022

Version: 2.0

Date previous version: 28.03.2022

Previous version: 1.0

Date / First version: 28.03.2022

Product: **Prenyl Acetate**

(ID no. 30456214/SDS_GEN_RU/EN)

Date of print 30.05.2026

12.4. Mobility in soil

Assessment transport between environmental compartments:

Volatility: The substance will slowly evaporate into the atmosphere from the water surface.

Adsorption in soil: Adsorption to solid soil phase is not expected.

12.5. Results of PBT and vPvB assessment

12.6. Endocrine disrupting properties

12.7. Other adverse effects

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Observe national and local legal requirements.

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number: UN3272

UN proper shipping name: ESTERS, N.O.S. (3-METHYL-2-BUTENYL ACETATE)

Transport hazard class(es): 3

Packing group: III

Environmental hazards: no

Special precautions for user: Tunnel code: D/E

RID

UN number or ID number: UN3272

UN proper shipping name: ESTERS, N.O.S. (3-METHYL-2-BUTENYL ACETATE)

Transport hazard class(es): 3

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.09.2022

Version: 2.0

Date previous version: 28.03.2022

Previous version: 1.0

Date / First version: 28.03.2022

Product: **Prenyl Acetate**

(ID no. 30456214/SDS_GEN_RU/EN)

Date of print 30.05.2026

Packing group: III
Environmental hazards: no
Special precautions for user: None known

Inland waterway transport

ADN

UN number or ID number: UN3272
UN proper shipping name: ESTERS, N.O.S. (3-METHYL-2-BUTENYL ACETATE)

Transport hazard class(es): 3
Packing group: III
Environmental hazards: no
Special precautions for user: None known

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number or ID number: UN 3272
UN proper shipping name: ESTERS, N.O.S. (3-METHYL-2-BUTENYL ACETATE)

Transport hazard class(es): 3
Packing group: III
Environmental hazards: no
Marine pollutant: NO
Special precautions for user: EmS: F-E; S-D

Air transport

IATA/ICAO

UN number or ID number: UN 3272
UN proper shipping name: ESTERS, N.O.S. (3-METHYL-2-BUTENYL ACETATE)

Transport hazard class(es): 3
Packing group: III
Environmental hazards: No Mark as dangerous for the environment is needed
Special precautions for user: None known

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.09.2022

Version: 2.0

Date previous version: 28.03.2022

Previous version: 1.0

Date / First version: 28.03.2022

Product: **Prenyl Acetate**

(ID no. 30456214/SDS_GEN_RU/EN)

Date of print 30.05.2026

user:

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

SECTION 16: Other Information

Assessment of the hazard classes according to UN GHS criteria (most recent version)

Acute Tox. 5 (oral)

Flam. Liq. 3

Aquatic Acute 3

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.09.2022

Version: 2.0

Date previous version: 28.03.2022

Previous version: 1.0

Date / First version: 28.03.2022

Product: **Prenyl Acetate**

(ID no. 30456214/SDS_GEN_RU/EN)

Date of print 30.05.2026

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Flam. Liq.	Flammable liquids
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment - acute
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
H226	Flammable liquid and vapour.
H303	May be harmful if swallowed.
H402	Harmful to aquatic life.
H313	May be harmful in contact with skin.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.