

# Safety data sheet

Page: 1/14

BASF BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 20.08.2021

Version: 2.0

Product: **Metrafenone 500 g/l SC**

(ID no. 30637126/SDS\_CPA\_00/EN)

Date of print 29.04.2024

## 1. Identification

### Product identifier

## Metrafenone 500 g/l SC

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

### Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Operating Division Crop Protection

Telephone: +49 621 60-27777

E-mail address: Produktinformation-Pflanzenschutz@basf.com

### Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

---

## 2. Hazards Identification

### Classification of the substance or mixture

According to UN GHS criteria

Aquatic Chronic 2

For the classifications not written out in full in this section the full text can be found in section 16.

---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 20.08.2021

Version: 2.0

Product: **Metrafenone 500 g/l SC**

(ID no. 30637126/SDS\_CPA\_00/EN)

Date of print 29.04.2024

---

## Label elements

### Globally Harmonized System (GHS)

Pictogram:



Hazard Statement:

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Precautionary Statements (Response):

P391 Collect spillage.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste collection point.

Labeling of special preparations (GHS):

| May produce an allergic reaction. Contains: 1,2-Benzisothiazol-3(2H)-one

According to UN GHS criteria

| Hazard determining component(s) for labelling: Metrafenone (3-bromo-6-methoxy-2-methylphenyl)(2,3,4-trimethoxy-6-methylphenyl)

## Other hazards

According to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

---

## 3. Composition/Information on Ingredients

### Substances

Not applicable

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 20.08.2021

Version: 2.0

Product: **Metrafenone 500 g/l SC**

(ID no. 30637126/SDS\_CPA\_00/EN)

Date of print 29.04.2024

**Mixtures**Chemical nature

crop protection product, fungicide, suspension concentrate (SC)

Hazardous ingredients (GHS)

According to UN GHS criteria

Metrafenone (3-bromo-6-methoxy-2-methylphenyl)(2,3,4-trimethoxy-6-methylphenyl)

Content (W/W): 42 %

Aquatic Acute 1

CAS Number: 220899-03-6

Aquatic Chronic 2

H400, H411

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts

Content (W/W): &lt; 5 %

Eye Dam./Irrit. 2A

CAS Number: 68425-94-5

Aquatic Acute 3

H319

1,2-Benzisothiazol-3(2H)-one

Content (W/W): &lt; 0,05 %

Acute Tox. 4 (oral)

CAS Number: 2634-33-5

Skin Corr./Irrit. 2

EC-Number: 220-120-9

Eye Dam./Irrit. 1

INDEX-Number: 613-088-00-6

Skin Sens. 1

Aquatic Acute 1

Aquatic Chronic 1

M-factor acute: 1

M-factor chronic: 1

H318, H315, H302, H317, H400, H410

Specific concentration limit:Skin Sens. 1:  $\geq 0,05$  %

Propane-1,2-diol

Content (W/W): &lt; 10 %

CAS Number: 57-55-6

EC-Number: 200-338-0

For the classifications not written out in full in this section the full text can be found in section 16.

**4. First-Aid Measures****Description of first aid measures**

Remove contaminated clothing.

---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 20.08.2021

Version: 2.0

Product: **Metrafenone 500 g/l SC**

(ID no. 30637126/SDS\_CPA\_00/EN)

Date of print 29.04.2024

---

If inhaled:

| Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

| Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

| Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

### **Most important symptoms and effects, both acute and delayed**

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

### **Indication of any immediate medical attention and special treatment needed**

| Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## **5. Fire-Fighting Measures**

### **Extinguishing media**

Suitable extinguishing media:  
water spray, carbon dioxide, foam, dry powder

### **Special hazards arising from the substance or mixture**

| Carbon monoxide, Carbon dioxide, Hydrogen bromide, nitrogen oxides, sulfur oxides, halogenated compounds

The substances/groups of substances mentioned can be released in case of fire.

### **Advice for fire-fighters**

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

---

## **6. Accidental Release Measures**

### **Personal precautions, protective equipment and emergency procedures**

---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 20.08.2021

Version: 2.0

Product: **Metrafenone 500 g/l SC**

(ID no. 30637126/SDS\_CPA\_00/EN)

Date of print 29.04.2024

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

### **Environmental precautions**

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

### **Methods and material for containment and cleaning up**

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

---

## **7. Handling and Storage**

### **Precautions for safe handling**

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

### **Conditions for safe storage, including any incompatibilities**

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 60 Months

Protect from temperatures below: 0 °C

The product can crystallize below the limit temperature.

Protect from temperatures above: 35 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

### **Specific end use(s)**

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

---

## **8. Exposure Controls/Personal Protection**

### **Control parameters**

Components with occupational exposure limits

---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 20.08.2021

Version: 2.0

Product: **Metrafenone 500 g/l SC**

(ID no. 30637126/SDS\_CPA\_00/EN)

Date of print 29.04.2024

---

57-55-6: Propane-1,2-diol

## Exposure controls

### Personal protective equipment

Respiratory protection:

Respiratory protection not required.

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

### General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

---

## 9. Physical and Chemical Properties

### Information on basic physical and chemical properties

Form:	liquid
Colour:	beige
Odour:	aliphatic
Odour threshold:	Not determined due to potential health hazard by inhalation.
pH value:	approx. 7 - 9 (water, 20 °C) (measured with the undiluted substance)
Melting point:	approx. 0 °C
Boiling point:	Information applies to the solvent. approx. 100 °C
Flash point:	Information applies to the solvent. Non-flammable.

(Directive 92/69/EEC, A.9)

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 20.08.2021

Version: 2.0

Product: **Metrafenone 500 g/l SC**

(ID no. 30637126/SDS\_CPA\_00/EN)

Date of print 29.04.2024

Evaporation rate:	not applicable	
Flammability:	not applicable	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature:	379 °C	(Directive 92/69/EEC, A.15)
Vapour pressure:	approx. 23 hPa (20 °C)	
Density:	Information applies to the solvent. approx. 1,19 g/cm <sup>3</sup> (20 °C)	
Relative vapour density (air):	not applicable	
Solubility in water:	dispersible	
Partitioning coefficient n-octanol/water (log Kow):	not applicable	
Thermal decomposition:	205 °C, 30 kJ/kg (DSC (OECD 113)) 290 °C, 750 kJ/kg (DSC (OECD 113)) Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
Viscosity, dynamic:	approx. 129 mPa.s (20 °C)	
Explosion hazard:	not explosive	(Directive 92/69/EEC, A.14)
Fire promoting properties:	not fire-propagating	(Directive 2004/73/EC, A.21)
SADT:	> 75 °C	

### Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

### Chemical stability

---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 20.08.2021

Product: **Metrafenone 500 g/l SC**

Version: 2.0

(ID no. 30637126/SDS\_CPA\_00/EN)

Date of print 29.04.2024

The product is stable if stored and handled as prescribed/indicated.

### **Possibility of hazardous reactions**

No hazardous reactions if stored and handled as prescribed/indicated.

### **Conditions to avoid**

See SDS section 7 - Handling and storage.

### **Incompatible materials**

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

### **Hazardous decomposition products**

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

---

## **11. Toxicological Information**

### **Information on toxicological effects**

#### Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

LD50 rat (oral): > 5.000 mg/kg (OECD Guideline 401)

LC50 rat (by inhalation): > 3,7 mg/l 4 h (OECD Guideline 403)

No mortality was observed. Highest concentration capable of testing. An aerosol was tested.

LD50 rat (dermal): > 5.000 mg/kg (OECD Guideline 402)

#### Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)



---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 20.08.2021

Version: 2.0

Product: **Metrafenone 500 g/l SC**

(ID no. 30637126/SDS\_CPA\_00/EN)

Date of print 29.04.2024

---

#### Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

Guinea pig maximization test guinea pig: Skin sensitizing effects were not observed in animal studies. (OECD Guideline 406)

#### Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

#### Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Metrafenone (3-bromo-6-methoxy-2-methylphenyl)(2,3,4-trimethoxy-6-methylphenyl)*

*Assessment of carcinogenicity:*

*When given in high doses, the substance was carcinogenic in animal studies. Based on its mechanism of action, a carcinogenic potential is not expected after exposure to low doses.*

-----

#### Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

#### Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

#### Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 20.08.2021

Product: **Metrafenone 500 g/l SC**

Version: 2.0

(ID no. 30637126/SDS\_CPA\_00/EN)

Date of print 29.04.2024

---

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organotoxicity was observed after repeated administration to animals.

#### Aspiration hazard

The product has not been tested. The statement has been derived from the properties of the individual components.  
No aspiration hazard expected.

#### Other relevant toxicity information

Misuse can be harmful to health.

---

## 12. Ecological Information

### Toxicity

Assessment of aquatic toxicity:

Toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish:

LC50 (96 h) > 104 mg/l, *Oncorhynchus mykiss* (OECD 203; ISO 7346; 92/69/EEC, C.1, static)

Aquatic invertebrates:

LC50 (48 h) > 1,98 mg/l, *Daphnia magna* (Directive 92/69/EEC, C.2, static)

No effects at the highest test concentration.

Aquatic plants:

EC50 (72 h) > 2,25 mg/l (growth rate), *Selenastrum capricornutum* (OECD Guideline 201)

No effects at the highest test concentration.

No observed effect concentration (72 h) 0,294 mg/l (biomass), *Pseudokirchneriella subcapitata* (OECD Guideline 201)

### Persistence and degradability

Assessment biodegradation and elimination (H<sub>2</sub>O):

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Metrafenone (3-bromo-6-methoxy-2-methylphenyl)(2,3,4-trimethoxy-6-methylphenyl)*

*Assessment biodegradation and elimination (H<sub>2</sub>O):*

*Not readily biodegradable (by OECD criteria).*

-----

---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 20.08.2021

Product: **Metrafenone 500 g/l SC**

Version: 2.0

(ID no. 30637126/SDS\_CPA\_00/EN)

Date of print 29.04.2024

---

### **Bioaccumulative potential**

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Metrafenone (3-bromo-6-methoxy-2-methylphenyl)(2,3,4-trimethoxy-6-methylphenyl)*

*Bioaccumulation potential:*

*Bioconcentration factor: 140 - 180 (42 d), Lepomis macrochirus (OECD Guideline 305 E)*

-----

### **Mobility in soil**

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Metrafenone (3-bromo-6-methoxy-2-methylphenyl)(2,3,4-trimethoxy-6-methylphenyl)*

*Assessment transport between environmental compartments:*

*Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

-----

### **Results of PBT and vPvB assessment**

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

### **Other adverse effects**

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

### **Additional information**

Other ecotoxicological advice:

Do not discharge product into the environment without control.

---

## **13. Disposal Considerations**

### **Waste treatment methods**

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 20.08.2021

Version: 2.0

Product: **Metrafenone 500 g/l SC**

(ID no. 30637126/SDS\_CPA\_00/EN)

Date of print 29.04.2024

---

## 14. Transport Information

### Land transport

ADR

UN number UN3082  
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S. (contains METRAFENONE)  
Transport hazard class(es): 9, EHS  
Packing group: III  
Environmental hazards: yes  
Special precautions for user: None known

RID

UN number UN3082  
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S. (contains METRAFENONE)  
Transport hazard class(es): 9, EHS  
Packing group: III  
Environmental hazards: yes  
Special precautions for user: None known

### Inland waterway transport

ADN

UN number UN3082  
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S. (contains METRAFENONE)  
Transport hazard class(es): 9, EHS  
Packing group: III  
Environmental hazards: yes  
Special precautions for user: None known

Transport in inland waterway vessel

Not evaluated

### Sea transport

IMDG

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 20.08.2021

Version: 2.0

Product: **Metrafenone 500 g/l SC**

(ID no. 30637126/SDS\_CPA\_00/EN)

Date of print 29.04.2024

UN number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains METRAFENONE)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
	Marine pollutant: YES
Special precautions for user:	None known

**Air transport**

IATA/ICAO

UN number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains METRAFENONE)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

**Transport in bulk according to Annex II of MARPOL and the IBC Code**

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

**Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3 Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

**15. Regulatory Information****Safety, health and environmental regulations/legislation specific for the substance or mixture**

To avoid risks to man and the environment, comply with the instructions for use.

---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 20.08.2021

Version: 2.0

Product: **Metrafenone 500 g/l SC**

(ID no. 30637126/SDS\_CPA\_00/EN)

Date of print 29.04.2024

---

## 16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Aquatic Chronic	Hazardous to the aquatic environment - chronic
Aquatic Acute	Hazardous to the aquatic environment - acute
Eye Dam./Irrit.	Serious eye damage/eye irritation
Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Skin Sens.	Skin sensitization
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H319	Causes serious eye irritation.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H410	Very toxic to aquatic life with long lasting effects.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

---

Vertical lines in the left hand margin indicate an amendment from the previous version.