

Safety data sheet

Page: 1/84

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

HydroBlue® 90 non food grade

UFI: DPQN-C47Q-N009-JX2H

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical, auxiliary / finishing agent for the textile industry

Recommended use: reducing agents, Bleaching agents, for industrial use only, inorganic reducing agents

For the detailed identified uses of the product see appendix of the safety data sheet.

1.3. Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Division Monomers

E-mail address: pss.monomers@basf.com

1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

Self-heat. 1	H251 Self-heating: may catch fire.
Acute Tox. 4 (oral)	H302 Harmful if swallowed.
Eye Dam./Irrit. 2	H319 Causes serious eye irritation.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:



Signal Word:

Danger

Hazard Statement:

H251	Self-heating: may catch fire.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.

Precautionary Statements (Prevention):

P220	Keep away from clothing and other combustible materials.
P235 + P410	Keep cool. Protect from sunlight.
P264	Wash contaminated body parts thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves, protective clothing and eye protection or face protection.

Precautionary Statements (Response):

P312	Call a POISON CENTER or physician if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301	IF SWALLOWED:
P330	Rinse mouth
P337	If eye irritation persists:
P311	Call a POISON CENTER or physician.

Precautionary Statements (Storage):

P407	Maintain air gap between stacks or pallets.
P420	Store separately.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

P413 Store bulk masses greater than 1 kg/ 2,2 lbs at temperatures not exceeding 50 °C/122 °F.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste collection point.

Labeling of special preparations (GHS):

EUH031: Contact with acids liberates toxic gas.

Hazard determining component(s) for labelling: sodium dithionite

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

No specific dangers known, if the regulations/notes for storage and handling are considered. If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

The product does not contain a substance above legal limits fulfilling the PBT

(persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Product does not contain a substance above legal limits included in the list established in

accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting

properties or is identified to have endocrine disrupting properties in accordance with the criteria set

out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

sodium dithionite $\text{Na}_2\text{S}_2\text{O}_4$

stabilizing agents

Regulatory relevant ingredients

sodium dithionite

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Content (W/W): $\geq 75\%$ - $\leq 100\%$	Self-heat. 1
CAS Number: 7775-14-6	Acute Tox. 4 (oral)
EC-Number: 231-890-0	Eye Dam./Irrit. 2
REACH registration number: 01-2119520510-57	H251, H319, H302
INDEX-Number: 016-028-00-1	EUH031

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

After inhalation of decomposition products, remove the affected person to a source of fresh air and keep calm. Provide medical aid.

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Hazards: Respiratory sensitization may result in allergic (asthma-like) signs in the lower respiratory tract including wheezing, shortness of breath and difficulty breathing, the onset of which may be delayed. Risk of sulfur dioxide formation by reaction with gastric acid after swallowing.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:
Water in copious quantities

Unsuitable extinguishing media for safety reasons:
water spray

Additional information:
Self inflammation possible by spray waters or water in small quantities.

5.2. Special hazards arising from the substance or mixture

Endangering substances: Sulphur dioxide
Advice: The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:
Wear a self-contained breathing apparatus.

Further information:
Risk of bursting. Cool endangered containers with water-spray. Avoid direct contact with water. Separate containers involved in fire and keep under observation for at least 24 hours. Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Use breathing apparatus if exposed to vapours/dust/aerosol.

6.2. Environmental precautions

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up in dry form. Dispose of absorbed material in accordance with regulations.
For large amounts: Pick up in dry form. Dispose of absorbed material in accordance with regulations.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Ensure thorough ventilation of stores and work areas. Breathing must be protected when large quantities are decanted without local exhaust ventilation. Do not open warm or swollen product containers. Remove persons to safety and alert fire brigade.

Protection against fire and explosion:

The product is liable to self-heating but not explosive.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from acids. Segregate from oxidants.

Suitable materials for containers: Carbon steel (Iron), enamelled, Stainless steel 1.4541, High density polyethylene (HDPE), Low density polyethylene (LDPE), tinned carbon steel (Tinplate), Stainless steel 1.4301 (V2), Stove-lacquer R 78433, Stainless steel 1.4306 (V2A)

Further information on storage conditions: Protect against moisture. Protect against heat. Keep container tightly closed in a cool, well-ventilated place. Maintain air gap between stacks or pallets.

Storage class according to TRGS 510 (originally VCI, Germany): (4.2) Pyrophoric or self-heating substances

Storage stability:

Large quantities of the product should not be kept in stockrooms with sprinkler installations due to a possible self inflammation by small quantities of water.

Improper storage may result in a pressure build-up in the storage containers.

The packed product is not damaged by low temperatures or by frost.

Protect from temperatures above: 50 °C

The packed product must be protected against exceeding the indicated temperature.

7.3. Specific end use(s)

See exposure scenario(s) in the attachment to this safety data sheet.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

The surveillance of the workplace by exposure measurements may be necessary, in order to prove the efficiency of safety measures, for example ventilation or the need of respiratory protection. Since

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

this requires a specific competency, only accredited laboratories should be contracted. Regarding suitable methods to assess inhalation exposure, the European Standards EN 482, 689 and 14042 are to be considered. In addition, the TRGS 402 has to be observed in Germany.

PNEC

freshwater: 1 mg/l

marine water: 0,1 mg/l

sediment (freshwater):

Exposure of sediment is not expected

sediment (marine water):

Exposure of sediment is not expected

STP: 45,3 mg/l

DNEL

worker:

Long-term exposure- systemic effects, Inhalation: 206 mg/m³

consumer:

Long-term exposure- systemic effects, Inhalation: 61 mg/m³

consumer:

Long-term exposure- systemic effects, oral: 7,9 mg/kg

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Breathing protection if dusts are formed. Breathing protection if gases/vapours are formed.

Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK). Self-contained breathing apparatus.

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):

polyvinylchloride (PVC) - 0.7 mm coating thickness

butyl rubber (butyl) - 0.7 mm coating thickness

nitrile rubber (NBR) - 0.4 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Avoid contact with the skin, eyes and clothing. Do not breathe dust. Wearing of closed work clothing is recommended. Handle in accordance with good industrial hygiene and safety practice. When using, do not eat, drink or smoke.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter:	solid	
Form:	powder	
Colour:	white	
Odour:	pungent odour	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
decomposition point:	> 80 °C	(other)
	Thermal decomposition above the indicated temperature is possible.	
Boiling point:	The substance / product decomposes therefore not determined.	
Flammability:	Risk of spontaneous ignition.	(other)
Lower explosion limit:	For solids not relevant for classification and labelling.	
Upper explosion limit:	For solids not relevant for classification and labelling.	
Flash point:	not applicable	
Thermal decomposition:	80 °C	
	Thermal decomposition above the indicated temperature is possible.	
pH value:	5,5 - 8,5	(pH Meter)
	(50 g/l)	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Viscosity, kinematic:	not applicable, the product is a solid	
Viscosity, dynamic:	not applicable	
Solubility in water:	slow decomposition > 150 g/l (20 °C)	(internal method)
Partitioning coefficient n-octanol/water (log Kow):	not applicable	
Vapour pressure:	The substance / product decomposes therefore not determined.	
Density:	approx. 2,4 g/cm ³ (20 °C) Literature data.	
Relative vapour density (air):	The product is a non-volatile solid.	

Particle characteristics

Particle size distribution: 60 - 100 µm

9.2. Other information**Information with regard to physical hazard classes**Explosives

Explosion hazard: not explosive

Oxidizing properties

Fire promoting properties: not fire-propagating

Self-heating substances and mixtures

Self heating ability: It is a substance capable of spontaneous heating.

Substances and mixtures, which emit flammable gases in contact with water

Formation of flammable gases:

Forms no flammable gases in the presence of water.

Corrosion to metals

Corrosive effects to metal are not anticipated.

Other safety characteristics

Minimum ignition energy: (1 bar) (VDI 2263, sheet 1, 2.1.2)

(1 bar)

Grain size distribution: 30 - 150 µm

The product is not capable of a dust explosion.

Bulk density: approx. 1.000 kg/m³ (other)

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

pKA:	not applicable, Study scientifically not justified.	
Hygroscopy:	Non-hygroscopic	
Surface tension:	Based on chemical structure, surface activity is not to be expected.	
Angle of repose:	41 °	(according ISO 4324)
Evaporation rate:	The product is a non-volatile solid.	

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:	Corrosive effects to metal are not anticipated.
Formation of flammable gases:	Remarks: Forms no flammable gases in the presence of water.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

Reacts with acids. Reacts with oxidizing agents. Reacts with damp air. Self inflammation possible by spray waters or water in small quantities. On contact with water, gaseous decomposition products are formed, which cause build-up of pressure in tightly closed containers.

10.4. Conditions to avoid

> 50 °C
Avoid humidity.

10.5. Incompatible materials

Substances to avoid:
acids, oxidizing agents

10.6. Hazardous decomposition products

Hazardous decomposition products:
Sulphur dioxide

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Experimental/calculated data:

LD50 rat (oral): approx. 2.500 mg/kg (BASF-Test)

The European Union (EU) has classified this substance as 'harmful'.

LC50 rat (by inhalation): > 5,5 mg/l 4 h (OECD Guideline 403)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

LD50 rat (dermal): > 2.000 mg/kg (OECD Guideline 402)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Irritation

Assessment of irritating effects:

Not irritating to the skin. Eye contact causes irritation.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: Slightly irritating. (BASF-Test)

Serious eye damage/irritation

rabbit: Slightly irritating. (OECD Guideline 405)

Respiratory/Skin sensitization

Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: Non-sensitizing. (OECD Guideline 429)

Germ cell mutagenicity

Assessment of mutagenicity:

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Most of the results from the available studies show no evidence of a mutagenic effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Carcinogenicity

Assessment of carcinogenicity:

In long-term studies in rats in which the substance was given by feed, a carcinogenic effect was not observed. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Reproductive toxicity

No data available.

Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

No data available.

Aspiration hazard

not applicable

Interactive effects

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LC50 (96 h) 62,3 mg/l, *Leuciscus idus* (DIN 38412 Part 15, static)

Nominal concentration.

Aquatic invertebrates:

EC50 (48 h) 98,3 mg/l, *Daphnia magna* (Directive 79/831/EEC, static)

Nominal concentration.

Aquatic plants:

EC50 (72 h) 206 mg/l (growth rate), *Scenedesmus subspicatus* (DIN 38412 Part 9, static)

Nominal concentration.

Microorganisms/Effect on activated sludge:

EC20 (3 h) 120,5 mg/l, (OECD Guideline 209, aquatic)

Chronic toxicity to fish:

No observed effect concentration (34 d) \geq 316 mg/l, *Brachydanio rerio* (OECD Guideline 210, Flow through.)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d) $>$ 10 mg/l, *Daphnia magna* (semistatic)

Nominal concentration.

Assessment of terrestrial toxicity:

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Study scientifically not justified.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H₂O):

Inorganic product which cannot be eliminated from water by biological purification processes.

Study scientifically not justified.

Assessment of stability in water:

In contact with water the substance will hydrolyse rapidly.

Information on Stability in Water (Hydrolysis):

t_{1/2} 1,5 h (50 °C, pH value 8,5), (Directive 84/449/EEC, C.10)

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Bioaccumulation potential:

Study scientifically not justified.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: Adsorption to solid soil phase is not expected.

12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative). Self classification

12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.8. Additional information

Sum parameter

Chemical oxygen demand (COD): approx. 210 mg/g

Adsorbable organically-bound halogen (AOX):
This product contains no organically-bound halogen.

Other ecotoxicological advice:

Do not allow to enter soil, waterways or waste water channels. Higher concentrations of the substance may cause a strong chemical oxygen consumption in biological sewage-treatment plants and/or waterways.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number: UN1384

UN proper shipping name: SODIUM DITHIONITE (SODIUM HYDROSULPHITE)

Transport hazard class(es): 4.2

Packing group: II

Environmental hazards: no

Special precautions for user: Tunnel code: D/E

Protect from wetness

RID

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

UN number or ID number: UN1384
UN proper shipping name: SODIUM DITHIONITE (SODIUM HYDROSULPHITE)

Transport hazard class(es): 4.2
Packing group: II
Environmental hazards: no
Special precautions for user: Protect from wetness

Inland waterway transport

ADN

UN number or ID number: UN1384
UN proper shipping name: SODIUM DITHIONITE (SODIUM HYDROSULPHITE)

Transport hazard class(es): 4.2
Packing group: II
Environmental hazards: no
Special precautions for user: Protect from wetness

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number or ID number: UN 1384
UN proper shipping name: SODIUM DITHIONITE (SODIUM HYDROSULPHITE)

Transport hazard class(es): 4.2
Packing group: II
Environmental hazards: no
Marine pollutant: NO

Special precautions for user: EmS: F-A; S-J
Protect from wetness

Air transport

IATA/ICAO

UN number or ID number: UN 1384
UN proper shipping name: SODIUM DITHIONITE

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Transport hazard class(es): 4.2
Packing group: II
Environmental hazards: No Mark as dangerous for the environment is needed
Special precautions for user: Protect from wetness

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information

Specific national features of transport regulations must be observed. They are to be found in the shipping documents.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Hazardous Incident Ordinance (Germany):

Listed in above regulation: no

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):
Listed in above regulation: no

Classification according to 'TA-Luft' (Germany):
5.2.1: total dust, including fine dust

Water hazard class (§6 AwSV para.4 (Legal binding announcement of the substance in the Federal Gazette)): (1) Weakly water polluting.

Self-commitment of TEGEWA on the classification of textile chemicals in accordance with their relevance to waste-water: (class I) Less relevant to waste-water.

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2. Chemical Safety Assessment

Chemical Safety Assessment performed

SECTION 16: Other Information

Assessment of the hazard classes according to UN GHS criteria (most recent version)

Aquatic Acute 3
Skin Corr./Irrit. 3
Eye Dam./Irrit. 2A
Self-heat. 1
Acute Tox. 5 (oral)

Self-heat.	Self-heating substances and mixtures
Acute Tox.	Acute toxicity
Eye Dam./Irrit.	Serious eye damage/eye irritation
H251	Self-heating: may catch fire.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
EUH031	Contact with acids liberates toxic gas.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.
ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Annex: Exposure Scenarios

Index

1. Manufacture of substance, Industrial applications, (liquid products)

SU3; SU2a, SU2b, SU3, SU4, SU5, SU6b, SU7, SU8, SU9, SU10, SU11, SU12, SU14, SU15, SU16, SU17, SU20, SU23; ERC1, ERC6a, ERC6b, ERC8a, ERC8b; PROC1, PROC2, PROC3, PROC4, PROC5, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC12, PROC13, PROC14, PROC15, PROC16, PROC17, PROC18, PROC19; PC1, PC2, PC3, PC4, PC7, PC8, PC9a, PC9b, PC13, PC14, PC15, PC17, PC18, PC19, PC20, PC23, PC24, PC25, PC26, PC28, PC30, PC31, PC32, PC34, PC35, PC37, PC38, PC39, PC40

2. Manufacture of substance, Industrial applications, (granules, low dustiness)

SU3; SU2a, SU2b, SU3, SU4, SU5, SU6b, SU7, SU8, SU9, SU10, SU11, SU12, SU14, SU15, SU16, SU17, SU20, SU23; ERC1, ERC6a, ERC6b, ERC8a, ERC8b; PROC1, PROC2, PROC3, PROC4, PROC5, PROC6, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC14, PROC15, PROC16, PROC17, PROC18, PROC19, PROC21, PROC22, PROC23, PROC24, PROC25, PROC26; PC1, PC2, PC3, PC4, PC7, PC8, PC9a, PC9b, PC13, PC14, PC15, PC17, PC18, PC19, PC20, PC23, PC24, PC25, PC26, PC28, PC29, PC30, PC31, PC32, PC34, PC35, PC37, PC38, PC39, PC40

3. Manufacture of substance, Industrial applications, (mid powder, medium dustiness)

SU3; SU2a, SU2b, SU3, SU4, SU5, SU6b, SU7, SU8, SU9, SU10, SU11, SU12, SU14, SU15, SU16, SU17, SU20, SU23; ERC1, ERC6a, ERC6b, ERC8a, ERC8b; PROC1, PROC2, PROC3, PROC4, PROC5, PROC6, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC14, PROC15, PROC16, PROC17, PROC18, PROC19, PROC22, PROC23, PROC24, PROC25, PROC26; PC1, PC2, PC3, PC4, PC7, PC8, PC9a, PC9b, PC13, PC14, PC15, PC17, PC18, PC19, PC20, PC23, PC24, PC25, PC26, PC28, PC30, PC31, PC32, PC34, PC35, PC37, PC38, PC39, PC40

4. Manufacture of substance, Industrial applications, (fine powder, high dustiness)

SU3; SU2a, SU2b, SU3, SU4, SU5, SU6b, SU7, SU8, SU9, SU10, SU11, SU12, SU14, SU15, SU16, SU17, SU20, SU23; ERC1, ERC6a, ERC6b, ERC8a, ERC8b; PROC1, PROC2, PROC3, PROC4, PROC5, PROC6, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC14, PROC15, PROC16, PROC17, PROC18, PROC19, PROC22, PROC23, PROC24, PROC25, PROC26; PC1, PC2, PC3, PC4, PC7, PC8, PC9a, PC9b, PC13, PC14, PC15, PC17, PC18, PC19, PC20, PC23, PC24, PC25, PC26, PC28, PC29, PC30, PC31, PC32, PC34, PC35, PC37, PC38, PC39, PC40

5. Professional applications, (liquid products)

SU22; SU22; ERC1, ERC6a, ERC6b, ERC8a, ERC8b; PROC2, PROC3, PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC10, PROC12, PROC13, PROC14, PROC15, PROC16, PROC17, PROC18, PROC19, PROC11, PROC20; PC2, PC7, PC9a, PC14, PC15, PC17, PC18, PC20, PC23, PC24, PC25, PC26, PC30, PC31, PC34, PC35, PC37, PC38

6. Professional applications, (granules, low dustiness)

SU22; SU22; ERC1, ERC6a, ERC6b, ERC8a, ERC8b; PROC2, PROC3, PROC4, PROC5, PROC6, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC14, PROC15, PROC16, PROC17, PROC18, PROC19, PROC21, PROC22, PROC23, PROC24, PROC25, PROC26, PROC11; PC2, PC7, PC9a, PC14, PC15, PC17, PC18, PC20, PC23, PC24, PC25, PC26, PC30, PC31, PC34, PC35, PC37, PC38

7. Professional applications, (mid powder, medium dustiness)

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

SU22; SU22; ERC1, ERC6a, ERC6b, ERC8a, ERC8b; PROC2, PROC3, PROC4, PROC5, PROC6, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC14, PROC15, PROC16, PROC17, PROC18, PROC19, PROC22, PROC23, PROC24, PROC25, PROC26, PROC11; PC2, PC7, PC9a, PC14, PC15, PC17, PC18, PC20, PC23, PC24, PC25, PC26, PC30, PC31, PC34, PC35, PC37, PC38

8. Professional applications, (fine powder, high dustiness)

SU22; SU22; ERC1, ERC6a, ERC6b, ERC8a, ERC8b; PROC2, PROC3, PROC4, PROC5, PROC6, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC14, PROC15, PROC16, PROC17, PROC18, PROC19, PROC22, PROC23, PROC24, PROC25, PROC26, PROC11; PC2, PC7, PC9a, PC14, PC15, PC17, PC18, PC20, PC23, PC24, PC25, PC26, PC30, PC31, PC34, PC35, PC37, PC38

9. Use in textile dyeing, bleaching, impregnation and related auxiliaries, (consumer use)

SU21; SU21; ERC8a, ERC8b; PC34

10. Cleaning agents

SU21; SU21; ERC8a, ERC8b;

1. Short title of exposure scenario

Manufacture of substance, Industrial applications, (liquid products)

SU3; SU2a, SU2b, SU3, SU4, SU5, SU6b, SU7, SU8, SU9, SU10, SU11, SU12, SU14, SU15, SU16, SU17, SU20, SU23; ERC1, ERC6a, ERC6b, ERC8a, ERC8b; PROC1, PROC2, PROC3, PROC4, PROC5, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC12, PROC13, PROC14, PROC15, PROC16, PROC17, PROC18, PROC19; PC1, PC2, PC3, PC4, PC7, PC8, PC9a, PC9b, PC13, PC14, PC15, PC17, PC18, PC19, PC20, PC23, PC24, PC25, PC26, PC28, PC30, PC31, PC32, PC34, PC35, PC37, PC38, PC39, PC40

Control of exposure and risk management measures

Contributing exposure scenario	
Use descriptors covered	PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC12: Use of blowing agents in manufacture of foam Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Liquid, very low fugacity
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,001 mg/m ³
Risk Characterization Ratio (RCR)	< 0,001
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	
Contributing exposure scenario	
Use descriptors covered	PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing). PROC13: Treatment of articles by dipping and pouring. PROC14: Tableting, compression, extrusion, pelletisation, granulation PROC15: Use a laboratory reagent. PROC16: Use of fuels Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Liquid, very low fugacity
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,01 mg/m ³
Risk Characterization Ratio (RCR)	0,001
Assessment method	Qualitative assessment
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC4: Chemical production where opportunity for exposure arises PROC5: Mixing or blending in batch processes PROC8a: Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC10: Roller application or brushing PROC19: Manual activities involving hand contact Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Liquid, very low fugacity
Duration and Frequency of activity	480 min 5 days per week
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,05 mg/m ³
Risk Characterization Ratio (RCR)	0,005
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC17: Lubrication at high energy conditions in metal working operations PROC18: General greasing /lubrication at high kinetic energy conditions Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	liquid
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,1 mg/m ³
Risk Characterization Ratio (RCR)	0,01
Assessment method	Qualitative assessment
	Worker - contact with eyes

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Guidance to Downstream UsersFor scaling see: <http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php>

Contributing exposure scenario	
Use descriptors covered	PROC7: Industrial spraying Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Liquid, moderate fugacity
Duration and Frequency of activity	480 min 5 days per week
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Provide extract ventilation to points where emissions occur (LEV).	Effectiveness: 78 %
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	4,4 mg/m ³
Risk Characterization Ratio (RCR)	0,44
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	As no environmental hazard was identified no environmental-related exposure assessment and risk characterization was performed.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

2. Short title of exposure scenario

Manufacture of substance, Industrial applications, (granules, low dustiness)

SU3; SU2a, SU2b, SU3, SU4, SU5, SU6b, SU7, SU8, SU9, SU10, SU11, SU12, SU14, SU15, SU16, SU17, SU20, SU23; ERC1, ERC6a, ERC6b, ERC8a, ERC8b; PROC1, PROC2, PROC3, PROC4, PROC5, PROC6, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC14, PROC15, PROC16, PROC17, PROC18, PROC19, PROC21, PROC22, PROC23, PROC24, PROC25, PROC26; PC1, PC2, PC3, PC4, PC7, PC8, PC9a, PC9b, PC13, PC14, PC15, PC17, PC18, PC19, PC20, PC23, PC24, PC25, PC26, PC28, PC29, PC30, PC31, PC32, PC34, PC35, PC37, PC38, PC39, PC40

Control of exposure and risk management measures

Contributing exposure scenario	
Use descriptors covered	PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, low dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,01 mg/m ³
Risk Characterization Ratio (RCR)	0,001
Assessment method	Qualitative assessment

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	
Contributing exposure scenario	
Use descriptors covered	PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC6: Calendering operations PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing). PROC13: Treatment of articles by dipping and pouring. PROC14: Tableting, compression, extrusion, pelletisation, granulation PROC15: Use a laboratory reagent. PROC16: Use of fuels Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, low dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,1 mg/m ³
Risk Characterization Ratio (RCR)	0,01
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

For scaling see: <http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php>

Contributing exposure scenario	
Use descriptors covered	PROC4: Chemical production where opportunity for exposure arises PROC5: Mixing or blending in batch processes PROC8a: Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC10: Roller application or brushing PROC19: Manual activities involving hand contact PROC21: Low energy manipulation and handling of substances bound in/on materials or articles Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, low dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Consumer - inhalation, long-term - systemic
Exposure estimate	0,5 mg/m ³
Risk Characterization Ratio (RCR)	0,05
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC7: Industrial spraying PROC17: Lubrication at high energy conditions in metal working operations PROC18:

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

	General greasing /lubrication at high kinetic energy conditions PROC26: Handling of solid inorganic substances at ambient temperature Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, low dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
PROC7, PROC17, PROC18	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	1 mg/m ³
Risk Characterization Ratio (RCR)	0,1
PROC26	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	1,5 mg/m ³
Risk Characterization Ratio (RCR)	0,15
PROC7, PROC17, PROC18, PROC26	
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	
Contributing exposure scenario	
Use descriptors covered	PROC23: Open processing and transfer operations at substantially elevated temperature PROC25: Other hot work operations with metals

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

	Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, Melted mass, Liquid, high fugacity
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Consumer - inhalation, long-term - systemic
Exposure estimate	2 mg/m ³
Risk Characterization Ratio (RCR)	0,2
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC22: Manufacturing and processing of minerals and/or metals at substantially elevated temperature Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, Melted mass, Liquid, high fugacity
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	7 mg/m ³
Risk Characterization Ratio (RCR)	0,7
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	
Contributing exposure scenario	
Use descriptors covered	PROC24: High (mechanical) energy work-up of substances bound in /on materials and/or articles Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, high dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	5,5 mg/m ³
Risk Characterization Ratio (RCR)	0,55
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	As no environmental hazard was identified no environmental-related exposure assessment and risk characterization was performed.

3. Short title of exposure scenario

Manufacture of substance, Industrial applications, (mid powder, medium dustiness)

SU3; SU2a, SU2b, SU3, SU4, SU5, SU6b, SU7, SU8, SU9, SU10, SU11, SU12, SU14, SU15, SU16, SU17, SU20, SU23; ERC1, ERC6a, ERC6b, ERC8a, ERC8b; PROC1, PROC2, PROC3, PROC4, PROC5, PROC6, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC14, PROC15, PROC16, PROC17, PROC18, PROC19, PROC22, PROC23, PROC24, PROC25, PROC26; PC1, PC2, PC3, PC4, PC7, PC8, PC9a, PC9b, PC13, PC14, PC15, PC17, PC18, PC19, PC20, PC23, PC24, PC25, PC26, PC28, PC30, PC31, PC32, PC34, PC35, PC37, PC38, PC39, PC40

Control of exposure and risk management measures

Contributing exposure scenario	
Use descriptors covered	PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, medium dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,01 mg/m ³
Risk Characterization Ratio (RCR)	0,001
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC15: Use a laboratory reagent. Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, medium dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,5 mg/m ³
Risk Characterization Ratio (RCR)	0,05
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC7: Industrial spraying PROC17: Lubrication at high energy conditions in metal working operations PROC18: General greasing /lubrication at high kinetic energy conditions Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, medium dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Provide extract ventilation to points where emissions occur (LEV).	Effectiveness: 78,0 %
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	4,4 mg/m ³

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Risk Characterization Ratio (RCR)	0,44
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC13: Treatment of articles by dipping and pouring. PROC14: Tableting, compression, extrusion, pelletisation, granulation Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, medium dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	1 mg/m ³
Risk Characterization Ratio (RCR)	0,1
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Use descriptors covered	PROC4: Chemical production where opportunity for exposure arises PROC5: Mixing or blending in batch processes PROC6: Calendering operations PROC8a: Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing). PROC10: Roller application or brushing PROC16: Use of fuels PROC19: Manual activities involving hand contact Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, medium dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	5 mg/m ³
Risk Characterization Ratio (RCR)	0,5
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	
Contributing exposure scenario	
Use descriptors covered	PROC22: Manufacturing and processing of minerals and/or metals at substantially elevated temperature

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

	Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, Melted mass, Liquid, high fugacity
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	7 mg/m ³
Risk Characterization Ratio (RCR)	0,7
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC23: Open processing and transfer operations at substantially elevated temperature PROC25: Other hot work operations with metals Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, Melted mass, Liquid, high fugacity
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	2 mg/m ³
Risk Characterization Ratio (RCR)	0,2
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC24: High (mechanical) energy work-up of substances bound in /on materials and/or articles Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, high dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	5,5 mg/m ³
Risk Characterization Ratio (RCR)	0,55
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC26: Handling of solid inorganic substances at ambient temperature Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, medium dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	4 mg/m ³
Risk Characterization Ratio (RCR)	0,4
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

For scaling see: <http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php>

Contributing exposure scenario	
Use descriptors covered	As no environmental hazard was identified no environmental-related exposure assessment and risk characterization was performed.

* * * * *

4. Short title of exposure scenario

Manufacture of substance, Industrial applications, (fine powder, high dustiness)

SU3; SU2a, SU2b, SU3, SU4, SU5, SU6b, SU7, SU8, SU9, SU10, SU11, SU12, SU14, SU15, SU16, SU17, SU20, SU23; ERC1, ERC6a, ERC6b, ERC8a, ERC8b; PROC1, PROC2, PROC3, PROC4, PROC5, PROC6, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC14, PROC15, PROC16, PROC17, PROC18, PROC19, PROC22, PROC23, PROC24, PROC25, PROC26; PC1, PC2, PC3, PC4, PC7, PC8, PC9a, PC9b, PC13, PC14, PC15, PC17, PC18, PC19, PC20, PC23, PC24, PC25, PC26, PC28, PC29, PC30, PC31, PC32, PC34, PC35, PC37, PC38, PC39, PC40

Control of exposure and risk management measures

Contributing exposure scenario	
Use descriptors covered	PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, high dustiness
Duration and Frequency of activity	480 min 5 days per year
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,01 mg/m ³
Risk Characterization Ratio (RCR)	0,001
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, high dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	1 mg/m ³

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Risk Characterization Ratio (RCR)	0,1
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC4: Chemical production where opportunity for exposure arises PROC5: Mixing or blending in batch processes PROC6: Calendering operations PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, high dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Local exhaust ventilation	Effectiveness: 78 %
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	5,5 mg/m ³
Risk Characterization Ratio (RCR)	0,55
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Use descriptors covered	PROC8a: Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC17: Lubrication at high energy conditions in metal working operations PROC18: General greasing /lubrication at high kinetic energy conditions Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, high dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Provide extract ventilation to points where emissions occur (LEV).	Effectiveness: 78 %
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Wear a respirator mask FFP1 conforming to DIN EN 149	Effectiveness: 75 %
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	2,75 mg/m ³
Risk Characterization Ratio (RCR)	0,275
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	
Contributing exposure scenario	
Use descriptors covered	PROC7: Industrial spraying Use domain: industrial
Operational conditions	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Concentration of the substance	sodium dithionite Content: $\geq 0\%$ - $\leq 100\%$
Physical state	Solid, high dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Provide extract ventilation to points where emissions occur (LEV).	Effectiveness: 78 %
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Wear a respirator mask FFP1 conforming to DIN EN 149	Effectiveness: 75 %
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	5,5 mg/m ³
Risk Characterization Ratio (RCR)	0,55
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC10: Roller application or brushing PROC14: Tableting, compression, extrusion, pelletisation, granulation PROC16: Use of fuels PROC26: Handling of solid inorganic substances at ambient temperature Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: $\geq 0\%$ - $\leq 100\%$
Physical state	Solid, high dustiness
Duration and Frequency of activity	480 min 5 days per week

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Local exhaust ventilation	Effectiveness: 78 %
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	2,2 mg/m ³
Risk Characterization Ratio (RCR)	0,22
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing). Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, high dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Provide extract ventilation to points where emissions occur (LEV).	Effectiveness: 78 %
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	4,4 mg/m ³
Risk Characterization Ratio (RCR)	0,44
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC19: Manual activities involving hand contact Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, high dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Wear a respirator mask FFP1 conforming to DIN EN 149	Effectiveness: 75 %
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	6,25 mg/m ³
Risk Characterization Ratio (RCR)	0,625

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC13: Treatment of articles by dipping and pouring. PROC15: Use a laboratory reagent. PROC24: High (mechanical) energy work-up of substances bound in /on materials and/or articles Use domain: industrial
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, high dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
PROC13, PROC15	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	5 mg/m ³
Risk Characterization Ratio (RCR)	0,5
PROC24	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	5,5 mg/m ³
Risk Characterization Ratio (RCR)	0,55
PROC13, PROC15, PROC24	
Assessment method	Qualitative assessment
	Worker - contact with eyes

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Guidance to Downstream UsersFor scaling see: <http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php>**Contributing exposure scenario**

Use descriptors covered	PROC22: Manufacturing and processing of minerals and/or metals at substantially elevated temperature Use domain: industrial
--------------------------------	--

Operational conditions

Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
--------------------------------	---

Physical state	Solid, Melted mass, Liquid, high fugacity
----------------	---

Duration and Frequency of activity	480 min 5 days per week
------------------------------------	-------------------------

Indoor/Outdoor	Indoor
----------------	--------

Risk Management Measures

Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
--	--

Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
--	--

Personal measures have to be applied in case of potential exposure only.	
--	--

Use suitable eye protection.	
------------------------------	--

Risk Management Measures are based on qualitative risk characterisation.	
--	--

Exposure estimate and reference to its source

Assessment method	MEASE
-------------------	-------

	Worker - inhalation, long-term - systemic
--	---

Exposure estimate	7 mg/m ³
-------------------	---------------------

Risk Characterization Ratio (RCR)	0,7
-----------------------------------	-----

Assessment method	Qualitative assessment
-------------------	------------------------

	Worker - contact with eyes
--	----------------------------

Guidance to Downstream UsersFor scaling see: <http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php>**Contributing exposure scenario**

Use descriptors covered	PROC23: Open processing and transfer operations at substantially elevated temperature PROC25: Other hot work operations with metals Use domain: industrial
--------------------------------	--

Operational conditions

Concentration of the substance	sodium dithionite
--------------------------------	-------------------

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

	Content: $\geq 0\%$ - $\leq 100\%$
Physical state	Solid, Melted mass, Liquid, high fugacity
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	2 mg/m ³
Risk Characterization Ratio (RCR)	0,2
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	
Contributing exposure scenario	
Use descriptors covered	As no environmental hazard was identified no environmental-related exposure assessment and risk characterization was performed.

5. Short title of exposure scenario

Professional applications, (liquid products)

SU22; SU22; ERC1, ERC6a, ERC6b, ERC8a, ERC8b; PROC2, PROC3, PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC10, PROC12, PROC13, PROC14, PROC15, PROC16, PROC17, PROC18, PROC19, PROC11, PROC20; PC2, PC7, PC9a, PC14, PC15, PC17, PC18, PC20, PC23, PC24, PC25, PC26, PC30, PC31, PC34, PC35, PC37, PC38

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Control of exposure and risk management measures

Contributing exposure scenario	
Use descriptors covered	PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC12: Use of blowing agents in manufacture of foam PROC20: Use of functional fluids in small devices Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Liquid, very low fugacity
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,001 mg/m ³
Risk Characterization Ratio (RCR)	< 0,001
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC15: Use a laboratory reagent. Use domain: professional

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Operational conditions	
Concentration of the substance	sodium dithionite Content: $\geq 0\%$ - $\leq 100\%$
Physical state	Liquid, very low fugacity
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,01 mg/m ³
Risk Characterization Ratio (RCR)	0,001
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	
Contributing exposure scenario	
Use descriptors covered	PROC8a: Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing). PROC10: Roller application or brushing PROC13: Treatment of articles by dipping and pouring. PROC19: Manual activities involving hand contact Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: $\geq 0\%$ - $\leq 100\%$
Physical state	Liquid, very low fugacity
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,05 mg/m ³
Risk Characterization Ratio (RCR)	0,005
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC11: Non industrial spraying Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Liquid, very low fugacity
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Wear a respirator mask FFP1 conforming to DIN EN 149	Effectiveness: 75 %
Use suitable eye protection.	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	5 mg/m ³
Risk Characterization Ratio (RCR)	0,5
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC16: Use of fuels PROC18: General greasing /lubrication at high kinetic energy conditions Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Liquid, very low fugacity
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,5 mg/m ³
Risk Characterization Ratio (RCR)	0,05
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Contributing exposure scenario	
Use descriptors covered	PROC17: Lubrication at high energy conditions in metal working operations Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Liquid, very low fugacity
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	1 mg/m ³
Risk Characterization Ratio (RCR)	0,1
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC4: Chemical production where opportunity for exposure arises PROC5: Mixing or blending in batch processes PROC14: Tableting, compression, extrusion, pelletisation, granulation Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Physical state	Liquid, very low fugacity
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,1 mg/m ³
Risk Characterization Ratio (RCR)	0,01
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	As no environmental hazard was identified no environmental-related exposure assessment and risk characterization was performed.

6. Short title of exposure scenario

Professional applications, (granules, low dustiness)

SU22; SU22; ERC1, ERC6a, ERC6b, ERC8a, ERC8b; PROC2, PROC3, PROC4, PROC5, PROC6, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC14, PROC15, PROC16, PROC17, PROC18, PROC19, PROC21, PROC22, PROC23, PROC24, PROC25, PROC26, PROC11; PC2, PC7, PC9a, PC14, PC15, PC17, PC18, PC20, PC23, PC24, PC25, PC26, PC30, PC31, PC34, PC35, PC37, PC38

Control of exposure and risk management measures

Contributing exposure scenario	
Use descriptors covered	PROC2: Chemical production or refinery in closed

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

	continuous process with occasional controlled exposure or processes with equivalent containment conditions Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, low dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,01 mg/m ³
Risk Characterization Ratio (RCR)	0,001
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC15: Use a laboratory reagent. Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, low dustiness

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,1 mg/m ³
Risk Characterization Ratio (RCR)	0,01
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	
Contributing exposure scenario	
Use descriptors covered	PROC4: Chemical production where opportunity for exposure arises PROC5: Mixing or blending in batch processes PROC6: Calendering operations PROC11: Non industrial spraying PROC14: Tableting, compression, extrusion, pelletisation, granulation Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, low dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	1 mg/m ³
Risk Characterization Ratio (RCR)	0,1
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC8a: Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing). PROC10: Roller application or brushing PROC13: Treatment of articles by dipping and pouring. PROC19: Manual activities involving hand contact PROC21: Low energy manipulation and handling of substances bound in/on materials or articles Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, low dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,5 mg/m ³
Risk Characterization Ratio (RCR)	0,05
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC16: Use of fuels PROC18: General greasing /lubrication at high kinetic energy conditions Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, low dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	5 mg/m ³
Risk Characterization Ratio (RCR)	0,5

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC17: Lubrication at high energy conditions in metal working operations Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, low dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Wear a respirator mask FFP1 conforming to DIN EN 149	Effectiveness: 75 %
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	2,5 mg/m ³
Risk Characterization Ratio (RCR)	0,25
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC22: Manufacturing and processing of minerals and/or metals at substantially elevated temperature Use domain: professional

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, Melted mass, Liquid, high fugacity
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Wear a respirator mask FFP1 conforming to DIN EN 149	Effectiveness: 75 %
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	2,5 mg/m ³
Risk Characterization Ratio (RCR)	0,25
Assessment method	Qualitative assessment
	Consumer - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC23: Open processing and transfer operations at substantially elevated temperature Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, Melted mass, Liquid, high fugacity
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	5 mg/m ³
Risk Characterization Ratio (RCR)	0,5
Assessment method	Qualitative assessment
	Consumer - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC24: High (mechanical) energy work-up of substances bound in /on materials and/or articles Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, high dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	5,5 mg/m ³
Risk Characterization Ratio (RCR)	0,55
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC25: Other hot work operations with metals Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, Melted mass, Liquid, high fugacity
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	4 mg/m ³
Risk Characterization Ratio (RCR)	0,4
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Contributing exposure scenario	
Use descriptors covered	PROC26: Handling of solid inorganic substances at ambient temperature Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, low dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	3 mg/m ³
Risk Characterization Ratio (RCR)	0,3
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	As no environmental hazard was identified no environmental-related exposure assessment and risk characterization was performed.

7. Short title of exposure scenario

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Professional applications, (mid powder, medium dustiness)
 SU22; SU22; ERC1, ERC6a, ERC6b, ERC8a, ERC8b; PROC2, PROC3, PROC4, PROC5, PROC6, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC14, PROC15, PROC16, PROC17, PROC18, PROC19, PROC22, PROC23, PROC24, PROC25, PROC26, PROC11; PC2, PC7, PC9a, PC14, PC15, PC17, PC18, PC20, PC23, PC24, PC25, PC26, PC30, PC31, PC34, PC35, PC37, PC38

Control of exposure and risk management measures

Contributing exposure scenario	
Use descriptors covered	PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, medium dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	1 mg/m ³
Risk Characterization Ratio (RCR)	0,1
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

For scaling see: <http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php>

Contributing exposure scenario	
Use descriptors covered	PROC4: Chemical production where opportunity for exposure arises PROC5: Mixing or blending in batch processes PROC6: Calendering operations PROC8a: Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing). PROC10: Roller application or brushing PROC13: Treatment of articles by dipping and pouring. PROC14: Tableting, compression, extrusion, pelletisation, granulation PROC19: Manual activities involving hand contact Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, medium dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	5 mg/m ³
Risk Characterization Ratio (RCR)	0,5
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

For scaling see: <http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php>

Contributing exposure scenario	
Use descriptors covered	PROC15: Use a laboratory reagent. Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, medium dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,5 mg/m ³
Risk Characterization Ratio (RCR)	0,05
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC11: Non industrial spraying PROC16: Use of fuels Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, medium dustiness
Duration and Frequency of activity	480 min 5 days per week

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Wear a respirator mask FFP1 conforming to DIN EN 149	Effectiveness: 75 %
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	5 mg/m ³
Risk Characterization Ratio (RCR)	0,5
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	
Contributing exposure scenario	
Use descriptors covered	PROC17: Lubrication at high energy conditions in metal working operations PROC18: General greasing /lubrication at high kinetic energy conditions Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, medium dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Wear a respirator mask FFP2 conforming to DIN EN 149	Effectiveness: 90 %
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	5 mg/m ³
Risk Characterization Ratio (RCR)	0,5
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC24: High (mechanical) energy work-up of substances bound in /on materials and/or articles Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, high dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	5,5 mg/m ³
Risk Characterization Ratio (RCR)	0,55
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC25: Other hot work operations with metals Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, Melted mass, Liquid, high fugacity
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	4 mg/m ³
Risk Characterization Ratio (RCR)	0,4
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC22: Manufacturing and processing of minerals and/or metals at substantially elevated temperature

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

	Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, Melted mass, Liquid, high fugacity
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Wear a respirator mask FFP1 conforming to DIN EN 149	Effectiveness: 75 %
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	2,5 mg/m ³
Risk Characterization Ratio (RCR)	0,25
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC23: Open processing and transfer operations at substantially elevated temperature Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, Melted mass, Liquid, high fugacity
Duration and Frequency of activity	480 min 5 days per week

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	5 mg/m ³
Risk Characterization Ratio (RCR)	0,5
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC26: Handling of solid inorganic substances at ambient temperature Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, medium dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	8 mg/m ³
Risk Characterization Ratio (RCR)	0,8
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	As no environmental hazard was identified no environmental-related exposure assessment and risk characterization was performed.

8. Short title of exposure scenario

Professional applications, (fine powder, high dustiness)

SU22; SU22; ERC1, ERC6a, ERC6b, ERC8a, ERC8b; PROC2, PROC3, PROC4, PROC5, PROC6, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC14, PROC15, PROC16, PROC17, PROC18, PROC19, PROC22, PROC23, PROC24, PROC25, PROC26, PROC11; PC2, PC7, PC9a, PC14, PC15, PC17, PC18, PC20, PC23, PC24, PC25, PC26, PC30, PC31, PC34, PC35, PC37, PC38

Control of exposure and risk management measures

Contributing exposure scenario	
Use descriptors covered	PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC13: Treatment of articles by dipping and pouring. PROC15: Use a laboratory reagent. Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, high dustiness

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	5 mg/m ³
Risk Characterization Ratio (RCR)	0,5
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC4: Chemical production where opportunity for exposure arises PROC5: Mixing or blending in batch processes PROC6: Calendering operations PROC8a: Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC14: Tableting, compression, extrusion, pelletisation, granulation PROC16: Use of fuels PROC19: Manual activities involving hand contact Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, high dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Wear a respirator mask FFP2 conforming to DIN EN 149	Effectiveness: 90 %
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	5 mg/m ³
Risk Characterization Ratio (RCR)	0,5
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	
Contributing exposure scenario	
Use descriptors covered	PROC11: Non industrial spraying PROC17: Lubrication at high energy conditions in metal working operations PROC18: General greasing /lubrication at high kinetic energy conditions Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, high dustiness
Duration and Frequency of activity	< 60 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

applied in case of potential exposure only.	
Wear a respirator mask FFP2 conforming to DIN EN 149	Effectiveness: 90 %
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	4 mg/m ³
Risk Characterization Ratio (RCR)	0,4
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing). PROC26: Handling of solid inorganic substances at ambient temperature Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, high dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Wear a respirator mask FFP1 conforming to DIN EN 149	Effectiveness: 75 %
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	5 mg/m ³
Risk Characterization Ratio (RCR)	0,5
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC10: Roller application or brushing Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, high dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Wear a respirator mask FFP1 conforming to DIN EN 149	Effectiveness: 75 %
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	2,5 mg/m ³
Risk Characterization Ratio (RCR)	0,25
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Contributing exposure scenario	
Use descriptors covered	PROC22: Manufacturing and processing of minerals and/or metals at substantially elevated temperature Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, Melted mass, Liquid, high fugacity
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Wear a respirator mask FFP1 conforming to DIN EN 149	Effectiveness: 75 %
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	2,5 mg/m ³
Risk Characterization Ratio (RCR)	0,25
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC23: Open processing and transfer operations at substantially elevated temperature Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Physical state	Solid, Melted mass, Liquid, high fugacity
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	5 mg/m ³
Risk Characterization Ratio (RCR)	0,5
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC24: High (mechanical) energy work-up of substances bound in /on materials and/or articles Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, high dustiness
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	5,5 mg/m ³
Risk Characterization Ratio (RCR)	0,55
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC25: Other hot work operations with metals Use domain: professional
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 0 % - <= 100 %
Physical state	Solid, Melted mass, Liquid, high fugacity
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	4 mg/m ³

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Risk Characterization Ratio (RCR)	0,4
Assessment method	Qualitative assessment
	Worker - contact with eyes
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	As no environmental hazard was identified no environmental-related exposure assessment and risk characterization was performed.

* * * * *

9. Short title of exposure scenario

Use in textile dyeing, bleaching, impregnation and related auxiliaries, (consumer use)
SU21; SU21; ERC8a, ERC8b; PC34

Control of exposure and risk management measures

Contributing exposure scenario	
Use descriptors covered	PC34: Textile dyes, finishing and impregnating products: including bleaches and other processing aids, Detergent powders exposure of adults
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 20 % - <= 60 %
Physical state	Solid, low dustiness
Duration and Frequency of activity	Exposure duration: < 1 min 365 days per year Relevant for inhalative exposure estimates
Indoor/Outdoor	Indoor
Room size	1 m ³
	Amount per use 0,07 kg Relevant for inhalative exposure estimates
Risk Management Measures	
Application Area	Consumer use
Consumer Measures	In case of contact with eyes, rinse immediately with plenty of water
	Risk Management Measures are based on qualitative risk characterisation.
Exposure estimate and reference to its source	
Assessment method	Other consideration (non-standard tool)
	Consumer - inhalation, long-term - systemic
Exposure estimate	0,0002 mg/m ³

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Risk Characterization Ratio (RCR)	0,00002
	Relevant for machine wash

Contributing exposure scenario	
Use descriptors covered	PC34: Textile dyes, finishing and impregnating products: including bleaches and other processing aids, Hand wash exposure of adults
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 20 % - <= 60 %
Physical state	Solid, low dustiness
Duration and Frequency of activity	Exposure duration: 5 - 10 min 365 days per year Relevant for inhalative exposure estimates
Indoor/Outdoor	Indoor
Room size	1 m3
	Amount per use 0,05 kg Relevant for hand wash
Risk Management Measures	
Application Area	Consumer use
Consumer Measures	In case of contact with eyes, rinse immediately with plenty of water
	Risk Management Measures are based on qualitative risk characterisation.
Exposure estimate and reference to its source	
Assessment method	Other consideration (non-standard tool)
	Consumer - inhalation, long-term - systemic
Exposure estimate	0,0002 mg/m ³
Risk Characterization Ratio (RCR)	0,00002
	Relevant for hand wash

Contributing exposure scenario	
Use descriptors covered	PC34: Textile dyes, finishing and impregnating products: including bleaches and other processing aids exposure of children
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 20 % - <= 60 %
Physical state	Solid, low dustiness
Indoor/Outdoor	Indoor
Room size	1 m3
	Amount ingested 0,008 g Relevant for oral exposure estimates
Risk Management Measures	
Application Area	Consumer use
Route of exposure	Oral

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023

Consumer Measures	Keep away from children
Exposure estimate and reference to its source	
Assessment method	Other consideration (non-standard tool)
	Consumer - oral, short-term - systemic
Exposure estimate	0,480 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,606
	Contact is only accidental.

Contributing exposure scenario	
Use descriptors covered	As no environmental hazard was identified no environmental-related exposure assessment and risk characterization was performed.

* * * * *

10. Short title of exposure scenario

Cleaning agents

SU21; SU21; ERC8a, ERC8b;

Control of exposure and risk management measures

Contributing exposure scenario	
Use descriptors covered	PC0: Other Products:, ink eraser exposure of children
Operational conditions	
Concentration of the substance	sodium dithionite Content: >= 20 % - <= 50 %
Physical state	liquid
Duration and Frequency of activity	< 15 min 1 uses per day
Indoor/Outdoor	Indoor
Exposure estimate and reference to its source	
Assessment method	Other consideration (non-standard tool)
	Consumer- oral, long-term - local und systemic
Exposure estimate	0,025 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,000032

Contributing exposure scenario	
Use descriptors covered	As no environmental hazard was identified no environmental-related exposure assessment and risk characterization was performed.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 15.12.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 15.12.2022

Product: **HydroBlue® 90 non food grade**

(ID no. 30667829/SDS_GEN_DE/EN)

Date of print 29.03.2023
