

# Safety Data Sheet

## Hydrosulfite F non food grade

Revision date : 2022/10/24

Version: 3.0

Page: 1/11

(30698062/SDS\_GEN\_MX/EN)

### 1. Identification

#### Product identifier used on the label

## Hydrosulfite F non food grade

#### Recommended use of the chemical and restriction on use

Recommended use\*: Chemical, auxiliary / finishing agent for the textile industry

Recommended use\*: reducing agents; Bleaching agents; for industrial use only; inorganic reducing agents

Unsuitable for use: Not intended for sale to or use by the general public.

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

##### Company:

BASF Mexicana S.A. de C.V.

Av. Insurgentes Sur 975

Col. CD. De Los Deportes,

C.P. 03710 Ciudad de México

MÉXICO

Telephone: +52 55 5325 2600

#### Emergency telephone number

##### 24 Hour Emergency Response Information

SETIQ: 1800-00-214-(Rep. Mexicana) or 55-59-15-88 (CDMX)

Telephone: +1-800-849-5204 or +1-833-229-1000

#### Other means of identification

Chemical family: stabilizing agents

---

### 2. Hazards Identification

#### According to Regulation NOM-018-STPS-2015

#### Classification of the product

# Safety Data Sheet

## Hydrosulfite F non food grade

Revision date: 2022/10/24

Version: 3.0

Page: 2/11

(30698062/SDS\_GEN\_MX/EN)

Self-heat.	1	Self-heating substances and mixtures
Eye Dam./Irrit.	2A	Serious eye damage/eye irritation
Aquatic Acute	3	Hazardous to the aquatic environment - acute

### Label elements

Pictogram:



Signal Word:

Danger

Hazard Statement:

H251	Self-heating: may catch fire.
H319	Causes serious eye irritation.
H402	Harmful to aquatic life.

Precautionary Statements (Prevention):

P273	Avoid release to the environment.
P235 + P410	Keep cool. Protect from sunlight.
P264	Wash contaminated body parts thoroughly after handling.
P280	Wear protective gloves, protective clothing and eye protection or face protection.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337	If eye irritation persists:
P311	Call a POISON CENTER or physician.

Precautionary Statements (Storage):

P407	Maintain air gap between stacks or pallets.
P420	Store separately.
P413	Store bulk masses greater than 1,000 kg/2,205 lbs at temperatures not exceeding 25 °C/77 °F.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.
------	---

### Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered. If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Labeling of special preparations (GHS):

Contact with acids liberates toxic gas.

---

## 3. Composition / Information on Ingredients

According to Regulation NOM-018-STPS-2015

# Safety Data Sheet

## Hydrosulfite F non food grade

Revision date: 2022/10/24  
Version: 3.0

Page: 3/11  
(30698062/SDS\_GEN\_MX/EN)

sodium dithionite

CAS Number: 7775-14-6  
Content (W/W):  $\geq 75.0$  -  $\leq 100.0\%$   
Synonym: Sodium hyposulfite

Sodium metabisulfite

CAS Number: 7681-57-4  
Content (W/W):  $\geq 3.0$  -  $< 7.0\%$   
Synonym: Disulfurous acid disodium salt; Disodium disulfite

sodium carbonate

CAS Number: 497-19-8  
Content (W/W):  $\geq 1.0$  -  $< 5.0\%$   
Synonym: Carbonic acid, disodium salt

---

## 4. First-Aid Measures

### Description of first aid measures

#### General advice:

Remove contaminated clothing.

#### If inhaled:

After inhalation of decomposition products, remove the affected person to a source of fresh air and keep calm. Provide medical aid.

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

#### If on skin:

Wash affected areas with water for at least 15 minutes. Immediate medical attention required.

#### If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. Seek medical attention.

#### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

### Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Hazards: Respiratory sensitization may result in allergic (asthma-like) signs in the lower respiratory tract including wheezing, shortness of breath and difficulty breathing, the onset of which may be delayed. Risk of sulfur dioxide formation by reaction with gastric acid after swallowing.

### Indication of any immediate medical attention and special treatment needed

#### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

# Safety Data Sheet

## Hydrosulfite F non food grade

Revision date: 2022/10/24  
Version: 3.0

Page: 4/11  
(30698062/SDS\_GEN\_MX/EN)

---

### 5. Fire-Fighting Measures

#### Extinguishing media

Suitable extinguishing media:  
Water in copious quantities

Unsuitable extinguishing media for safety reasons:  
water spray

Additional information:  
Self inflammation possible by spray waters or water in small quantities.

#### Special hazards arising from the substance or mixture

Hazards during fire-fighting:  
Sulphur dioxide,  
The substances/groups of substances mentioned can be released in case of fire.

#### Advice for fire-fighters

Protective equipment for fire-fighting:  
Wear a self-contained breathing apparatus.

#### Further information:

Risk of bursting. Cool endangered containers with water-spray. Avoid direct contact with water. Separate containers involved in fire and keep under observation for at least 24 hours. Contaminated extinguishing water must be disposed of in accordance with official regulations.

---

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Use breathing apparatus if exposed to vapours/dust/aerosol.

#### Environmental precautions

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water.

#### Methods and material for containment and cleaning up

For small amounts: Pick up in dry form. Dispose of absorbed material in accordance with regulations.  
For large amounts: Pick up in dry form. Dispose of absorbed material in accordance with regulations.

---

### 7. Handling and Storage

#### Precautions for safe handling

Ensure thorough ventilation of stores and work areas. Breathing must be protected when large quantities are decanted without local exhaust ventilation. Do not open warm or swollen product containers. Remove persons to safety and alert fire brigade.

Protection against fire and explosion:  
The product is liable to self-heating but not explosive.

# Safety Data Sheet

## Hydrosulfite F non food grade

Revision date: 2022/10/24  
Version: 3.0

Page: 5/11  
(30698062/SDS\_GEN\_MX/EN)

### Conditions for safe storage, including any incompatibilities

Segregate from acids. Segregate from oxidants.

Suitable materials for containers: Carbon steel (Iron), enamelled, Stainless steel 1.4541, High density polyethylene (HDPE), Low density polyethylene (LDPE), tinned carbon steel (Tinplate), Stainless steel 1.4301 (V2), Stove-lacquer R 78433, Stainless steel 1.4306 (V2A)

Further information on storage conditions: Protect against moisture. Protect against heat. Keep container tightly closed in a cool, well-ventilated place. Maintain air gap between stacks or pallets.

#### Storage stability:

Large quantities of the product should not be kept in stockrooms with sprinkler installations due to a possible self inflammation by small quantities of water.

Improper storage may result in a pressure build-up in the storage containers.

The packed product is not damaged by low temperatures or by frost.

Protect from temperatures above: 50 °C

The packed product must be protected against exceeding the indicated temperature.

## 8. Exposure Controls/Personal Protection

### Components with occupational exposure limits

Sodium metabisulfite OEL, MX: TWA value 5 mg/m<sup>3</sup> ;

### Personal protective equipment

#### Respiratory protection:

Breathing protection if dusts are formed. Wear a NIOSH-certified (or equivalent) particulate respirator.

#### Hand protection:

Chemical resistant protective gloves, PVC-coated gloves, butyl rubber

#### Eye protection:

Tightly fitting safety goggles (chemical goggles).

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

#### General safety and hygiene measures:

Avoid contact with the skin, eyes and clothing. Do not breathe dust. Wearing of closed work clothing is recommended. Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and Chemical Properties

Form:	powder
Odour:	pungent odour
Odour threshold:	Not determined due to potential health hazard by inhalation.
Colour:	white

# Safety Data Sheet

## Hydrosulfite F non food grade

Revision date: 2022/10/24

Version: 3.0

Page: 6/11

(30698062/SDS\_GEN\_MX/EN)

pH value:	5.5 - 8.5 ( 50 g/l)
decomposition point:	> 80 °C Thermal decomposition above the indicated temperature is possible.
Boiling point:	The substance / product decomposes therefore not determined.
Sublimation point:	No data available.
Flash point:	not applicable
Flammability:	Risk of spontaneous ignition. (other)
Lower explosion limit:	For solids not relevant for classification and labelling.
Upper explosion limit:	For solids not relevant for classification and labelling.
Vapour pressure:	The substance / product decomposes therefore not determined.
Density:	approx. 2.4 g/cm <sup>3</sup> ( 20 °C)
Relative density:	Literature data. 2.5 ( 20 °C)
Bulk density:	approx. 1,000 kg/m <sup>3</sup>
Vapour density:	The product is a non-volatile solid.
Partitioning coefficient n-octanol/water (log Pow):	not applicable
Self-ignition temperature:	> 80 °C
Thermal decomposition:	80 °C Thermal decomposition above the indicated temperature is possible.
Viscosity, dynamic:	not applicable
Viscosity, kinematic:	not applicable, the product is a solid
Solubility in water:	> 150 g/l ( 20 °C)
Evaporation rate:	slow decomposition The product is a non-volatile solid.

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:  
Corrosive effects to metal are not anticipated.

Oxidizing properties:  
not fire-propagating

Minimum ignition energy:  
1 bar, Grain size distribution: 30 - 150 µm (VDI 2263, sheet 1, 2.1.2)  
The product is not capable of a dust explosion.

Formation of flammable gases:	Remarks:	Forms no flammable gases in the presence of water.
-------------------------------	----------	--

# Safety Data Sheet

## Hydrosulfite F non food grade

Revision date: 2022/10/24  
Version: 3.0

Page: 7/11  
(30698062/SDS\_GEN\_MX/EN)

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

Reacts with acids. Reacts with oxidizing agents. Reacts with damp air. Self inflammation possible by spray waters or water in small quantities. On contact with water, gaseous decomposition products are formed, which cause build-up of pressure in tightly closed containers.

### Conditions to avoid

> 50 degrees Celsius  
Avoid humidity.

### Incompatible materials

acids, oxidizing agents

### Hazardous decomposition products

Decomposition products:  
Hazardous decomposition products: Sulphur dioxide

Thermal decomposition:  
80 °C  
Thermal decomposition above the indicated temperature is possible.

---

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

#### Acute toxicity

Assessment of acute toxicity: Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

#### Oral

Type of value: LD50  
Species: rat (male/female)  
Value: approx. 2,500 mg/kg (BASF-Test)  
The European Union (EU) has classified this substance as 'harmful'.

#### Inhalation

Type of value: LC50  
Species: rat (male/female)  
Value: > 5.5 mg/l (OECD Guideline 403)  
Exposure time: 4 h  
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Dermal

Type of value: LD50

# Safety Data Sheet

## Hydrosulfite F non food grade

Revision date: 2022/10/24

Version: 3.0

Page: 8/11

(30698062/SDS\_GEN\_MX/EN)

---

Species: rat (male/female)

Value: > 2,000 mg/kg (OECD Guideline 402)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

### Irritation / corrosion

Assessment of irritating effects: Not irritating to the skin. Eye contact causes irritation.

### Skin

Species: rabbit

Result: non-irritant

Method: BASF-Test

### Sensitization

Assessment of sensitization: May cause sensitization by inhalation and skin contact.

Mouse Local Lymph Node Assay (LLNA)

Species: mouse

Result: Non-sensitizing.

Method: OECD Guideline 429

### Aspiration Hazard

not applicable

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: No known chronic effects.

### Genetic toxicity

Assessment of mutagenicity: Most of the results from the available studies show no evidence of a mutagenic effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### Carcinogenicity

Assessment of carcinogenicity: In long-term studies in rats in which the substance was given by feed, a carcinogenic effect was not observed. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### Teratogenicity

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

---

## **12. Ecological Information**

### **Toxicity**



# Safety Data Sheet

## Hydrosulfite F non food grade

Revision date: 2022/10/24  
Version: 3.0

Page: 9/11  
(30698062/SDS\_GEN\_MX/EN)

### Aquatic toxicity

#### Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

### Toxicity to fish

LC50 (96 h) 62.3 mg/l, *Leuciscus idus* (DIN 38412 Part 15, static)  
Nominal concentration.

### Aquatic invertebrates

EC50 (48 h) 98.3 mg/l, *Daphnia magna* (Directive 79/831/EEC, static)  
Nominal concentration.

### Aquatic plants

EC50 (72 h) 206 mg/l (growth rate), *Scenedesmus subspicatus* (DIN 38412 Part 9, static)  
Nominal concentration.

### Chronic toxicity to fish

No observed effect concentration (34 d)  $\geq$  316 mg/l, *Brachydanio rerio* (OECD Guideline 210, Flow through.)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### Chronic toxicity to aquatic invertebrates

No observed effect concentration (21 d)  $>$  10 mg/l, *Daphnia magna* (semistatic)  
Nominal concentration.

### Assessment of terrestrial toxicity

Study scientifically not justified.

## **Microorganisms/Effect on activated sludge**

### Toxicity to microorganisms

OECD Guideline 209 aquatic  
activated sludge of a predominantly domestic sewage/EC20 (3 h): 120.5 mg/l

## **Persistence and degradability**

### Assessment biodegradation and elimination (H<sub>2</sub>O)

Inorganic product which cannot be eliminated from water by biological purification processes.  
Study scientifically not justified.

### Assessment of stability in water

In contact with water the substance will hydrolyse rapidly.

### Information on Stability in Water (Hydrolysis)

$t_{1/2}$  1.5 h (50 °C, pH value 8.5), (Directive 84/449/EEC, C.10)

## **Bioaccumulative potential**

### Assessment bioaccumulation potential

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

### Bioaccumulation potential

Study scientifically not justified.

# Safety Data Sheet

## Hydrosulfite F non food grade

Revision date: 2022/10/24  
Version: 3.0

Page: 10/11  
(30698062/SDS\_GEN\_MX/EN)

### Mobility in soil

Assessment transport between environmental compartments  
Adsorption to solid soil phase is not expected.

---

## 13. Disposal considerations

### Waste disposal of substance:

The use and processing of this product, or addition of other constituents, may cause it to be considered a hazardous waste. It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA. Dispose of in accordance with national, state and local regulations.

### Container disposal:

Do not reuse empty containers.

---

## 14. Transport Information

### Land transport

TDG

Hazard class: 4.2  
Packing group: II  
ID number: UN 1384  
Hazard label: 4.2  
Proper shipping name: SODIUM DITHIONITE (SODIUM HYDROSULPHITE)

### Sea transport

IMDG

Hazard class: 4.2  
Packing group: II  
ID number: UN 1384  
Hazard label: 4.2  
Marine pollutant: NO  
Proper shipping name: SODIUM DITHIONITE (SODIUM HYDROSULPHITE)

### Air transport

IATA/ICAO

Hazard class: 4.2  
Packing group: II  
ID number: UN 1384  
Hazard label: 4.2  
Proper shipping name: SODIUM DITHIONITE

---

## 15. Regulatory Information

### Federal Regulations

Not applicable

**NFPA Hazard codes:**

# Safety Data Sheet

## Hydrosulfite F non food grade

Revision date: 2022/10/24  
Version: 3.0

Page: 11/11  
(30698062/SDS\_GEN\_MX/EN)

Health: 2      Fire: 1      Reactivity: 2      Special:

### HMIS III rating

Health: 2<sup>a</sup>      Flammability: 1      Physical hazard: 2

### Assessment of the hazard classes according to UN GHS criteria (most recent version):

Aquatic Acute	3	Hazardous to the aquatic environment - acute
Skin Corr./Irrit.	3	Skin corrosion/irritation
Eye Dam./Irrit.	2A	Serious eye damage/eye irritation
Self-heat.	1	Self-heating substances and mixtures
Acute Tox.	5 (oral)	Acute toxicity

## 16. Other Information

### SDS Prepared by:

BASF NA Product Regulations  
SDS Prepared on: 2022/10/24

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

This information is considered accurate but is not exhaustive and shall only be used as a guideline based on current knowledge of the chemical substance or mixture. Safety precautions suitable for the product must be applied.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.  
END OF DATA SHEET