

Safety data sheet

Page: 1/15

BASF Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 04.09.2023 Version: 5.0

Product: Behenyl Methacrylate 1822 F (BEMA 1822 F FL)

(ID no. 30729291/SDS_GEN_00/EN)

Date of print 01.07.2025

1. Identification

Product identifier

Behenyl Methacrylate 1822 F (BEMA 1822 F FL)

Chemical name: Reaction mass of docosyl methacrylate and octadecyl methacrylate

INDEX-Number: 607-134-00-4

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical

Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Petrochemicals

Telephone: +49 621 60-42151

E-mail address: sds-petrochemicals@basf.com

Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Acute Tox. 5 (dermal)

Date / Revised: 04.09.2023 Version: 5.0

Product: Behenyl Methacrylate 1822 F (BEMA 1822 F FL)

(ID no. 30729291/SDS_GEN_00/EN)

Date of print 01.07.2025

Skin Sens. 1B

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:



Signal Word:

Warning

Hazard Statement:

H313 May be harmful in contact with skin. H317 May cause an allergic skin reaction.

Precautionary Statements (Prevention):

P280 Wear protective gloves.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

Precautionary Statements (Response):

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P333 + P313 If skin irritation or rash occurs: Get medical attention.

P302 + P312 IF ON SKIN: Call a POISON CENTER or a doctor/physician if you feel

unwell.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

According to UN GHS criteria

Hazard determining component(s) for labelling: Docosyl methacrylate, Octadecyl methacrylate, lcosyl methacrylate

Other hazards

According to UN GHS criteria

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

See section 12 - Results of PBT and vPvB assessment.

Date / Revised: 04.09.2023 Version: 5.0

Product: Behenyl Methacrylate 1822 F (BEMA 1822 F FL)

(ID no. 30729291/SDS_GEN_00/EN)

Date of print 01.07.2025

3. Composition/Information on Ingredients

Substances

Chemical nature

Reaction mass of docosyl methacrylate and octadecyl methacrylate (Content (W/W): 100 %)

Hazardous ingredients (GHS)

According to UN GHS criteria

Docosyl methacrylate

Content (W/W): >= 42 % - <= 48 % Acute Tox. 5 (dermal) CAS Number: 16669-27-5 Skin Sens. 1B EC-Number: 240-714-1 H313, H317

INDEX-Number: 607-134-00-4

Octadecyl methacrylate

Content (W/W): >= 40 % - <= 46 % Acute Tox. 5 (dermal)

CAS Number: 32360-05-7 H313

EC-Number: 251-013-5 INDEX-Number: 607-134-00-4

Icosyl methacrylate

Content (W/W): >= 8 % - <= 14 % Acute Tox. 5 (dermal)

CAS Number: 45294-18-6 H313

EC-Number: 256-220-4 INDEX-Number: 607-134-00-4

Hexadecyl methacrylate

Content (W/W): >= 0 % - <= 1,5 % Acute Tox. 5 (dermal)

CAS Number: 2495-27-4 H313

EC-Number: 219-672-3 INDEX-Number: 607-134-00-4

For the classifications not written out in full in this section the full text can be found in section 16.

Mixtures

Not applicable

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

Date / Revised: 04.09.2023 Version: 5.0

Product: Behenyl Methacrylate 1822 F (BEMA 1822 F FL)

(ID no. 30729291/SDS_GEN_00/EN)

Date of print 01.07.2025

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water Skin contact with hot molten substance/product may cause thermal burns.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

dry powder, water spray, carbon dioxide, foam

Unsuitable extinguishing media for safety reasons: water jet

Additional information:

Use extinguishing measures to suit surroundings.

Special hazards arising from the substance or mixture

Self-polymerization if overheated in a container. Cool endangered containers with water-spray.

The product is combustible. See SDS section 7 - Handling and storage.

Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus. Special protective equipment for firefighters

Further information:

Extend fire extinguishing measures to the surroundings. Fight fire from maximum distance. Vapours are heavier than air and may accumulate in low areas and travel a considerable distance up to the source of ignition.

Date / Revised: 04.09.2023 Version: 5.0

Product: Behenyl Methacrylate 1822 F (BEMA 1822 F FL)

(ID no. 30729291/SDS_GEN_00/EN)

Date of print 01.07.2025

In case of a fire in the vicinity a restabilization system should be used if the temperature in the bulk storage-tank reaches 45°C. Evacuate area of all unnecessary personnel. In case of a fire in the vicinity evacuate all personnel in a greater area if the temperature in the bulk storage-tank reaches 60°C.

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

High risk of slipping due to leakage/spillage of product.

Release of substance/product can cause fire or explosion. Shut off or stop source of leak. Shut off or stop released substance/product under safe conditions.

Pack in tightly closed containers for disposal.

Personal precautions, protective equipment and emergency procedures

Handle in accordance with good industrial hygiene and safety practice.

Avoid all sources of ignition: heat, sparks, open flame. Use antistatic tools.

Environmental precautions

Discharge into the environment must be avoided.

Methods and material for containment and cleaning up

For large amounts: Pump off product.

Spills should be contained, solidified, and placed in suitable containers for disposal. Dispose of absorbed material in accordance with regulations. Ensure adequate ventilation. Suppress gases/vapours/mists with water spray jet. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Cleaning operations should be carried out only while wearing breathing apparatus. Pick up with suitable appliance and dispose of.

7. Handling and Storage

Precautions for safe handling

The substance/ product may be handled only by appropriately trained personnel. Facility parts must be checked for polymer residues and cleaned on regular basis in order to avoid hazardous reactions.

Ensure thorough ventilation of stores and work areas. Encapsulation or exhaust ventilation required. Vent waste air to atmosphere only through suitable separators. Check the condition of seals and connector screw threads.

The temperatures which must be avoided are to be considered. Protect against heat. Protect contents from the effects of light. Do not open warm or swollen product containers. Remove persons to safety and alert fire brigade.

Ensure adequate inhibitor and dissolved oxygen level.

Avoid inhalation of dusts/mists/vapours. Avoid aerosol formation. Avoid all direct contact with the substance/product.

Date / Revised: 04.09.2023 Version: 5.0

Product: Behenyl Methacrylate 1822 F (BEMA 1822 F FL)

(ID no. 30729291/SDS_GEN_00/EN)

Date of print 01.07.2025

Protection against fire and explosion:

Avoid all sources of ignition: heat, sparks, open flame. Ground all transfer equipment properly to prevent electrostatic discharge. It is recommended that all conductive parts of the machinery are grounded.

Heated containers should be cooled to prevent polymerization. If exposed to fire, keep containers cool by spraying with water. Emergency cooling must be provided for the eventuality of a fire in the vicinity.

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Prior to storage ensure that the transfer equipment used and the intended storage containers do not contain other substances/products. Before transfer to stock the identity of the product must be proved to be without doubt. The entrance to storage rooms is to be granted only to appropriately trained personnel.

The stabilizer is only effective in the presence of oxygen. Maintain contact with atmosphere containing 5 - 21% oxygen. Never use tanks with inert-gas installation for storage.

Risk of polymerization. Protect against heat. Avoid UV-light and other radiation with high energy. Protect against contamination.

In case of bulk storage, the storage-tanks should at least be equipped with two high temperature alert devices.

Even if the product is stored and handled as prescribed/indicated it should be used up within the indicated duration of storage.

Storage stability:

Storage temperature: < 40 °C Storage duration: 12 Months

The stated storage temperature should be noted.

Avoid prolonged storage.

This product should be processed as soon as possible. Ensure adequate inhibitor and dissolved oxygen level. Do not store with less than 10 % headspace above liquid.

Storage stability is based upon ambient temperatures and conditions described.

It is recommended to keep a safe distance of +2 degrees above the crystallization range.

The product is stabilized, the shelf life should be noted.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

Hand protection:

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): nitrile rubber (NBR) - 0.4 mm coating thickness

Date / Revised: 04.09.2023 Version: 5.0

Product: Behenyl Methacrylate 1822 F (BEMA 1822 F FL)

(ID no. 30729291/SDS_GEN_00/EN)

Date of print 01.07.2025

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Avoid inhalation of vapour. Avoid contact with the skin, eyes and clothing. Wearing of closed work clothing is required additionally to the stated personal protection equipment.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form: hot molten

Colour: white to slightly yellow

Odour: of fatty acid

Odour threshold:

not determined

pH value:

of very low solubility

Melting point: 33,7 °C

Boiling range: 190 - 210 °C

(64 hPa)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition., Literature

(measured)

data.

Flash point: 219,5 °C (ISO 2719, closed cup)
Flammability: not flammable (UN Test N.1 (ready combustible solids))

Lower explosion limit:

The lower explosion point may be 5 - 15 °C below the flash point., For solids not relevant for classification

and labelling.

Upper explosion limit:

For solids not relevant for classification and labelling.

Ignition temperature:

not applicable

Date / Revised: 04.09.2023 Version: 5.0

Product: Behenyl Methacrylate 1822 F (BEMA 1822 F FL)

(ID no. 30729291/SDS_GEN_00/EN)

Date of print 01.07.2025

Vapour pressure: 0,0000196 Pa

Density:

(25 °C)

The product has not been tested. The statement has been derived from the properties of the individual

components.

0,86 g/cm3 (20 °Č)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition., Literature

data.

Solubility in water: The product has not been tested.

The statement has been derived from

the properties of the individual

components. $< 1 \mu g/l$ (25 °C)

Partitioning coefficient n-octanol/water (log Kow): 11,59

(calculated)

(25 °C)

The product has not been tested. The statement has been derived from substances/products of a similar

structure or composition.

Based on its structural properties the Self ignition:

product is not classified as self-

igniting.

Test type: Spontaneous selfignition at room-temperature.

Test type: Self-ignition at high

The product has not been tested. temperatures.

The statement has been derived from

substances/products of a similar

structure or composition.

Temperature: 260 °C

(Method: Directive 92/69/EEC,

A.15)

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Viscosity, dynamic:

not applicable, the product is a solid

Viscosity, kinematic:

not applicable, the product is a solid

Explosion hazard: Based on the chemical structure

there is no indication of explosive

properties.

Fire promoting properties: Based on its structural properties

the product is not classified as

oxidizing.

Other information

Self heating ability: Not tested on account of the low

melting-point.

SADT: Not a substance/mixture liable to self-decomposition according to

GHS.

Page: 9/15

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 04.09.2023 Version: 5.0

Product: Behenyl Methacrylate 1822 F (BEMA 1822 F FL)

(ID no. 30729291/SDS_GEN_00/EN)

Date of print 01.07.2025

pKA:

The substance does not dissociate.

Surface tension:

Based on chemical structure, surface

activity is not to be expected.

Grain size distribution: The substance / product is marketed or used in a non solid or

granular form.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Formation of Remarks: Forms no flammable gases in the

flammable gases: presence of water.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

Ignitable air mixtures can form when the product is heated above the flash point and/or when sprayed or atomized.

Polymerization coupled with heat formation.

Risk of spontaneous polymerization by oxygen depletion of the liquid phase. Risk of spontaneous polymerization when heated or in the presence of UV radiation. Risk of spontaneous and violent self-polymerization if inhibitor is lost or product is exposed to excessive heat.

Reacts with nitric acid. Risk of spontaneous polymerization in the presence of starters for radical chain reactions (e.g. peroxides). Risk of spontaneous polymerization in the presence of oxidizing agents.

Hazardous reactions in presence of mentioned substances to avoid.

The product is stabilized against spontaneous polymerization prior to despatch. The product is stable if stored and handled as prescribed/indicated.

Conditions to avoid

Avoid heat. Avoid oxygen content above the product of less than 5 %. Avoid UV-light and other radiation with high energy. Avoid direct sunlight. Avoid prolonged storage. Avoid inhibitor loss. Avoid excessive temperatures.

Incompatible materials

Substances to avoid:

radical formers, free radical initiators, peroxides, oxidizing agents, reducing agents, strong bases, strong acids Inert gas

Date / Revised: 04.09.2023 Version: 5.0

Product: Behenyl Methacrylate 1822 F (BEMA 1822 F FL)

(ID no. 30729291/SDS_GEN_00/EN)

Date of print 01.07.2025

Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Of low toxicity after short-term skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

LD50 rat (oral): > 2.000 mg/kg (OECD Guideline 423)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

LD50 rat (oral): > 5.000 mg/kg (OECD Guideline 401)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

(by inhalation): Study not necessary due to exposure considerations.

LD50 rabbit (dermal): > 3.000 mg/kg (other)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Irritation

Assessment of irritating effects:

Not irritating to eyes and skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. The European Union (EU) has classified the substance as "irritating to skin and eyes".

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (other)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Skin corrosion/irritation In vitro assay: non-irritant (OECD Guideline 439)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Serious eye damage/irritation In vitro assay: non-irritant (OECD Guideline 492)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Date / Revised: 04.09.2023 Version: 5.0

Product: Behenyl Methacrylate 1822 F (BEMA 1822 F FL)

(ID no. 30729291/SDS_GEN_00/EN)

Date of print 01.07.2025

Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: skin sensitizing (OECD Guideline 429)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in bacteria. The substance was not mutagenic in mammalian cell culture. The substance was not mutagenic in a test with mammals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Carcinogenicity

Assessment of carcinogenicity:

No data available concerning carcinogenic effects. The chemical structure does not suggest a specific alert for such an effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The information available on the product provides no indication of toxicity on target organs after repeated exposure. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aspiration hazard

Date / Revised: 04.09.2023 Version: 5.0

Product: Behenyl Methacrylate 1822 F (BEMA 1822 F FL)

(ID no. 30729291/SDS_GEN_00/EN)

Date of print 01.07.2025

No aspiration hazard expected.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. Based on long-term (chronic) toxicity study data, the product is very likely not harmful to aquatic organisms. Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations. No toxic effects occur within the range of solubility. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish:

LC0 (96 h) > 10.000 mg/l, Brachydanio rerio (OECD 203; ISO 7346; 84/449/EEC, C.1, static) The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic invertebrates:

No data available.

Aquatic plants:

EC50 (72 h) > 10 µg/l (growth rate), Desmodesmus subspicatus (OECD Guideline 201, static) The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Microorganisms/Effect on activated sludge:

EC50 (180 min) > 10.000 mg/l, activated sludge, domestic (OECD Guideline 209, static) The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Chronic toxicity to fish:

No data available.

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d) $>= 5.73 \,\mu\text{g/l}$, Daphnia magna (OECD Guideline 211, semistatic)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Assessment of terrestrial toxicity:

No data available.

Persistence and degradability

Assessment biodegradation and elimination (H2O):

Readily biodegradable (according to OECD criteria). The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Elimination information:

79 % CO2 formation relative to the theoretical value (28 d) (OECD 301C; ISO 9408; 92/69/EEC, C.4-F) (activated sludge)

Date / Revised: 04.09.2023 Version: 5.0

Product: Behenyl Methacrylate 1822 F (BEMA 1822 F FL)

(ID no. 30729291/SDS_GEN_00/EN)

Date of print 01.07.2025

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Assessment of stability in water:

No data available.

Study scientifically not justified.

Information on Stability in Water (Hydrolysis):

No data available.

Bioaccumulative potential

Assessment bioaccumulation potential:

Does not accumulate in organisms.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Bioaccumulation potential:

Bioconcentration factor: 37 (56 h), Brachydanio rerio (OECD Guideline 305 E)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Mobility in soil

Assessment transport between environmental compartments:

Volatility: No data available.

Adsorption in soil: No data available. Study scientifically not justified.

Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): Not fulfilling PBT (persistent/bioaccumulative/toxic) criteria. Self classification

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): Not fulfilling vPvB (very persistent/very bioaccummulative) criteria. Self classification

Other adverse effects

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

13. Disposal Considerations

Waste treatment methods

Incinerate in suitable incineration plant, observing local authority regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

Uncleaned empties should be disposed of in the same manner as the contents.

Date / Revised: 04.09.2023 Version: 5.0

Product: Behenyl Methacrylate 1822 F (BEMA 1822 F FL)

(ID no. 30729291/SDS_GEN_00/EN)

Date of print 01.07.2025

14. Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

RID

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Not applicable
Not applicable
Not applicable

Special precautions for

user

Not applicable None known

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:

Not applicable
Not applicable
Not applicable

Date / Revised: 04.09.2023 Version: 5.0

Product: Behenyl Methacrylate 1822 F (BEMA 1822 F FL)

(ID no. 30729291/SDS_GEN_00/EN)

Date of print 01.07.2025

Special precautions for

user

None known

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Acute Tox. Acute toxicity
Skin Sens. Skin sensitization

H313 May be harmful in contact with skin. H317 May cause an allergic skin reaction.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.