

Safety data sheet

Page: 1/14

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 21.09.2022

Version: 3.0

Product: **Dimethomorph 50% WP**

(ID no. 30739658/SDS_CPA_00/EN)

Date of print 17.05.2024

1. Identification

Product identifier

Dimethomorph 50% WP

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Operating Division Crop Protection

Telephone: +49 621 60-27777

E-mail address: Produktinformation-Pflanzenschutz@basf.com

Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Acute Tox. 5 (oral)

Repr. 2 (fertility)

Repr. 2 (unborn child)

Aquatic Acute 3

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 21.09.2022

Version: 3.0

Product: **Dimethomorph 50% WP**

(ID no. 30739658/SDS_CPA_00/EN)

Date of print 17.05.2024

Aquatic Chronic 2

For the classifications not written out in full in this section the full text can be found in section 16.

Label elementsGlobally Harmonized System (GHS)

Pictogram:



Signal Word:

Warning

Hazard Statement:

H303	May be harmful if swallowed.
H361	Suspected of damaging fertility. Suspected of damaging the unborn child.
H402	Harmful to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.

Precautionary Statements (Response):

P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P308 + P313	IF exposed or concerned: Get medical attention.
P391	Collect spillage.

Precautionary Statements (Storage):

P405	Store locked up.
------	------------------

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.
------	---

According to UN GHS criteria

Hazard determining component(s) for labelling: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 21.09.2022

Version: 3.0

Product: **Dimethomorph 50% WP**

(ID no. 30739658/SDS_CPA_00/EN)

Date of print 17.05.2024

Other hazardsAccording to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients**Substances**

Not applicable

MixturesChemical nature

crop protection product, fungicide, Wettable powder (WP)

Hazardous ingredients (GHS)

According to UN GHS criteria

dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Content (W/W): 50 %	Acute Tox. 5 (oral)
CAS Number: 110488-70-5	Repr. 2 (fertility)
EC-Number: 404-200-2	Repr. 2 (unborn child)
INDEX-Number: 613-102-00-0	Aquatic Acute 2
	Aquatic Chronic 2
	H303, H361, H401, H411

Sodium diisopropylnaphthalenesulphonate

Content (W/W): < 5 %	Acute Tox. 4 (Inhalation - dust)
CAS Number: 1322-93-6	Acute Tox. 4 (oral)
EC-Number: 215-343-3	Acute Tox. 5 (dermal)
	Eye Dam./Irrit. 1
	STOT SE 3 (irr. to respiratory syst.)
	Aquatic Acute 3
	Aquatic Chronic 3
	H318, H313, H335, H302 + H332, H402, H412

Kaolin

Content (W/W): < 45 %
CAS Number: 1332-58-7
EC-Number: 310-194-1

For the classifications not written out in full in this section the full text can be found in section 16.

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 21.09.2022

Version: 3.0

Product: **Dimethomorph 50% WP**

(ID no. 30739658/SDS_CPA_00/EN)

Date of print 17.05.2024

4. First-Aid Measures

Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons:

carbon dioxide, water jet

Special hazards arising from the substance or mixture

Carbon monoxide, Carbon dioxide, Hydrogen chloride, nitrous gases, sulfur oxides, halogenated compounds

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Avoid raising dust. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect against moisture. Protect from direct sunlight.

Storage stability:

Storage duration: 24 Months

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 21.09.2022

Version: 3.0

Product: **Dimethomorph 50% WP**

(ID no. 30739658/SDS_CPA_00/EN)

Date of print 17.05.2024

1322-93-6: Sodium diisopropylnaphthalenesulphonate

1332-58-7: Kaolin

110488-70-5: dimethomorph

TWA value 0,67 mg/m³ (BASF recomm. occupational exposure limit)

Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Particle filter with high efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P3 or FFP3).

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form:	solid
Colour:	white
Odour:	slight odour, sweetish
Odour threshold:	Not determined due to potential health hazard by inhalation.
pH value:	approx. 4 - 6 (approx. 1 %(m), 20 °C)
Melting point:	The product has not been tested.
Boiling point:	The product has not been tested.
Flash point:	not applicable, the product is a solid
Evaporation rate:	not applicable
Flammability:	Based on the structure or composition there is no indication of flammability

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 21.09.2022

Version: 3.0

Product: **Dimethomorph 50% WP**

(ID no. 30739658/SDS_CPA_00/EN)

Date of print 17.05.2024

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

Vapour pressure:

The product has not been tested.

Density:

approx. 1,72 g/cm³
(20 °C)

Relative vapour density (air):

not applicable

Solubility in water:

dispersible

Partitioning coefficient n-octanol/water (log Kow):

The statements are based on the properties of the individual components.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

*Partitioning coefficient n-octanol/water (log Kow): 2,63 - 2,73
(20 °C)*

Self ignition:

Temperature: > 371 °C

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Viscosity, dynamic:

not applicable, the product is a solid
Based on the chemical structure
there is no indication of explosive
properties.

Explosion hazard:

Fire promoting properties: Based on its structural properties
the product is not classified as
oxidizing.

Other information

Self heating ability:

It is not a substance capable of
spontaneous heating.

Other Information:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 21.09.2022

Version: 3.0

Product: **Dimethomorph 50% WP**

(ID no. 30739658/SDS_CPA_00/EN)

Date of print 17.05.2024

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information**Information on toxicological effects**Acute toxicity

Assessment of acute toxicity:

Of low toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

LD50 rat (oral): > 2.000 mg/kg

LC50 rat (by inhalation): > 2 mg/l (OECD Guideline 403)

No mortality was observed. Tested as dust aerosol.

LD50 rat (dermal): > 4.000 mg/kg

No mortality was observed.

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: non-irritant

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 21.09.2022

Version: 3.0

Product: **Dimethomorph 50% WP**

(ID no. 30739658/SDS_CPA_00/EN)

Date of print 17.05.2024

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

Buehler test guinea pig: Non-sensitizing. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Assessment of reproduction toxicity:

The results of animal studies suggest a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Assessment of teratogenicity:

Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 21.09.2022

Version: 3.0

Product: **Dimethomorph 50% WP**

(ID no. 30739658/SDS_CPA_00/EN)

Date of print 17.05.2024

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Assessment of repeated dose toxicity:

The substance may cause damage to the prostate after repeated ingestion. Based on available data, the classification criteria are not met.

Information on: Kaolin

Assessment of repeated dose toxicity:

Repeated inhalative uptake of particles/dust reaching the alveoli may cause damage to the lungs.

Aspiration hazard

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

Harmful to aquatic life. Toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish:

LC50 (96 h) 15,3 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static)

Aquatic invertebrates:

LC50 (48 h) 14,2 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants:

EC10 (72 h) 29,8 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

EC50 (72 h) > 100 mg/l (growth rate), Pseudokirchneriella subcapitata

EC50 (7 d) > 100 mg/l (growth rate), Lemna gibba

No observed effect concentration 3,125 mg/l, Lemna gibba

Chronic toxicity to fish:

No observed effect concentration (21 d) 0,12 mg/l, Oncorhynchus mykiss

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 21.09.2022

Version: 3.0

Product: **Dimethomorph 50% WP**

(ID no. 30739658/SDS_CPA_00/EN)

Date of print 17.05.2024

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (22 d) 2,5 mg/l, Daphnia magna

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine**Elimination information:**27 % (OECD Guideline 302 C) (activated sludge, adapted) Moderately/partially biodegradable.*

Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine**Assessment bioaccumulation potential:**Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.*

Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine**Assessment transport between environmental compartments:**Volatility: The substance will not evaporate into the atmosphere from the water surface.**Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 21.09.2022

Version: 3.0

Product: **Dimethomorph 50% WP**

(ID no. 30739658/SDS_CPA_00/EN)

Date of print 17.05.2024

Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

ADR

UN number or ID number: UN3077

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (DIMETHOMORPH)

Transport hazard class(es): 9, EHSM

Packing group: III

Environmental hazards: yes

Special precautions for user: None known

RID

UN number or ID number: UN3077

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (DIMETHOMORPH)

Transport hazard class(es): 9, EHSM

Packing group: III

Environmental hazards: yes

Special precautions for user: None known

Inland waterway transport

ADN

UN number or ID number: UN3077

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (DIMETHOMORPH)

Transport hazard class(es): 9, EHSM

Packing group: III

Environmental hazards: yes

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 21.09.2022

Version: 3.0

Product: **Dimethomorph 50% WP**

(ID no. 30739658/SDS_CPA_00/EN)

Date of print 17.05.2024

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

To avoid risks to man and the environment, comply with the instructions for use.

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Acute Tox.	Acute toxicity
Repr.	Reproductive toxicity
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Eye Dam./Irrit.	Serious eye damage/eye irritation
STOT SE	Specific target organ toxicity — single exposure
H303	May be harmful if swallowed.
H361	Suspected of damaging fertility. Suspected of damaging the unborn child.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H318	Causes serious eye damage.
H313	May be harmful in contact with skin.
H335	May cause respiratory irritation.
H302 + H332	Harmful if swallowed or if inhaled
H402	Harmful to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.