

Safety data sheet

Page: 1/16

BASF Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 15.05.2024

Version: 2.0

Product: **Nealta Miticide**

(ID no. 30765186/SDS_CPA_00/EN)

Date of print 22.08.2024

1. Identification

Product identifier

Nealta Miticide

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, insecticide

Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Operating Division Crop Protection

Telephone: +49 621 60-27777

E-mail address: Produktinformation-Pflanzenschutz@basf.com

Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

| Carc. 2

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:



Signal Word:

Warning

Hazard Statement:

| H351 Suspected of causing cancer.

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

| P103 Read carefully and follow all instructions.

Precautionary Statements (Prevention):

| P280 Wear protective gloves, protective clothing and eye protection or face protection.

P201 Obtain special instructions before use.

| P202 Do not handle until all safety precautions have been read and understood.

Precautionary Statements (Response):

| P308 + P313 IF exposed or concerned: Get medical attention.

Precautionary Statements (Storage):

| P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste collection point.

Labeling of special preparations (GHS):

| May produce an allergic reaction. Contains: Cyflumetofen (ISO); 2-methoxyethyl (RS)-2-(4-tert-butylphenyl)-2-cyano-3-oxo-3-(α,α,α -trifluoro-o-tolyl) propionate, 1,2-Benzisothiazol-3(2H)-one, mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

According to UN GHS criteria

Hazard determining component(s) for labelling: Cyflumetofen (ISO); 2-methoxyethyl (RS)-2-(4-tert-butylphenyl)-2-cyano-3-oxo-3-(α,α,α -trifluoro-o-tolyl) propionate

Other hazardsAccording to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients**Substances**

Not applicable

MixturesChemical nature

crop protection product, insecticide, suspension concentrate (SC)

Hazardous ingredients (GHS)

According to UN GHS criteria

Cyflumetofen (ISO); 2-methoxyethyl (RS)-2-(4-tert-butylphenyl)-2-cyano-3-oxo-3-(α,α,α -trifluoro-*o*-tolyl) propionate

Content (W/W): 18,73 %
CAS Number: 400882-07-7

Skin Sens. 1A
Carc. 2
H317, H351

Oxirane, methyl-, polymer with oxirane, mono[2,4,6-tris(1-phenylethyl)phenyl] ether

Content (W/W): < 3 %
CAS Number: 70880-56-7

Eye Dam./Irrit. 2B
Aquatic Acute 3
H320, H402

| 1,2-benzisothiazol-3(2H)-one

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 15.05.2024

Version: 2.0

Product: **Nealta Miticide**

(ID no. 30765186/SDS_CPA_00/EN)

Date of print 22.08.2024

Content (W/W): < 0,05 % CAS Number: 2634-33-5 EC-Number: 220-120-9 INDEX-Number: 613-088-00-6	Acute Tox. 2 (Inhalation - dust) Acute Tox. 4 (oral) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1A Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 1 M-factor chronic: 1 H318, H315, H330, H302, H317, H400, H410
	<u>Specific concentration limit:</u> Skin Sens. 1A: >= 0,036 %

Bronopol

Content (W/W): < 0,05 % CAS Number: 52-51-7 EC-Number: 200-143-0 INDEX-Number: 603-085-00-8	Acute Tox. 3 (Inhalation - dust) Acute Tox. 3 (oral) Acute Tox. 4 (dermal) Skin Irrit. 2 Eye Dam. 1 STOT SE 3 (irr. to respiratory syst.) Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 100 M-factor chronic: 10 H318, H315, H312, H335, H301 + H331, H400, H410
--	--

mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Content (W/W): < 0,0015 % CAS Number: 55965-84-9 INDEX-Number: 613-167-00-5	Acute Tox. 3 (oral) Acute Tox. 2 (Inhalation - mist) Acute Tox. 2 (dermal) Skin Corr. 1C Eye Dam. 1 Skin Sens. 1A Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 100 M-factor chronic: 100 H301, H317, H314, H310 + H330, H400, H410 EUH071
	<u>Specific concentration limit:</u> Skin Sens. 1A: >= 0,0015 % Eye Dam./Irrit. 1: >= 0,6 % Eye Dam./Irrit. 2: 0,06 - < 0,6 % Skin Corr./Irrit. 1C: >= 0,6 % Skin Corr./Irrit. 2: 0,06 - < 0,6 %

Propane-1,2-diol

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 15.05.2024

Version: 2.0

Product: **Nealta Miticide**

(ID no. 30765186/SDS_CPA_00/EN)

Date of print 22.08.2024

Content (W/W): < 10 %

CAS Number: 57-55-6

EC-Number: 200-338-0

Bentonite

Content (W/W): < 5 %

CAS Number: 1302-78-9

EC-Number: 215-108-5

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

Special hazards arising from the substance or mixture

Carbon monoxide, Carbon dioxide, hydrogen chloride, Hydrogen fluoride, Hydrogen bromide, nitrogen oxides, halogenated compounds, silica compounds, sulfur oxides
The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 24 Months

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

57-55-6: Propane-1,2-diol

1302-78-9: Bentonite

400882-07-7: Cyflumetofen (ISO); 2-methoxyethyl (RS)-2-(4-tert-butylphenyl)-2-cyano-3-oxo-3-(α,α,α -trifluoro-o-tolyl) propionate

TWA value 1,6 mg/m³ (BASF recomm. occupational exposure limit)

Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter: liquid

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 15.05.2024

Version: 2.0

Product: **Nealta Miticide**

(ID no. 30765186/SDS_CPA_00/EN)

Date of print 22.08.2024

Form:	liquid
Colour:	milky white
Odour:	odourless
Odour threshold:	
Melting point:	not applicable, odour not perceivable approx. 0 °C
Boiling point:	Information applies to the solvent. approx. 100 °C
Flammability:	Information applies to the solvent. not applicable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Flash point:	No flash point - Measurement made up to the boiling point. (Directive 92/69/EEC, A.9)
Auto-ignition temperature:	approx. 370 °C (Regulation 440/2008/EC, A.15)
Thermal decomposition:	175 °C, 80 kJ/kg (DSC (OECD 113)) 310 °C, 50 kJ/kg (DSC (OECD 113)) 400 °C, > 120 kJ/kg (DSC (OECD 113)) Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.
pH value:	approx. 5 - 7 (10 g/l, 25 °C)
Viscosity, dynamic:	approx. 38,4 mPa.s (20 °C)
Solubility in water:	dispersible
Partitioning coefficient n-octanol/water (log Kow):	not applicable
Vapour pressure:	approx. 23,4 hPa (20 °C)
Density:	Information applies to the solvent. approx. 1,07 g/cm ³ (20 °C)
Relative vapour density (air):	not applicable

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: not explosive

Oxidizing properties

Fire promoting properties: not fire-propagating

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 15.05.2024

Version: 2.0

Product: **Nealta Miticide**

(ID no. 30765186/SDS_CPA_00/EN)

Date of print 22.08.2024

Other safety characteristics

Other Information: If necessary, information on other physical and chemical parameters is indicated in this section.

Evaporation rate: not applicable

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:
Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:
LD50 rat (oral): > 2.000 mg/kg (OECD Guideline 423)
No mortality was observed.

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 15.05.2024

Version: 2.0

Product: **Nealta Miticide**

(ID no. 30765186/SDS_CPA_00/EN)

Date of print 22.08.2024

LC50 rat (by inhalation): > 5,18 mg/l 4 h (OECD Guideline 403)
No mortality was observed.

LD50 rat (dermal): > 5.000 mg/kg (OECD Guideline 402)
No mortality was observed.

Irritation

Assessment of irritating effects:

Not irritating to eyes and skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. No sensitizing effect.

Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: Non-sensitizing.

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Bronopol

Assessment of mutagenicity:

The substance was not mutagenic in bacteria. The substance was mutagenic in various cell culture test systems; however, these results could not be confirmed in tests with mammals.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Cyflumetofen (ISO); 2-methoxyethyl (RS)-2-(4-tert-butylphenyl)-2-cyano-3-oxo-3-(α,α,α -trifluoro-*o*-tolyl) propionate*

Assessment of carcinogenicity:

Indication of possible carcinogenic effect in animal tests.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Developmental toxicity

Assessment of teratogenicity:

Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from the properties of the individual components.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Bronopol

Assessment of repeated dose toxicity:

After repeated exposure the prominent effect is local irritation.

Information on: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Assessment of repeated dose toxicity:

After repeated exposure the prominent effect is local irritation. Based on available data, the classification criteria are not met.

Aspiration hazard

| not applicable

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

| There is a high probability that the product is not acutely harmful to aquatic organisms.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 15.05.2024

Version: 2.0

Product: **Nealta Miticide**

(ID no. 30765186/SDS_CPA_00/EN)

Date of print 22.08.2024

Toxicity to fish:

| LC50 (96 h) > 4,45 mg/l, *Oncorhynchus mykiss*

Aquatic invertebrates:

| EC50 (48 h) > 3,5 mg/l, *Daphnia magna*

Aquatic plants:

| EC50 (72 h) > 1,4 mg/l (growth rate), *Pseudokirchneriella subcapitata*

*Information on: Cyflumetofen (ISO); 2-methoxyethyl (RS)-2-(4-tert-butylphenyl)-2-cyano-3-oxo-3-(α,α,α -trifluoro-*o*-tolyl) propionate*

Chronic toxicity to fish:

*No observed effect concentration (28 d) 0,072 mg/l, *Cyprinus carpio* (OECD Guideline 215, Flow through.)*

*No observed effect concentration (34 d) 0,0292 mg/l, *Pimephales promelas* (OECD Guideline 210, Flow through.)*

*Information on: Cyflumetofen (ISO); 2-methoxyethyl (RS)-2-(4-tert-butylphenyl)-2-cyano-3-oxo-3-(α,α,α -trifluoro-*o*-tolyl) propionate*

Chronic toxicity to aquatic invertebrates:

*No observed effect concentration (21 d) 0,065 mg/l, *Daphnia magna* (OECD Guideline 211, Flow through.)*

*No observed effect concentration (21 d) > 0,0162 mg/l, *Daphnia magna* (OECD Guideline 211, Flow through.)*

No observed effect concentration (4 d) > 0,0063 mg/l, aquatic mollusc

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Cyflumetofen (ISO); 2-methoxyethyl (RS)-2-(4-tert-butylphenyl)-2-cyano-3-oxo-3-(α,α,α -trifluoro-*o*-tolyl) propionate*

Assessment biodegradation and elimination (H₂O):

Product is not expected to be readily biodegradable.

Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Cyflumetofen (ISO); 2-methoxyethyl (RS)-2-(4-tert-butylphenyl)-2-cyano-3-oxo-3-(α,α,α -trifluoro-*o*-tolyl) propionate*

Bioaccumulation potential:

*Bioconcentration factor: < 100, *Cyprinus carpio**

Does not accumulate in organisms.

Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Cyflumetofen (ISO); 2-methoxyethyl (RS)-2-(4-tert-butylphenyl)-2-cyano-3-oxo-3-(α,α,α -trifluoro-*o*-tolyl) propionate*

Assessment transport between environmental compartments:

Adsorption in soil: Adsorption to solid soil phase is expected.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

ADR

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 15.05.2024

Version: 2.0

Product: **Nealta Miticide**

(ID no. 30765186/SDS_CPA_00/EN)

Date of print 22.08.2024

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

RID

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Inland waterway transport**ADN**

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	None known

Transport in inland waterway vessel

Not evaluated

Sea transport**IMDG**

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Air transport

IATA/ICAO

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 15.05.2024

Version: 2.0

Product: **Nealta Miticide**

(ID no. 30765186/SDS_CPA_00/EN)

Date of print 22.08.2024

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

To avoid risks to man and the environment, comply with the instructions for use.

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Carc.	Carcinogenicity
Skin Sens.	Skin sensitization
Eye Dam./Irrit.	Serious eye damage/eye irritation
Aquatic Acute	Hazardous to the aquatic environment - acute
Acute Tox.	Acute toxicity
Skin Irrit.	Skin irritation
Eye Dam.	Serious eye damage
Aquatic Chronic	Hazardous to the aquatic environment - chronic
STOT SE	Specific target organ toxicity — single exposure
Skin Corr.	Skin corrosion
Skin Corr./Irrit.	Skin corrosion/irritation
H317	May cause an allergic skin reaction.
H351	Suspected of causing cancer.
H320	Causes eye irritation.
H402	Harmful to aquatic life.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H330	Fatal if inhaled.
H302	Harmful if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H312	Harmful in contact with skin.
H335	May cause respiratory irritation.
H301 + H331	Toxic if swallowed or if inhaled.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H310 + H330	Fatal in contact with skin or if inhaled.
EUH071	Corrosive to the respiratory tract.

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 15.05.2024

Version: 2.0

Product: **Nealta Miticide**

(ID no. 30765186/SDS_CPA_00/EN)

Date of print 22.08.2024

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.