

Safety data sheet

Page: 1/14

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. It does not replace the safety data sheet provided in accordance with Regulation No. 29204 (Official Gazette 13/12/2014).

Date / Revised: 08.04.2022

Version: 1.0

Product: **Pyranol BMBcert®**

(ID no. 30770688/SDS_GEN_TR/EN)

Date of print 24.06.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Pyranol BMBcert®

Chemical name: tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)

INDEX-Number: 603-101-00-3

CAS Number: 63500-71-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical, Chemical for detergents, Chemical for soaps, detergents and cosmetic

1.3. Details of the supplier of the safety data sheet

Company:BASF SE
67056 Ludwigshafen
GERMANYContact address:BASF Tuerk Kimya San. ve Tic. Ltd. Sti.
Barbaros Mah. Begonya Sok.
Nidakule Ataşehir Batı
No:1 D:48, 34746 Ataşehir/İstanbul
Türkiye

Telephone: +90 216 570 3862

E-mail address: zeynep.cakir@basf.com

1.4. Emergency telephone number

Health Poison Control Center: 114

Fire Brigade number: 110

Emergency first aid number :112

International emergency number:

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. It does not replace the safety data sheet provided in accordance with Regulation No. 29204 (Official Gazette 13/12/2014).

Date / Revised: 08.04.2022

Version: 1.0

Product: **Pyranol BMBcert®**

(ID no. 30770688/SDS_GEN_TR/EN)

Date of print 24.06.2025

Telephone: +49 180 2273-112

Telefax number: +90 216 570 3779

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to Regulation No. 28848 (Official Gazette, 11/12/2013)

Eye Dam./Irrit. 2

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

Globally Harmonized System, EU (GHS)

Pictogram:



Signal Word:

Warning

Hazard Statement:

H319 Causes serious eye irritation.

Precautionary Statements (Prevention):

P280 Wear eye protection.

P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical attention.

2.3. Other hazards

According to Regulation No. 28848 (Official Gazette, 11/12/2013)

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

SECTION 3: Composition/Information on Ingredients

3.1. Substances

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. It does not replace the safety data sheet provided in accordance with Regulation No. 29204 (Official Gazette 13/12/2014).

Date / Revised: 08.04.2022

Version: 1.0

Product: **Pyranol BMBcert®**

(ID no. 30770688/SDS_GEN_TR/EN)

Date of print 24.06.2025

Chemical nature

Isomer blend based on:

2H-Pyran-4-ol, tetrahydro-4-methyl-2-(2-methylpropyl)-, (2R,4R)-rel-

CAS Number: 65418-69-1

2H-Pyran-4-ol, tetrahydro-4-methyl-2-(2-methylpropyl)-, (2R,4S)-rel-

CAS Number: 65418-70-4

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

3.2. Mixtures

Not applicable

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

carbon dioxide, dry powder, foam, water spray

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. It does not replace the safety data sheet provided in accordance with Regulation No. 29204 (Official Gazette 13/12/2014).

Date / Revised: 08.04.2022

Version: 1.0

Product: **Pyranol BMBcert®**

(ID no. 30770688/SDS_GEN_TR/EN)

Date of print 24.06.2025

Unsuitable extinguishing media for safety reasons:
water jet

5.2. Special hazards arising from the substance or mixture

carbon oxides, harmful vapours

The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Cool endangered containers with water-spray.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures, see section 8. Ensure adequate ventilation. Do not breathe vapour/spray. Avoid contact with the skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

For small amounts: Contain with absorbent material (e.g. sand, silica gel, acid binder, general purpose binder, sawdust).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Protection against fire and explosion:

Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

7.2. Conditions for safe storage, including any incompatibilities

Suitable materials for containers: Stove-lacquer RDL 50, High density polyethylene (HDPE), Low density polyethylene (LDPE), Stove-lacquer R 78433

Further information on storage conditions: Keep container tightly closed and in a well-ventilated place. Protect from the effects of light.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. It does not replace the safety data sheet provided in accordance with Regulation No. 29204 (Official Gazette 13/12/2014).

Date / Revised: 08.04.2022

Version: 1.0

Product: **Pyranol BMBcert®**

(ID no. 30770688/SDS_GEN_TR/EN)

Date of print 24.06.2025

7.3. Specific end use(s)

See exposure scenario(s) in the attachment to this safety data sheet.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

No occupational exposure limits known.

PNEC

freshwater: 0,094 mg/l

marine water: 0,0094 mg/l

intermittent release: 0,94 mg/l

sediment (freshwater): 0,412 mg/kg

sediment (marine water): 0,0412 mg/kg

soil: 0,0902 mg/kg

STP: 10 mg/l

DNEL

worker:

Long-term exposure- systemic effects, Inhalation: 44,1 mg/m³

worker:

Long-term exposure- systemic effects, dermal: 41,7 mg/kg

consumer:

Long-term exposure- systemic effects, dermal: 25 mg/kg

consumer:

Long-term exposure- systemic effects, Inhalation: 13 mg/m³

consumer:

Long-term exposure- systemic effects, oral: 7,5 mg/kg

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. It does not replace the safety data sheet provided in accordance with Regulation No. 29204 (Official Gazette 13/12/2014).

Date / Revised: 08.04.2022

Version: 1.0

Product: **Pyranol BMBcert®**

(ID no. 30770688/SDS_GEN_TR/EN)

Date of print 24.06.2025

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment. Avoid contact with eyes. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form:	liquid	
Colour:	colourless	
Odour:	flowery	
Odour threshold:	< 100 ppm	
pH value:	5,3	(Directive 92/69/EEC, A.6)
	(23,65 g/l, 23 °C)	
Melting point:	< -100 °C	(OECD Guideline 102)
	(1.013 hPa)	
Boiling point:	226,9 °C	(measured)
	(1.013,25 hPa)	
Flash point:	106 °C	(Directive 92/69/EEC, A.9, closed cup)
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.	
Flammability:	hardly combustible	(derived from flash point)
Lower explosion limit:	For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point.	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. It does not replace the safety data sheet provided in accordance with Regulation No. 29204 (Official Gazette 13/12/2014).

Date / Revised: 08.04.2022

Version: 1.0

Product: **Pyranol BMBcert®**

(ID no. 30770688/SDS_GEN_TR/EN)

Date of print 24.06.2025

Upper explosion limit:	For liquids not relevant for classification and labelling.	
Ignition temperature:	328 °C	(Directive 92/69/EEC, A.15)
Vapour pressure:	0,01 hPa (20 °C)	(OECD Guideline 104)
	0,26 hPa (50 °C)	(OECD Guideline 104)
Density:	0,95 g/cm ³ (20 °C, 1.013 hPa)	(OECD Guideline 109)
Relative density:	0,95 (20 °C, 1.013 hPa)	(OECD Guideline 109)
Solubility in water:		(Directive 92/69/EEC, A.6)
	23,653 g/l (23 °C, pH 5,3)	
Partitioning coefficient n-octanol/water (log Kow):	approx. 1,65 (23 °C; pH value: 6 - 7)	(Directive 84/449/EEC, A.8)
Self ignition:	Based on its structural properties the product is not classified as self-igniting.	Test type: Spontaneous self-ignition at room-temperature.
Thermal decomposition:	approx. 485 °C	
Viscosity, dynamic:	234 mPa.s (20 °C)	(OECD 114)
	39,8 mPa.s (40 °C)	(OECD 114)
Viscosity, kinematic:	247 mm ² /s (20 °C)	(OECD 114)
	42,6 mm ² /s (40 °C)	(OECD 114)
Explosion hazard:	Based on the chemical structure there is no indication of explosive properties.	
Fire promoting properties:	Based on its structural properties the product is not classified as oxidizing.	

9.2. Other information

Self heating ability:	not applicable, the product is a liquid	
pKA:	The substance does not dissociate.	
Adsorption/water - soil:	KOC: 41,48; log KOC: 1,62	(calculated)
Surface tension:	Based on chemical structure, surface activity is not to be expected.	
Grain size distribution:	The substance / product is marketed or used in a non solid or granular form.	
Molar mass:	172,27 g/mol	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. It does not replace the safety data sheet provided in accordance with Regulation No. 29204 (Official Gazette 13/12/2014).

Date / Revised: 08.04.2022

Version: 1.0

Product: **Pyranol BMBcert®**

(ID no. 30770688/SDS_GEN_TR/EN)

Date of print 24.06.2025

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

Formation of Remarks:

flammable gases:

Forms no flammable gases in the presence of water.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

10.4. Conditions to avoid

Avoid heat. See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:

strong acids, oxidizing agents

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): > 2.000 mg/kg (OECD Guideline 401)

LD50 rabbit (dermal): > 2.000 mg/kg (OECD Guideline 402)

Irritation

Assessment of irritating effects:

Not irritating to the skin. Eye contact causes irritation.

Experimental/calculated data:

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. It does not replace the safety data sheet provided in accordance with Regulation No. 29204 (Official Gazette 13/12/2014).

Date / Revised: 08.04.2022

Version: 1.0

Product: **Pyranol BMBcert®**

(ID no. 30770688/SDS_GEN_TR/EN)

Date of print 24.06.2025

Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: Irritant. (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies.

Experimental/calculated data:

Guinea pig maximization test guinea pig: Non-sensitizing. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

Results from a number of mutagenicity studies with microorganisms, mammalian cell culture and mammals are available. Taking into account all of the information, there is no indication that the substance is mutagenic.

Carcinogenicity

Assessment of carcinogenicity:

No data available concerning carcinogenic effects.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

In animal studies the substance did not cause malformations.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Effects on the kidney of male rats were detected after repeated exposure. These effects are specific for the male rat and are known to be of no relevance to humans. No adverse effects were observed after repeated dermal exposure in animal studies.

Aspiration hazard

No aspiration hazard expected.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. It does not replace the safety data sheet provided in accordance with Regulation No. 29204 (Official Gazette 13/12/2014).

Date / Revised: 08.04.2022

Version: 1.0

Product: **Pyranol BMBcert®**

(ID no. 30770688/SDS_GEN_TR/EN)

Date of print 24.06.2025

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LC50 (96 h) 354 mg/l, *Oncorhynchus mykiss* (OECD Guideline 203, static)

The details of the toxic effect relate to the nominal concentration.

Aquatic invertebrates:

EC50 (48 h) 320 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

The details of the toxic effect relate to the nominal concentration.

Aquatic plants:

EC50 (72 h) > 100 mg/l (growth rate), *Scenedesmus subspicatus* (OECD Guideline 201, static)

Nominal concentration.

Microorganisms/Effect on activated sludge:

EC50 (180 min) > 1.000 mg/l, activated sludge, domestic (OECD Guideline 209, aquatic)

The details of the toxic effect relate to the nominal concentration.

Chronic toxicity to fish:

Study scientifically not justified.

Chronic toxicity to aquatic invertebrates:

Study scientifically not justified.

Assessment of terrestrial toxicity:

No data available concerning terrestrial toxicity.

Study scientifically not justified.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria). The product is biodegradable after extended adaptation.

Elimination information:

0 - 10 % CO₂ formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EEC, C.4-C) (aerobic, activated sludge, domestic)

64,8 % BOD of the ThOD (60 d) (OECD 301D; EEC 92/69, C.4-E) (aerobic, activated sludge, domestic)

Enhanced conditions: prolonged incubation

Assessment of stability in water:

According to structural properties, hydrolysis is not expected/probable.

12.3. Bioaccumulative potential

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. It does not replace the safety data sheet provided in accordance with Regulation No. 29204 (Official Gazette 13/12/2014).

Date / Revised: 08.04.2022

Version: 1.0

Product: **Pyranol BMBcert®**

(ID no. 30770688/SDS_GEN_TR/EN)

Date of print 24.06.2025

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: Adsorption to solid soil phase is not expected.

12.5. Results of PBT and vPvB assessment

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative). Self classification

12.6. Other adverse effects

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Observe national and local legal requirements.

SECTION 14: Transport Information

Land transport

ADR

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

RID

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. It does not replace the safety data sheet provided in accordance with Regulation No. 29204 (Official Gazette 13/12/2014).

Date / Revised: 08.04.2022

Version: 1.0

Product: **Pyranol BMBcert®**

(ID no. 30770688/SDS_GEN_TR/EN)

Date of print 24.06.2025

Special precautions for user None known

Inland waterway transport

ADN

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	None known

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	None known

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. It does not replace the safety data sheet provided in accordance with Regulation No. 29204 (Official Gazette 13/12/2014).

Date / Revised: 08.04.2022

Version: 1.0

Product: **Pyranol BMBcert®**

(ID no. 30770688/SDS_GEN_TR/EN)

Date of print 24.06.2025

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

SECTION 16: Other Information

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Eye Dam./Irrit.

Serious eye damage/eye irritation

Safety data sheet prepared by:

Name: Zeynep Cakir

BASF Türk Kimya Sanayi ve Ticaret Ltd. Sti., Nidakule Ataşehir Kuzey C Kapısı No:3E/5-22, Barbaros Mah. Begonya Sok. Ataşehir, 34746 İstanbul, Turkey

Telefon: +90 216 570 3862

Email: zeynep.cakir@basf.com

Certificate Number: KDU-A-0-0040

Document date: 10.12.2018

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. It does not replace the safety data sheet provided in accordance with Regulation No. 29204 (Official Gazette 13/12/2014).

Date / Revised: 08.04.2022

Version: 1.0

Product: **Pyranol BMBcert®**

(ID no. 30770688/SDS_GEN_TR/EN)

Date of print 24.06.2025

Expiry date: 28.03.2021

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.