

# Safety data sheet

Page: 1/13

BASF Safety data sheet Date / Revised: 01.03.2023 Product: **Outlook Herbicide** 

Version: 1.1

(30780412/SDS\_CPA\_AU/EN) Date of print: 19.05.2024

Date of plint. 15.05.202

# 1. Substance/preparation and manufacturer/supplier identification

# **Product name:** Outlook Herbicide

Use: crop protection product, herbicide

Manufacturer/supplier: BASF Australia Limited (ABN 62 008 437 867) Level 12, 28 Freshwater Place Southbank Victoria 3006, AUSTRALIA Telephone: +61 3 8855-6600 Telefax number: +61 3 8855-6511

Emergency information: BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia] BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

# 2. Hazard identification

Classification of the substance and mixture: Acute toxicity: Cat.4 (oral) Skin corrosion/irritation: Cat.2 Serious eye damage/eye irritation: Cat.2A Skin sensitization: Cat.1B Specific target organ toxicity — single exposure: Cat.3 (irritating to respiratory system) Hazardous to the aquatic environment - acute: Cat.1 Hazardous to the aquatic environment - chronic: Cat.1

Label elements and precautionary statement:

Pictogram:

Page: 2/13

Version: 1.1

BASF Safety data sheet Date / Revised: 01.03.2023 Product: **Outlook Herbicide** 

(30780412/SDS\_CPA\_AU/EN) Date of print: 19.05.2024

Signal Word: Warning

Hazard Statement:	
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary Stateme	nt:
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
Precautionary Stateme	
P280	Wear protective gloves and eye protection or face protection.
P261	Avoid breathing mist or vapour or spray.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.
Precautionary Stateme	
P312	Call a POISON CENTER or physician if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for
	breathing.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical attention.
P330	Rinse mouth
P391	Collect spillage.
P332 + P313	If skin irritation occurs: Get medical attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P337 + P313	If eye irritation persists: Get medical attention.
Precautionary Stateme	
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
Precautionary Stateme	
P501	Dispose of contents and container to hazardous or special waste
	collection point.
	o not result in classification:
See section 12 - Result	s of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Page: 3/13

BASF Safety data sheet Date / Revised: 01.03.2023 Product: **Outlook Herbicide** 

Version: 1.1

(30780412/SDS\_CPA\_AU/EN) Date of print: 19.05.2024

# 3. Composition/information on ingredients

#### Chemical nature

Substance nature: mixture

crop protection product, herbicide, Emulsifiable concentrate (EC)

#### Hazardous ingredients

dimethenamid-P Content (W/W): 64 % CAS Number: 163515-14-8

Acute Tox.: Cat. 4 (oral) Skin Sens.: Cat. 1 Aquatic Acute: Cat. 1 Aquatic Chronic: Cat. 1 M-factor acute: 10 M-factor chronic: 10

Hydrocarbons, C10-C13, aromatics, <1% naphthalene Content (W/W): < 30 % Asp. Tox.: Cat. 1 CAS Number: 64742-94-5 Aquatic Acute: Cat. 2 Aquatic Chronic: Cat. 2

Naphthalene, 2-methyl-Content (W/W): < 15 % CAS Number: 91-57-6

Acute Tox.: Cat. 4 (oral) Aquatic Chronic: Cat. 2

Naphthalene, 1-methyl-Content (W/W): < 10 % CAS Number: 90-12-0

Asp. Tox.: Cat. 1 Acute Tox.: Cat. 4 (oral) Aquatic Acute: Cat. 2 Aquatic Chronic: Cat. 2

POE (6) Tridecyl ether phosphate, reaction product with POE (5) soya amine Content (W/W): < 10 % Skin Corr./Irrit.: Cat. 2 Eye Dam./Irrit.: Cat. 2A

Oxirane, methyl-, polymer with oxirane, monobutyl ether		
Content (W/W): < 5 %	Acute Tox.: Cat. 4 (oral)	
CAS Number: 9038-95-3	Skin Corr./Irrit.: Cat. 2	
	Eye Dam./Irrit.: Cat. 2A	

biphenyl

Page: 4/13

Version: 1.1

BASF Safety data sheet Date / Revised: 01.03.2023 Product: **Outlook Herbicide** 

> (30780412/SDS\_CPA\_AU/EN) Date of print: 19.05.2024

Acute Tox.: Cat. 5 (oral) Skin Corr./Irrit.: Cat. 2 Eye Dam./Irrit.: Cat. 2A STOT SE: Cat. 3 (irr. to respiratory syst.) Aquatic Acute: Cat. 1 Aquatic Chronic: Cat. 3 M-factor acute: 1 M-factor chronic: 1

# 4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact: Wash thoroughly with soap and water

Content (W/W): < 3 %

CAS Number: 92-52-4

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion: Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

# 5. Fire-Fighting Measures

Suitable extinguishing media: water spray, foam, dry powder, carbon dioxide

Specific hazards:

carbon monoxide, hydrogen chloride, carbon dioxide, nitrogen oxides, organochloric compounds, sulfur oxides, phosphorus oxides

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage

Page: 5/13

BASF Safety data sheet Date / Revised: 01.03.2023 Product: **Outlook Herbicide** 

Version: 1.1

(30780412/SDS\_CPA\_AU/EN) Date of print: 19.05.2024

or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

# 6. Accidental Release Measures

Personal precautions:

Do not breathe vapour/spray.Use personal protective clothing.Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater.Do not discharge into the subsoil/soil.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

# 7. Handling and Storage

#### <u>Handling</u>

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

# Storage

Segregate from foods and animal feeds. Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability: Storage duration: 60 Months

Protect from temperatures below: -10 °C Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time. Protect from temperatures above: 40 °C Changes in the properties of the product may occur if substance/product is stored above indicated

# 8. Exposure controls and personal protection

Components with occupational exposure limits

temperature for extended periods of time.

Page: 6/13

Version: 1.1

(30780412/SDS\_CPA\_AU/EN) Date of print: 19.05.2024

biphenyl, 92-52-4; TWA value 0.2 ppm (ACGIHTLV) TWA value 1.3 mg/m3 ; 0.2 ppm (AU NOEL) TWA value 1.3 mg/m3 ; 0.2 ppm (OEL (AU)) solvent naphtha, 64742-94-5;

Skin Designation (ACGIHTLV), Non-aerosol Measured as: total hydrocarbon vapor Danger of cutaneous absorption TWA value 200 mg/m3 (ACGIHTLV), Non-aerosol Measured as: total hydrocarbon vapor Application restricted to conditions in which there are negligible aerosol exposures.

Naphthalene, 1-methyl-, 90-12-0; TWA value 0.5 ppm (ACGIHTLV) Skin Designation (ACGIHTLV) Danger of cutaneous absorption

Naphthalene, 2-methyl-, 91-57-6;

TWA value 0.5 ppm (ACGIHTLV) Skin Designation (ACGIHTLV) The substance can be absorbed through the skin. Skin Designation (ACGIHTLV) Danger of cutaneous absorption TWA value 0.5 ppm (ACGIHTLV)

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

Page: 7/13

BASF Safety data sheet Date / Revised: 01.03.2023 Product: **Outlook Herbicide** 

Version: 1.1

(30780412/SDS\_CPA\_AU/EN) Date of print: 19.05.2024

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

# 9. Physical and Chemical Properties

Form: Colour: Odour: Odour threshold:	liquid brown aromatic Not determined due to potential health	n hazard by inhalation.
pH value:	approx. 2 - 4 (1 %(m), 20 °C)	
Melting point:	The product has not been tested.	
Boiling point:	approx. 122.6 °C (9.3 Pa) Information based on the main component/s.	
Flash point:	Non-flammable.	
Evaporation rate:		
	not applicable	
Flammability (solid/gas): Lower explosion limit:	approx. 0.6 %(V)	
Upper explosion limit:	Information applies to the solvent. approx. 7.0 %(V)	
Ignition temperature:	Information applies to the solvent. approx. 391 °C	(Regulation 440/2008/EC, A.15)
Thermal decomposition:	230 °C , 370 kJ/kg	(DSC (OECD 113))
	380 °C , > 230 kJ/kg	(DSC (OECD 113))
CADT.	Not a substance liable to self- decomposition according to UN transport regulations, class 4.1.	
SADT: Explosion hazard:	> 75 °C not explosive	(Regulation 440/2008/EC,
Fire promoting properties: not fire-propagating		A.14) (Regulation 440/2008/EC, A.21)
Vapour pressure:	approx. < 1 mmHg (25 °C)	
Density:	approx. 1.13 g/cm3 (20 °C)	

Page: 8/13

BASF Safety data sheet Date / Revised: 01.03.2023 Product: **Outlook Herbicide** 

Version: 1.1

(30780412/SDS\_CPA\_AU/EN) Date of print: 19.05.2024

Relative vapour density (air): not applicable Solubility in water: emulsifiable, insoluble Partitioning coefficient n-octanol/water (log Pow): The statements are based on the properties of the individual components. Information on: dimethenamid-P Partitioning coefficient n-octanol/water (log Pow): 1.89 -----Viscosity, dynamic: approx. 43.6 mPa.s (20 °C) Viscosity, kinematic: 22 mm2/s

(40 °C)

Other Information:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

# 10. Stability and Reactivity

Conditions to avoid: See SDS section 7 - Handling and storage.

Thermal decomposition:	230 °C, 370 kJ/kg (DSC (OECD 113))
Thermal decomposition:	380 °C, > 230 kJ/kg (DSC (OECD 113))
Thermal decomposition:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

Substances to avoid: strong acids, strong bases, strong oxidizing agents

Hazardous reactions: No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability: The product is stable if stored and handled as prescribed/indicated.

Reactivity: No hazardous reactions if stored and handled as prescribed/indicated.

# **11. Toxicological Information**

Routes of exposure

Acute oral toxicity

Page: 9/13

BASF Safety data sheet Date / Revised: 01.03.2023 Product: **Outlook Herbicide** 

Version: 1.1

(30780412/SDS\_CPA\_AU/EN) Date of print: 19.05.2024

Experimental/calculated data: LD50rat (oral): > 500 mg/kg (OECD Guideline 423)

#### Acute inhalation toxicity

LC50 rat (by inhalation): > 5.6 mg/l 4 h (OECD Guideline 403) No mortality was observed.

#### Acute dermal toxicity

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402) No mortality was observed.

#### Assessment of acute toxicity

Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

#### Irritation

Assessment of irritating effects: Eye contact causes irritation. Skin contact causes irritation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data: Skin corrosion/irritation rabbit: (OECD Guideline 404)

Serious eye damage/irritation rabbit: (OECD Guideline 405)

#### **Respiratory/Skin sensitization**

Assessment of sensitization:

Sensitization after skin contact possible. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data: modified Buehler test guinea pig: (OECD Guideline 406)

#### Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

#### Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Page: 10/13

BASF Safety data sheet Date / Revised: 01.03.2023 Product: **Outlook Herbicide** 

Version: 1.1

(30780412/SDS\_CPA\_AU/EN) Date of print: 19.05.2024

# **Reproductive toxicity**

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

#### **Developmental toxicity**

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

# Specific target organ toxicity (single exposure)

Causes temporary irritation of the respiratory tract.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

# Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethenamid-P Assessment of repeated dose toxicity: Adaptive effects were observed after repeated exposure in animal studies.

Information on: biphenyl Assessment of repeated dose toxicity: The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.

#### Aspiration hazard

No aspiration hazard expected.

#### Other relevant toxicity information

Misuse can be harmful to health.

# **12. Ecological Information**

#### Ecotoxicity

Assessment of aquatic toxicity: Very toxic to aquatic life with long lasting effects. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Page: 11/13

Version: 1.1

(30780412/SDS\_CPA\_AU/EN) Date of print: 19.05.2024

Toxicity to fish: LC50 (96 h) 7.94 mg/l, Oncorhynchus mykiss (OECD Guideline 203)

Aquatic invertebrates: EC50 (48 h) 17.1 mg/l, Daphnia magna (OECD Guideline 202, part 1)

Aquatic plants: EC50 (72 h) 0.1327 mg/l (growth rate), Desmodesmus subspicatus (OECD Guideline 201)

EC10 (72 h) 0.0245 mg/l (growth rate), Desmodesmus subspicatus

EC50 (7 d) 0.0085 mg/l (growth rate), Lemna gibba

No observed effect concentration (7 d) 0.003 mg/l (growth rate), Lemna gibba

Information on: dimethenamid-P Chronic toxicity to fish: No observed effect concentration (90 d) 0.120 mg/l, Oncorhynchus mykiss

Information on: dimethenamid-P Chronic toxicity to aquatic invertebrates: No observed effect concentration (21 d), 0.680 mg/l, Daphnia magna

# Mobility

Assessment transport between environmental compartments: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethenamid-P Assessment transport between environmental compartments: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

# Persistence and degradability

Assessment biodegradation and elimination (H2O): The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethenamid-P Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

# **Bioaccumulation potential**

Assessment bioaccumulation potential: The product has not been tested. The statement has been derived from the properties of the individual components. BASF Safety data sheet Date / Revised: 01.03.2023 Product: **Outlook Herbicide** 

Version: 1.1

(30780412/SDS\_CPA\_AU/EN) Date of print: 19.05.2024

Information on: dimethenamid-P Bioaccumulation potential: No significant accumulation in organisms is expected as a result of the distribution coefficient of noctanol/water (log Pow).

# Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

# **13. Disposal Considerations**

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging: Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

# **14. Transport Information**

#### Domestic transport:

UN number or ID number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SOLVENT NAPHTHA, DIMETHENAMID-P) 9, EHSM III yes
Special precautions for user:	None known
Further information Hazchem Code:3Z IERG Number:47	
Sea transport IMDG	
-	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SOLVENT NAPHTHA, DIMETHENAMID-P) 9, EHSM III yes Marine pollutant: YES EmS: F-A; S-F

Air transport

Page: 13/13

Version: 1.1

BASF Safety data sheet Date / Revised: 01.03.2023 Product: **Outlook Herbicide** 

> (30780412/SDS\_CPA\_AU/EN) Date of print: 19.05.2024

IATA/ICAO

UN number or ID number: UN proper shipping name:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SOLVENT NAPHTHA, DIMETHENAMID-P)
Transport hazard class(es):	
Packing group:	III
Environmental hazards:	yes
Special precautions for	None known
user:	

#### **Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

# **15. Regulatory Information**

# Other regulations

To avoid risks to man and the environment, comply with the instructions for use.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 6

APVMA Approval No: 65695

# 16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.