

Revision date : 2025/05/08 Page: 1/11
Version: 6.0 (30785403/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

Methylionone70 BMBcert®

Recommended use of the chemical and restriction on use

Recommended use*: Chemical, Chemical for detergents, Cosmetic and oral care chemical, flavoring substance

Unsuitable for use: Not intended for sale to or use by the general public.

Details of the supplier of the safety data sheet

<u>Company:</u>
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357) **Other means of identification**

Synonyms: Chemical nature; Ionone, methyl-, CAS Number 1335-46-2

2. Hazards Identification

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Skin Irrit. 2 Skin irritation

Aquatic Acute 2 Hazardous to the aquatic environment - acute Aquatic Chronic 2 Hazardous to the aquatic environment - chronic

Eye Irrit. 2A Eye irritation

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Methylionone70 BMBcert®

Revision date: 2025/05/08 Page: 2/11 Version: 6.0 (30785403/SDS_GEN_US/EN)

Label elements

Pictogram:





Signal Word: Warning

Hazard Statement:

H319 Causes serious eye irritation.
H315 Causes skin irritation.
H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280 Wear protective gloves and eye protection or face protection.

P273 Avoid release to the environment.

P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P332 + P313 If skin irritation occurs: Get medical attention.

P391 Collect spillage.

P337 + P313 If eye irritation persists: Get medical attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

No data available.

3. Composition / Information on Ingredients

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Ionone, methyl-

CAS Number: 1335-46-2 Content (W/W): 75.0 - 100.0% Synonym: No data available.

4. First-Aid Measures

Description of first aid measures

Revision date: 2025/05/08 Page: 3/11

Version: 6.0 (30785403/SDS_GEN_US/EN)

General advice:

Remove contaminated clothing immediately and clean before re-use or dispose it if necessary. Keep patient calm, remove to fresh air.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin.

Remove contaminated clothing. Wash skin with soap and water, rinse abundantly. Seek medical attention.

If in eves:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. If irritation develops, seek medical attention.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Eye irritation, conjunctivitis, eczema, skin irritation, itching, erythema, lacrimation, visual disturbances

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

dry powder, carbon dioxide, alcohol-resistant foam, water spray

Unsuitable extinguishing media for safety reasons: water jet

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon oxides, harmful vapours

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Wear a self-contained breathing apparatus.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Cool endangered containers with water-spray.

Revision date: 2025/05/08 Page: 4/11 Version: 6.0 (30785403/SDS GEN US/EN)

Impact Sensitivity:

Remarks: Based on the chemical structure there is no shock-sensitivity.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures, see section 8. Ensure adequate ventilation. Do not breathe vapour/spray. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into drains/surface waters/groundwater. Inform authorities in the event of product spillage to water courses or sewage systems.

Methods and material for containment and cleaning up

For small amounts: Contain with absorbent material (e.g. sand, silica gel, acid binder, general purpose binder, sawdust).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Precautions for safe handling

Ensure thorough ventilation of stores and work areas. Wear suitable gloves and eye/face protection. Avoid contact with the skin, eyes and clothing. This product may cause irritations; wash your hands after every contact. Keep container tightly sealed.

Protection against fire and explosion:

Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Containers should be stored tightly sealed in a dry place. Protect contents from the effects of light. Protect against heat.

8. Exposure Controls/Personal Protection

No substance specific occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Wear a NIOSH-certified (or equivalent) respirator as necessary.

Hand protection:

Wear chemical resistant protective gloves.

Eye protection:

Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

Revision date: 2025/05/08 Page: 5/11
Version: 6.0 (30785403/SDS_GEN_US/EN)

Body protection:

Body protection must be chosen based on level of activity and exposure.

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment. Avoid contact with the skin, eyes and clothing. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

9. Physical and Chemical Properties

Physical state: liquid Form: liquid

Odour: flowery, woody
Odour threshold: < 100 ppm

Colour: colourless to slightly yellow

pH value: not applicable Melting point: < -20 °C

Study scientifically not justified.

Freezing point: No data available.

boiling temperature: 270.1 °C (OECD Guideline

(1,013.25 hPa) 103)

Flash point: 126 °C (Directive

92/69/EEC, A.9, closed cup)

Flammability: hardly combustible (derived from flash

point)

Lower explosion limit: For liquids not relevant for

classification and labelling. The lower explosion point may be 5 - 15 °C

below the flash point.

Upper explosion limit: For liquids not relevant for

classification and labelling.

Autoignition: 254 °C (Directive

92/69/EEC, A.15) 0.0022 hPa (OECD Guideline

(20 °C) 104)

Density: 0.9300 g/cm3 (OECD Guideline

(20 °C) 109)

Relative density: 0.9300 (OECD Guideline

(20 °C) 109)

Relative vapour density: 7.11 (calculated)

(20°C)

Heavier than air.

Partitioning coefficient n- 4.5 - 5.0 (OECD Guideline

octanol/water (log Pow): (23 °C) 117)

Self-ignition not self-igniting

temperature:

Vapour pressure:

Thermal decomposition: 340 °C (DSC (DIN 51007))

Methylionone70 BMBcert®

Revision date: 2025/05/08 Page: 6/11 Version: 6.0 (30785403/SDS_GEN_US/EN)

Viscosity, dynamic: 13.1 mPa.s (OECD Guideline

(20 °C) 114)

The value was determined by calculation from the detected

kinematic viscosity.

5.79 mPa.s (OECD Guideline

(40 °C)

The value was determined by calculation from the detected

kinematic viscosity.

Viscosity, kinematic: 14.04 mm2/s (OECD Guideline

(20 °C) 114)

6.30 mm2/s (OECD Guideline

(40 °C) 114)

Solubility in water: 21 - 44 mg/l

(20 °C)

Molecular weight: 206.33 g/mol

Evaporation rate: Value can be approximated from

Henry's Law Constant or vapor

pressure.

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular

form.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing. (other)

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

Temperature: > 100 degrees Celsius

See SDS section 7 - Handling and storage.

Avoid electro-static discharge. Avoid all sources of ignition: heat, sparks, open flame.

Incompatible materials

oxidizing agents

Hazardous decomposition products

Decomposition products:

Methylionone70 BMBcert®

Revision date: 2025/05/08 Page: 7/11
Version: 6.0 (30785403/SDS GEN US/EN)

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition: 340 °C (DSC (DIN 51007))

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

<u>Oral</u>

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg (OECD Guideline 423)

Inhalation

No data available.

Dermal

Type of value: LD50 Species: rabbit

Value: > 5,000 mg/kg (other)

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Irritation / corrosion

Assessment of irritating effects: Irritating to eyes and skin.

Skin

Species: rabbit Result: Irritant.

Eye

Species: rabbit Result: Irritant.

Method: OECD Guideline 405

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

<u>Sensitizatio</u>n

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Revision date: 2025/05/08 Page: 8/11 Version: 6.0 (30785403/SDS GEN US/EN)

Species: guinea pig Result: Non-sensitizing.

Aspiration Hazard

No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: No substance-specific organioxicity was observed after repeated administration to animals.

Genetic toxicity

Assessment of mutagenicity: The substance was not mutagenic in bacteria. The substance was not mutagenic in mammalian cell culture. The substance was not mutagenic in a test with mammals.

Carcinogenicity

Assessment of carcinogenicity: No data was available concerning carcinogenic activity. The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Acutely toxic for aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish

LC50 (96 h) > 1.57 mg/l, Brachydanio rerio (OECD 203; ISO 7346; 84/449/EWG, C.1, static) The statement of the toxic effect relates to the analytically determined concentration.

Aquatic invertebrates

EC50 (48 h) 3.7 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The statement of the toxic effect relates to the analytically determined concentration.

Aquatic plants

EC50 (72 h) > 9.42 mg/l (growth rate), Desmodesmus subspicatus (OECD Guideline 201, static) The statement of the toxic effect relates to the analytically determined concentration.

No observed effect concentration (72 h) > 9.42 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

The statement of the toxic effect relates to the analytically determined concentration.

Revision date: 2025/05/08 Page: 9/11 Version: 6.0 (30785403/SDS_GEN_US/EN)

Chronic toxicity to fish

Study scientifically not justified.

Chronic toxicity to aquatic invertebrates

Study scientifically not justified.

Assessment of terrestrial toxicity

No data available concerning terrestrial toxicity.

Study scientifically not justified.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

OECD Guideline 209 aerobic

activated sludge/EC20 (0.5 h): > 1,000 mg/l

The details of the toxic effect relate to the nominal concentration.

Persistence and degradability

Assessment biodegradation and elimination (H2O)

Readily biodegradable (according to OECD criteria).

Elimination information

76 % BOD of the ThOD (28 d) (OECD 301F; ISO 9408; 92/69/EWG, C.4-D) (aerobic, activated sludge, domestic, non-adapted)

Assessment of stability in water

According to structural properties, hydrolysis is not expected/probable.

Bioaccumulative potential

Assessment bioaccumulation potential

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is possible.

Mobility in soil

Assessment transport between environmental compartments

The substance will slowly evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is expected.

13. Disposal considerations

Waste disposal of substance:

Observe national and local legal requirements.

Container disposal:

Dispose of in accordance with national, state and local regulations.

Methylionone70 BMBcert®

Revision date: 2025/05/08 Page: 10/11 Version: 6.0 (30785403/SDS_GEN_US/EN)

14. Transport Information

Land transport

USDOT

Hazard class: 9 Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains METHYLIONONE)

Sea transport

IMDG

Hazard class: 9 Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM Marine pollutant: YES

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains METHYLIONONE)

Air transport

IATA/ICAO

Hazard class: 9 Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains METHYLIONONE)

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US released / listed

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

NFPA Hazard codes:

Revision date: 2025/05/08 Page: 11/11
Version: 6.0 (30785403/SDS GEN US/EN)

Health: 2 Fire: 1 Reactivity: 0 Special:

HMIS III rating

Health: 2 Flammability: 1 Physical hazard: 0

Assessment of the hazard classes according to UN GHS criteria (most recent version):

Aquatic Acute 2 Hazardous to the aquatic environment - acute Aquatic Chronic 2 Hazardous to the aquatic environment - chronic

Skin Corr./Irrit. 2 Skin corrosion/irritation

Eye Irrit. 2B Eye irritation

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2025/05/08

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Methylionone70 BMBcert® is a registered trademark of BASF Corporation or BASF SE IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

Date / Revised: 2025/05/08 Version: 6.0
Date / Previous version: 2023/08/28 Previous version: 5.0