

Safety data sheet

Page: 1/14

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 11.08.2022 Version: 2.0

Product: Scala 40 SC

(ID no. 30786946/SDS_CPA_00/EN)

Date of print 01.07.2024

1. Identification

Product identifier

Scala 40 SC

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Crop Protection

Telephone: +49 621 60-27777

E-mail address: Produktinformation-Pflanzenschutz@basf.com

Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Aquatic Acute 3 Aquatic Chronic 1

For the classifications not written out in full in this section the full text can be found in section 16.

Date / Revised: 11.08.2022 Version: 2.0

Product: Scala 40 SC

(ID no. 30786946/SDS_CPA_00/EN)

Date of print 01.07.2024

Label elements

Globally Harmonized System (GHS)

Pictogram:



Signal Word: Warning

Hazard Statement:

H402 Harmful to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Precautionary Statements (Response): P391 Collect spillage.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

Labeling of special preparations (GHS):

May produce an allergic reaction. Contains: 1,2-Benzisothiazol-3(2H)-one

According to UN GHS criteria

Hazard determining component(s) for labelling: pyrimethanil (ISO); N-(4,6-dimethylpyrimidin-2-yl)aniline

Other hazards

According to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Substances

Not applicable

Date / Revised: 11.08.2022 Version: 2.0

Product: Scala 40 SC

(ID no. 30786946/SDS_CPA_00/EN)

Date of print 01.07.2024

Mixtures

Chemical nature

crop protection product, fungicide, suspension concentrate (SC)

Hazardous ingredients (GHS)

According to UN GHS criteria

pyrimethanil (ISO); N-(4,6-dimethylpyrimidin-2-yl)aniline

Content (W/W): 36,91 % Acute Tox. 5 (oral)
CAS Number: 53112-28-0 Aquatic Acute 2
EC-Number: 414-220-3 Aquatic Chronic 1
INDEX-Number: 612-240-00-9 H303, H401, H410

Lignin, alkali, reaction products with formaldehyde and sodium bisulfite

Content (W/W): < 10 % Eye Dam./Irrit. 2A

CAS Number: 68512-35-6 H319

1,2-Benzisothiazol-3(2H)-one

Content (W/W): < 0,05 % Acute Tox. 4 (oral)
CAS Number: 2634-33-5 Skin Corr./Irrit. 2
EC-Number: 220-120-9 Eye Dam./Irrit. 1
INDEX-Number: 613-088-00-6 Skin Sens. 1
Aquatic Acute 1
Aquatic Chronic 1
M-factor acute: 1

M-factor chronic: 1 H318, H315, H302, H317, H400, H410

Skin Sens. 1: >= 0,05 %

Specific concentration limit:

Propane-1,2-diol

Content (W/W): < 5 % CAS Number: 57-55-6 EC-Number: 200-338-0

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

Date / Revised: 11.08.2022 Version: 2.0

Product: Scala 40 SC

(ID no. 30786946/SDS_CPA_00/EN)

Date of print 01.07.2024

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

Special hazards arising from the substance or mixture

Carbon monoxide, Hydrogen chloride, Sulphur dioxide, Disodium oxide, Carbon dioxide, nitrogen oxides, sulfur oxides, sodium oxides, organochloric compounds

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Date / Revised: 11.08.2022 Version: 2.0

Product: Scala 40 SC

(ID no. 30786946/SDS_CPA_00/EN)

Date of print 01.07.2024

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 36 Months

Protect from temperatures below: 0 °C

The product can crystallize below the limit temperature.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

57-55-6: Propane-1,2-diol

Exposure controls

Personal protective equipment

Respiratory protection:

Respiratory protection not required.

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Date / Revised: 11.08.2022 Version: 2.0

Product: Scala 40 SC

(ID no. 30786946/SDS_CPA_00/EN)

Date of print 01.07.2024

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form: liquid
Colour: brown
Odour: vanilla-like

Odour threshold:

Not determined due to potential

health hazard by inhalation.

pH value: approx. 6 - 8

(1 %(m), 20 °C) (as suspension)

The product has not been tested.

The statement has been derived from substances/products of a similar

structure or composition.

Melting point: approx. 0 °C

Information applies to the solvent.

Boiling point: approx. 100 °C

Information applies to the solvent.

Flash point:

No flash point - Measurement made

(ISO 13736)

up to pilot light extinguishes.

The product has not been tested. The statement has been derived from substances/products of a similar

structure or composition.

Evaporation rate:

not applicable

Flammability: not applicable

Lower explosion limit:

As a result of our experience with this product and our knowledge of its

composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Date / Revised: 11.08.2022 Version: 2.0

Product: Scala 40 SC

(ID no. 30786946/SDS_CPA_00/EN)

Date of print 01.07.2024

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Ignition temperature: > 640 °C

(DIN EN 14522)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

engray 22 hDe

Vapour pressure: approx. 23 hPa

(20 °C)

Information applies to the solvent.

Density: approx. 1,08 g/cm3

(20 °C)

The product has not been tested.
The statement has been derived from substances/products of a similar

structure or composition.

Relative vapour density (air):

not applicable

Solubility in water: dispersible

Partitioning coefficient n-octanol/water (log Kow):

The statements are based on the properties of the individual

components.

Information on: pyrimethanil (ISO); N-(4,6-dimethylpyrimidin-2-yl)aniline

Partitioning coefficient n-octanol/water (log Kow): 2,84 (OECD Guideline 107)

(pH value: 6,1)

Thermal decomposition: 170 °C, 30 kJ/kg (DSC (DIN 51007))

(onset temperature)

420 °C, > 120 kJ/kg (DSC (DIN 51007))

(onset temperature)

Not a substance liable to self-decomposition according to UN transport

regulations, class 4.1.

Viscosity, dynamic: approx. 85 mPa.s

(20 °C, 100 1/s)

Explosion hazard: not explosive (Directive 92/69/EEC, A.14) Fire promoting properties: not fire-propagating (Regulation 440/2008/EC,

A.21)

SADT: > 75 °C

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

Date / Revised: 11.08.2022 Version: 2.0

Product: Scala 40 SC

(ID no. 30786946/SDS_CPA_00/EN)

Date of print 01.07.2024

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:

strong bases, strong acids, strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): > 5.000 mg/kg (OECD Guideline 401)

No mortality was observed.

LC50 rat (by inhalation): > 1,26 mg/l 4 h (OECD Guideline 403)

The value meets the highest applied test concentration. No mortality was observed.

LD50 rat (dermal): > 4.000 mg/kg (OECD Guideline 402)

No mortality was observed.

Irritation

Assessment of irritating effects:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Date / Revised: 11.08.2022 Version: 2.0

Product: Scala 40 SC

(ID no. 30786946/SDS_CPA_00/EN)

Date of print 01.07.2024

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

modified Buehler test guinea pig: Non-sensitizing. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organioxicity was observed after repeated administration to animals.

Aspiration hazard

Date / Revised: 11.08.2022 Version: 2.0

Product: Scala 40 SC

(ID no. 30786946/SDS_CPA_00/EN)

Date of print 01.07.2024

The product has not been tested. The statement has been derived from the properties of the individual components.

No aspiration hazard expected.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

Harmful to aquatic life. Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish:

LC50 (96 h) 53 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static)

Aquatic invertebrates:

EC50 (48 h) 10,4 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (96 h) 3,8 mg/l, Pseudokirchneriella subcapitata

Chronic toxicity to aquatic invertebrates:

EC10 1,053 mg/l, Daphnia magna

Information on: pyrimethanil (ISO); N-(4,6-dimethylpyrimidin-2-yl)aniline

Chronic toxicity to fish:

No observed effect concentration (89 d) 0.077 mg/l, Oncorhynchus mykiss

Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyrimethanil (ISO); N-(4,6-dimethylpyrimidin-2-yl)aniline

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyrimethanil (ISO); N-(4,6-dimethylpyrimidin-2-yl)aniline Bioaccumulation potential:

Date / Revised: 11.08.2022 Version: 2.0

Product: Scala 40 SC

(ID no. 30786946/SDS_CPA_00/EN)

Date of print 01.07.2024

No significant accumulation in organisms is expected as a result of the distribution coefficient of noctanol/water (log Pow).

Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyrimethanil (ISO); N-(4,6-dimethylpyrimidin-2-yl)aniline

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Information on: 1,2-Benzisothiazol-3(2H)-one

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: Adsorption to solid soil phase is not expected.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

Date / Revised: 11.08.2022 Version: 2.0

Product: Scala 40 SC

(ID no. 30786946/SDS_CPA_00/EN)

Date of print 01.07.2024

ADR

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (PYRIMETHANIL)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for

user: None known

RID

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (PYRIMETHANIL)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for

None known

user:

Inland waterway transport

ADN

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (PYRIMETHANIL)

Transport hazard class(es): 9, EHSM

Packing group:

Environmental hazards: yes

Special precautions for

None known

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (PYRIMETHANIL)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Marine pollutant: YES

Date / Revised: 11.08.2022 Version: 2.0

Product: Scala 40 SC

(ID no. 30786946/SDS_CPA_00/EN)

Date of print 01.07.2024

Special precautions for

user:

EmS: F-A; S-F

Air transport

IATA/ICAO

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (PYRIMETHANIL)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for None known

user:

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

To avoid risks to man and the environment, comply with the instructions for use.

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Aquatic Acute Hazardous to the aquatic environment - acute Aquatic Chronic Hazardous to the aquatic environment - chronic

Acute Tox. Acute toxicity

Eye Dam./Irrit. Serious eye damage/eye irritation

Skin Corr./Irrit. Skin corrosion/irritation
Skin Sens. Skin sensitization

H303 May be harmful if swallowed.

H401 Toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H319 Causes serious eye irritation.

Date / Revised: 11.08.2022 Version: 2.0

Product: Scala 40 SC

(ID no. 30786946/SDS_CPA_00/EN)

Date of print 01.07.2024

H318	Causes serious eye damage.
H315	Causes skin irritation.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.