

# Foamaster® MO 2150



## Very economical defoamer based on mineral oil with excellent performance in mid to high PVC range





Foamaster® MO 2150 is an excellent defoamer based on mineral oil and foam destroying substances for mid to high PVC architectural paints with exceptional product stability.

Foamaster® MO 2150 shows an excellent price/performance ratio not only in architectural paints, but also in plasters and adhesives.

As Foamaster® MO 2150 is not soluble in water, it is recommended to incorporate it at an early stage of the production process, in order to achieve best homogenization.

### Performance of Foamaster® MO 2150 in various latex systems

The graphs below show Foamaster® MO 2150 performance vs defoamer benchmarks for foam efficiency in various latex systems



Foamaster® MO 2150 allows formulators to have a very economical defoamer with excellent performance.

### Foamaster® MO 2150 : Characteristic Values

Property	Value
Solubility in Water	insoluble
Viscosity	400 mPa.s
Density at 20° C (68° F)	0.86g/cm <sup>3</sup>
VOC	< 0.1% acc. to EU 2004/42 (b.p. > 250°C)

### Performance Highlights

- Excellent foam control with long term persistency in mid to high PVC paints
- Exceptional product stability
- Excellent price / performance ratio
- Low VOC



## Contacts worldwide

### Asia

BASF East Asia Regional Headquarters Ltd.  
45/F., Jardine House  
No. 1 Connaught Place  
Central  
Hong Kong  
formulation-additives-asia@basf.com

### Europe

BASF SE  
Formulation Additives  
67056 Ludwigshafen  
Germany  
formulation-additives-europe@basf.com

### North America

BASF Corporation  
11501 Steele Creek Road  
Charlotte, NC 28273  
USA  
formulation-additives-nafta@basf.com

### South America

Rochaverá - Crystal Tower  
Av. das Nações Unidas, 14.171  
Morumbi - São Paulo-SP  
Brazil  
formulation-additives-south-america@basf.com

[www.basf.com/formulation-additives](http://www.basf.com/formulation-additives)

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. The agreed contractual quality of the product results exclusively from the statements made in the product specification. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed. When handling these products, advice and information given in the safety data sheet must be complied with. Further, protective and workplace hygiene measures adequate for handling chemicals must be observed.