

# Priaxor<sup>®</sup>

Xemium<sup>®</sup> Brand Fungicide

## Use In California Tomatoes

### Benefits of Priaxor<sup>®</sup> Fungicide

- Driven by Xemium<sup>®</sup> Fungicide technology advantages
  - Broader activity across disease lifecycles
  - Continuous redistribution and extended residual protection
- Contains F500<sup>®</sup> – the #1 Plant Health Fungicide
- More consistent disease control helps maximize yield and quality potential

---

Priaxor provides more consistent disease control to help maximize yield and quality potential.

---

#### Priaxor Fungicide Use in Tomatoes

<b>Use Rates and Diseases</b>	4–8 fl oz/A: Black mold, Early blight, Septoria leaf spot, Target spot and Anthracnose
	6–8 fl oz/A: Powdery mildew
	8 fl oz/A: Suppression Botrytis gray mold, Sclerotinia stem rot, White mold, and Late blight
<b>PHI</b>	0 days
<b>REI</b>	12 hours



150 years

 **BASF**

We create chemistry

Technical Information Bulletin

# Best Management Practices

## Adjuvant Use and Tank Mixing with Priaxor® Fungicide

- Always consult a BASF representative before tank mixing products with Priaxor fungicide
- Effectiveness and safety of Priaxor fungicide in mixes depends on product, growth stage and other factors
- Do not mix with EC, COC, MSO, OS, MSO/OS blends
- NIS can be used at their lowest labeled rates up to 0.125%



**Black Mold**



**Powdery Mildew**



**Early Blight**




**Anthracnose**




# Disease Control and Plant Productivity

## Powdery Mildew Control



2014 Brenna Aegerter – UCCE, San Joaquin County. Rating 9/18/14. Applications made 8/22 & 9/5. 44 GPA in CO2 sprayer at 40 psi. NIS @ 0.25% with Priaxor fungicide, NIS 0.125% v/v with Quadris Top. Fresh Market Variety: Valley Cat.

## Tomato Yield and Quality



2014 Brenna Aegerter – UCCE, San Joaquin County. Applications made 8/22, 9/5, & 9/19. 44 GPA in CO2 sprayer at 40 psi. NIS @ 0.25% with Priaxor fungicide, NIS 0.125% v/v with Quadris Top. Fresh Market Variety: Valley Cat.