

Cabrio® Plus

Fungicide

Cabrio® Plus for Use on Potatoes

Benefits of Cabrio Plus Fungicide

- Effective control of key foliar diseases
 - Early blight, black dot and late blight
- Manage resistance with 2 modes of action
 - Low risk multi-site protectant activity
 - Combination of FRAC Codes 11 and M3
- Premix convenience

Cabrio Plus provides convenient and effective disease control that helps manage fungicide resistance.




Untreated



Cabrio Plus



Late Blight Infections in Potatoes



2011 University of Maine Potato Late Blight Trial.
Treatments alternated with Bravo Weatherstick 1–1.5 pt.
Untreated check was 84% late blight.



Untreated



Cabrio Plus

2011 Penn State Potato Early Blight Trial Cabrio Plus 2.0 lbs and Untreated.

Best Use Recommendations

- Use Rate: 2–2.9 lbs/acre
- Maximum Applications: 6 per season
- Maximum Rate/Season: 17.2 lbs/A
- Application Methods:
 - Ground: >15 GPA
 - Air: >5 GPA
 - Chemigation: Less than 0.50 inch
- PHI: 3 Days*
- REI: 24 Hours

Start applications prior to the onset of disease infection. The use of an adjuvant may improve disease control.

Target Diseases

- Black dot
- Early blight
- Late blight
- Powdery mildew
- White mold (suppression)

*In the following states: CT, DE, FL, MA, ME, MI, NH, NY, OH, PA, RI, VT and WI. All other states PHI is 14 days.

Adjuvant Use with Cabrio Plus

- Adjuvant may improve performance
- Crop Production Services options include:
 - Phase® at 0.5% v/v
 - Franchise® at 0.25% v/v
 - Liberate® at 0.25% v/v
- Consult a Crop Production Services Rep for details



Cabrio® Plus
Fungicide

Always read and follow label directions.

Cabrio and Headline are registered trademarks of BASF.
Franchise, Phase, Liberate & LECI-TECH are registered trademarks of Loveland Products, Inc.
©2013 BASF Corporation. All Rights Reserved. APN# 1306004 Cabrio Plus-Potato
For more information on BASF Crop Protection products, visit www.agproducts.basf.us

BASF
The Chemical Company