Headline AMP[®]

Fungicide

Achieve Maximum Potential Corn Yields in the Southern U.S.

Benefits of Headline AMP® Fungicide

- Delivers the most yield at tassel
- Proven Plant Health benefits of Headline® fungicide
- Best-in-class preventative and post-infection disease control

Late Season Disease Control and Plant Health Helps Corn Maximize Photosynthesis



Untreated

University of Arkansas



Headline 6 fl oz/A 41 DAT

Headline AMP Fungicide 2011-12 Replicated Testing Results

Н	eadline AMP 10 fl o	z/A			199.5					
Qu	uilt Xcel® 10.5 fl oz/A	-3.2 bu/A		196.3						
St	ratego [®] YLD 4 fl oz/A	-4.3 bu/A		195.2						
Ev	Evito [™] 2 fl oz/A -5.8 bu/A		193	8.7						
180	185	190	195	5	200	205				
Yield Bu/A										

BASF and University Replicated Trials (n=30); AR, CO, IA(3), IL(6), IN(2), KS(3), KY(2), MD, MI, MN, MO, MS(2), NE(2), TN(2), VA, WI.

Southern U.S. On-Farm Testing Results Summary

Hea	dline AMP		+11.1	bu/A 216	;
Untre	eated Check	204.9			
195	200	205	210	215	220
		Yield B	u/A		


2010-12 BASF on-farm trials, Headline AMP 10 fl oz/A @ VT-R1, 40 locations, BASF supported

Technical Information Bulletin



Competitive Triazole Comparisons

Inbred Corn, 5 weeks after application



Southern Rust Control Gray Leaf Spot Control Headline AMP® is a combination of Headline® fungicide and Caramba fungicide

Increased stalk strength with Headline AMP.

Reduced lodging, increased standability, increased harvest efficiency.





applied 5-17-12

Untreated with Severe Southern Rust

Same hybrid, same field, same day. B-H Genetics

Ground & Aerial Application

An adjuvant may be used with Headline AMP fungicide prior to the V8 stage and after corn reaches the VT stage.

Another fungicide or an insecticide may be included in the tank mix, if needed, and labeled for use on corn.

Headline AMP[®]

Labeled Crops

Corn (all types)

Use Rate

10 to 14.4 fl oz/A

Application Information


- Aerial: >/=5 GPA; Ground: >/= 10 GPA
- PHI: 20-days for field corn; 7-days for seed and sweet corn
- REI: 12 hours

Adjuvant

 Adjuvant flexible: however, do not use an adjuvant between V8 and VT corn

Target Diseases

- Anthracnose
- Eyespot
- Gray leaf spot
- Northern corn leaf blight
- Northern corn leaf spot
- Physoderma brown spot
- Common Rust
- Southern Rust
- Southern corn leaf blight
- Yellow leaf blight



Always read and follow label directions

Caramba, Headline and Headline AMP are registered trademarks of BASF Corporation. Quilt Xcel and Tilt are a registered trademark of Syngenta Group Company. Evito is a registered trademark of Arysta Life Science NA. Stratego and Proline are registered trademarks of Bayer CropScience. ©2013 BASF Corporation. All Rights Reserved. APN # 13-01-011 ARR



Fungicide