



## Elastocoat® C 6335/101

Page 1/1  
Version: 01  
Date of issue 27.01.2012

## Project information

Name	Astana Arena Stadium	
Location	Astana - Kazachstan	
Date of application	Summer 2011	
Product(s) used	Elastocoat C 6335/101	
Project details		
Surface	metal	
Surface area	10.000 m <sup>2</sup>	
Function of the product(s)	Waterproofing and corrosion protection	
Before	After	
		

® = registered trade mark of BASF

The data contained in this publication is based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, this data does not relieve processors from carrying out their own investigations and tests; neither does this data imply any guarantee of certain properties, or the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior notice and do not constitute the agreed contractual quality of the product. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed. (Date of publication).

**BASF Polyurethanes Benelux B.V.**  
Postbus 287  
5180 AG Boxtel  
The Netherlands

Tel: +31 (0) 411 615 615  
Fax: +31 (0) 411 615 616  
Mail: pu-nl@basf.com  
Internet: www.pu.basf.eu/nl

## Case Study

# Elastocoat® C 6430/100

Page 1/1  
Version: 02  
Date of issue 05.08.2011

### Project information

Name	BASF Poliurethanes Spain	
Location	Rubi	
Date of application	August 2011	
Product(s) used	Elastocoat C 6429/100 Elastocoat C 6430/100	
Project details		
Surface	Concrete	
Surface area	500 m <sup>2</sup>	
Function of the product(s)	C 6429/100 Primer C 6430/100 UV stable waterproofing	
Before	After	
		

® = registered trade mark of BASF

The data contained in this publication is based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, this data does not relieve processors from carrying out their own investigations and tests; neither does this data imply any guarantee of certain properties, or the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior notice and do not constitute the agreed contractual quality of the product. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed. (Date of publication).



**BASF Polyurethanes Iberia.**  
P.I. Can Jordi  
C/compositor Vicaldi 1-7  
08191 Rubí

Tel: +34 936 806 100  
Fax: +34 936 806 102

## Elastocoat® C 6335/101

Page 1/1  
 Version: 02  
 Date of issue 10.10.2011

### Project information

Name	Silo
Location	Cegléd - Hungary
Date of application	October 2011
Product(s) used	Elastocoat C 6335/101
Project details	
Surface	metal
Surface area	1100 m <sup>2</sup>
Function of the product(s)	Waterproofing and corrosion protection
Before	After
	

® = registered trade mark of BASF

The data contained in this publication is based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, this data does not relieve processors from carrying out their own investigations and tests; neither does this data imply any guarantee of certain properties, or the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior notice and do not constitute the agreed contractual quality of the product. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed. (Date of publication).



**BASF Poliuretán Hungária Kft.**  
 Terstyánszky út 89.,  
 H-2083 Solymár  
 Hungary

Tel: +36 26 560-588  
 Fax: +36 26 560-590

**Elastocoat® C 6335/101/7024**

Page 1/1  
 Version: 01  
 Date of issue 28.07.2010

**Project information**

Name	Polyaris	
Location	Perm, Russia	
Date of application	July 2012	
Product(s) used	Elastocoat C 6335/101/7024	
Project details: Roof coating of municipal object in Chelyabinsk		
Surface	Bitumen	
Surface area	1200 m <sup>2</sup>	
Function of the product(s)	Hydro insulation	
Before	After	
		

© = registered trade mark of BASF

The data contained in this publication is based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, this data does not relieve processors from carrying out their own investigations and tests; neither does this data imply any guarantee of certain properties, or the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior notice and do not constitute the agreed contractual quality of the product. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed. (Date of publication).

**BASF Polyurethanes Benelux B.V.**

Postbus 287  
 5180 AG Boxtel

Tel: +31 (0) 411 615 615  
 Fax: +31 (0) 411 615 616  
 Mail: [pu-nl@basf.com](mailto:pu-nl@basf.com)  
 Internet: [www.pu.basf.eu/nl](http://www.pu.basf.eu/nl)



## Elastocoat® C 6335/101/7024

Page 1/1  
Version: 01  
Date of issue 28.07.2010

### Project information

Name	Stroyizolyuatsia
Location	Naberezhniye Chelny, Tatarstan, Russia
Date of application	August 2012
Product(s) used	Elastocoat C 6335/101/7024
Project details: Roof of agricultural plant in N. Chelny	
Surface	PVC membrane
Surface area	2000 m <sup>2</sup>
Function of the product(s)	Joints and construction units water proofing
Before	
	
After	
	

® = registered trade mark of BASF

The data contained in this publication is based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, this data does not relieve processors from carrying out their own investigations and tests; neither does this data imply any guarantee of certain properties, or the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior notice and do not constitute the agreed contractual quality of the product. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed. (Date of publication).

**BASF Polyurethanes Benelux B.V.**


Postbus 287  
5180 AG Boxtel

Tel: +31 (0) 411 615 615  
Fax: +31 (0) 411 615 616  
Mail: pu-nl@basf.com  
Internet: www.pu.basf.eu/nl

## Elastocoat® C 6335/101/7024

Page 1/1  
Version: 01  
Date of issue 28.07.2010

### Project information

Name	Promstroyizolyuatsiya
Location	Naberezniye Chelny, Tatarstan, Russia
Date of application	August 2012
Product(s) used	Elastocoat C 6335/101/7024
Project details: Roof of agricultural plant in Elabuga	
Surface	PVC membrane
Surface area	700 m <sup>2</sup>
Function of the product(s)	Roof water proofing
Before	
	
After	
	

® = registered trade mark of BASF

The data contained in this publication is based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, this data does not relieve processors from carrying out their own investigations and tests; neither does this data imply any guarantee of certain properties, or the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior notice and do not constitute the agreed contractual quality of the product. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed. (Date of publication).

**BASF Polyurethanes Benelux B.V.**



Postbus 287  
5180 AG Boxtel

Tel: +31 (0) 411 615 615  
Fax: +31 (0) 411 615 616  
Mail: pu-nl@basf.com  
Internet: www.pu.basf.eu/nl

## Elastocoat® C 6335/101/7024

Page 1/1  
Version: 01  
Date of issue 28.07.2010

### Project information

Name	BAU Chemical	
Location	Chelyabinsk, Russia	
Date of application	August 2012	
Product(s) used	Elastospray 1612/34 Elastocoat C 6335/101/7024	
Project details: Roof coating of public market in Magnitogorsk		
Surface	Spray foam	
Surface area	2500 m <sup>2</sup>	
Function of the product(s)	Hydro insulation	
Before	After	
		

® = registered trade mark of BASF

The data contained in this publication is based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, this data does not relieve processors from carrying out their own investigations and tests; neither does this data imply any guarantee of certain properties, or the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior notice and do not constitute the agreed contractual quality of the product. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed. (Date of publication).

**BASF Polyurethanes Benelux B.V.**



Postbus 287  
5180 AG Boxtel

Tel: +31 (0) 411 615 615  
Fax: +31 (0) 411 615 616  
Mail: pu-nl@basf.com  
Internet: www.pu.basf.eu/nl

## Elastocoat® C 6335/101/7024

Page 1/1  
 Version: 01  
 Date of issue 28.07.2010

### Project information

Name	BAU Chemical	
Location	Chelyabinsk, Russia	
Date of application	June 2012	
Product(s) used	Elastocoat C 6431/102/9017 (primer) Elastocoat C 6335/101/7024	
Project details: Roof coating of municipal object in Chelyabinsk		
Surface	Bitumen	
Surface area	1200 m <sup>2</sup>	
Function of the product(s)	Hydro insulation	
Before	After	
		

® = registered trade mark of BASF

The data contained in this publication is based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, this data does not relieve processors from carrying out their own investigations and tests; neither does this data imply any guarantee of certain properties, or the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior notice and do not constitute the agreed contractual quality of the product. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed. (Date of publication).

**BASF Polyurethanes Benelux B.V.**

Postbus 287  
 5180 AG Boxtel

Tel: +31 (0) 411 615 615  
 Fax: +31 (0) 411 615 616  
 Mail: pu-nl@basf.com  
 Internet: www.pu.basf.eu/nl



**Elastocoat® C 6335/101/7024**

Page 1/1  
 Version: 01  
 Date of issue 28.07.2010

**Project information**

Name	Stroyizolyuatsia	
Location	Kazan, Russia	
Date of application	July 2012	
Product(s) used	Elastocoat C 6335/101/7024	
Project details: Roof of Kazan metallic constructions plant		
Surface	PU foam	
Surface area	3000 m <sup>2</sup>	
Function of the product(s)	Water proofing	
Before	After	
		

® = registered trade mark of BASF

The data contained in this publication is based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, this data does not relieve processors from carrying out their own investigations and tests; neither does this data imply any guarantee of certain properties, or the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior notice and do not constitute the agreed contractual quality of the product. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed. (Date of publication).

**BASF Polyurethanes Benelux B.V.**

Postbus 287  
 5180 AG Boxtel

Tel: +31 (0) 411 615 615  
 Fax: +31 (0) 411 615 616  
 Mail: pu-nl@basf.com  
 Internet: www.pu.basf.eu/nl

**Elastocoat® C 6335/101**

Page 1/1  
Version: 02  
Date of issue 05.10.2011

**Project information**

Name	Offloading bay
Location	Tortosa
Date of application	November 2009
Product(s) used	Elastocoat C 6335/101
Project details	
Surface	Concrete
Surface area	60 m <sup>2</sup>
Function of the product(s)	Concrete sealer against citric acid



® = registered trade mark of BASF

The data contained in this publication is based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, this data does not relieve processors from carrying out their own investigations and tests; neither does this data imply any guarantee of certain properties, or the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior notice and do not constitute the agreed contractual quality of the product. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed. (Date of publication).

**BASF Polyurethanes South Africa (Pty) Ltd.**

PO Box 1449  
Edenvale 1610  
South Africa

Tel: +27 11 437 7655  
Fax: +27 86 669 7418