

Foamaster[®] MO 2107 ED

(old : Foamaster[®] G)



general	Foamaster [®] MO 2107 ED is a 100% active liquid defoamer for water-based paints
chemical nature	Blend of low aromatic mineral oil and hydrophobized silica (siliconized)

Properties

physical form	opaque, grayish liquid
shelf life	Subject to appropriate storage under the usual storage and temperature conditions, our products are durable for at least 1 year.
storage	During storage of Foamaster [®] MO 2107 ED a slight sedimentation / phase separation might occur. The defoaming properties of Foamaster [®] MO 2107 ED are not affected, if the product is mixed thoroughly prior to use.

typical properties (no supply specification)

active ingredients	~ 100%
density at 23 °C	~ 0.9 g/cm ³
viscosity Brookfield LVT, 23°C	~ 600 mPas
ashes, QP 2147	~ 9%

Application

Foamaster[®] MO 2107 ED is a strong and persistent defoamer for water-based paints based on vinyl acetate, acrylic and vinyl acrylic dispersions. It is especially recommended when high concentrations of surfactants are present like in deep tone finishes.

recommended concentrations

0,2–1,0 % on total formula weight. Stir well during incorporation.

storage

Upon longer storage the product might show some separation. Mix well before use.

Safety

When handling these products, please comply with the advice and information given in the safety data sheet and observe protective and workplace hygiene measures adequate for handling chemicals.

Note

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights, etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. The agreed contractual quality of the product results exclusively from the statements made in the product specification. It is the responsibility of the recipient of our product to ensure that any proprietary rights and existing laws and legislation are observed.

® = registered trademark, ™ = trademark of BASF Group, unless otherwise noted

BASF SE
Formulation Additives
67056 Ludwigshafen, Germany
www.dispersions-pigments.basf.com
formulation-additives-europe@basf.com
formulation-additives-asia@basf.com
formulation-additives-nafta@basf.com
formulation-additives-south-america@basf.com