

Xangold® 10%

Chemical names of active ingredient

Lutein
Lutein esters

CAS-No. 127-40-2

EINECS-No. 204-840-0

PRD-No.
30530885

Articles
50241010 5 kg fibre drum

Country of origin
Japan

Description

Dark, reddish-brown microencapsulated tablet grade powder containing natural mixed carotenoid esters isolated from marigold flowers (*Tagetes erecta*). The esters comprise primarily lutein esters.


Typical Profile as Esters

Total Carotenoid Esters	min.	100.0 mg/g
Lutein Esters*	approx.	95.1 mg/g
Zeaxanthin Esters*	approx.	4.9 mg/g

* Typical values, not determined regularly.

Theoretical Profile as Free Carotenoids (chemical conversion converts the carotenoid esters to free carotenoids)

Total Carotenoids	54.0 mg/g
Lutein	51.4 mg/g
Zeaxanthin	2.6 mg/g



R, R' = mainly C₁₃H₂₇CO-, C₁₅H₃₁CO-,
C₁₇H₃₅CO-Average Molar mass 1056.5 g/mol
Main constituent: Lutein dipalmitate
C₇₂H₁₁₆O₄ Molar mass 1045.7 g/mol

Composition

Ingredients in descending order of weight:
Gelatin, sucrose, palm oil, lutein, ascorbyl palmitate, tocopheryl-rich extract, silicon dioxide.

Solubility

Insoluble in water, slightly soluble in organic solvents.

Specification

Assay (content of natural mixed carotenoid esters) min. 100 mg/g

For further information see separate document: "Standard Specification" (not for regulatory purposes) available via BASF's WorldAccount: <https://worldaccount.basf.com> (registered access).

Regulations

Lutein esters are approved for use as a food colorant and as a nutritional ingredient in most countries.

However, specific regulations on the ingredients used in the respective countries and for the intended use have to be considered.

Bulk density

0.65 – 0.75 g/ml

Stability, Storage and Handling

Stored in the unopened original packaging at ambient temperature (max. 25 °C) in a dry place, the product is stable for at least 24 months. Carotenoids are sensitive to light, heat and oxygen and need to be stored in a light proof and airtight container.

Applications

Dietary supplements:

Xangold® 10% as a source of lutein esters may be formulated in single entity or in multivitamin tablets using direct compression. For best results, it is recommended to use direct compression without wet granulation. Due to its free-flowing properties, Xangold® 10% is also suitable for the application in hard gelatin.

Food products:

Xangold® 10% as a source of lutein esters may be formulated in various applications. The gelatin contained in Xangold® 10% melts at approx. 45 °C releasing the lutein esters from the encapsulation.

Note

Xangold® 10% must be handled in accordance with the Safety Data Sheet.

This document, or any information provided herein does not constitute a legally binding obligation of BASF and has been prepared in good faith and is believed to be accurate as of the date of issuance. Unless expressly agreed otherwise in writing in a supply contract or other written agreement between you and BASF:

- a) To the fullest extent not prohibited by the applicable laws, BASF EXPRESSLY DISCLAIMS ALL OTHER REPRESENTATIONS, WARRANTIES, CONDITIONS OR GUARANTEES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, WRITTEN OR ORAL, BY FACT OR LAW, INCLUDING ANY IMPLIED WARRANTIES, REPRESENTATIONS OR CONDITIONS OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, SATISFACTORY QUALITY, NON-INFRINGEMENT, AND ANY REPRESENTATIONS, WARRANTIES, CONDITIONS OR GUARANTEES, ARISING FROM STATUTE, COURSE OF DEALING OR USAGE OF TRADE and BASF HEREBY EXPRESSLY EXCLUDES AND DISCLAIMS ANY LIABILITY RESULTING FROM OR IN CONNECTION WITH THIS DOCUMENT OR ANY INFORMATION PROVIDED HEREIN, including, without limitation, any liability for any direct, consequential, special, or punitive damages relating to or arising therefrom, except in cases of (i) death or personal injury to the extent caused by BASF's sole negligence, (ii) BASF's willful misconduct, fraud or fraudulent misrepresentation or (iii) any matter in respect of which it would be unlawful for BASF to exclude or restrict liability under the applicable laws;
- b) Any information provided herein can be changed at BASF's sole discretion anytime and neither this document nor the information provided herein may be relied upon to satisfy from any and all obligations you may have to undertake your own inspections and evaluations;
- c) BASF rejects any obligation to, and will not, automatically update this document and any information provided herein, unless required by applicable law; and
- d) This document or any information provided herein must not be used for purposes of pharmaceutical registrations.

If you have any further questions or need additional support, please contact your BASF sales representative.