

Safety data sheet

Page: 1/36

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Sodium Bisulfite Solution 38-40% non food grade

UFI: R4XE-J0P2-X00Y-307P

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical

Recommended use: inorganic reducing agents, initial product for chemical syntheses, process chemical

For the detailed identified uses of the product see appendix of the safety data sheet.

1.3. Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Division Monomers

E-mail address: pss.monomers@basf.com

1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4 (oral)

H302 Harmful if swallowed.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:



Signal Word:

Warning

Hazard Statement:

H302 Harmful if swallowed.

Precautionary Statements (Prevention):

P270 Do not eat, drink or smoke when using this product.

P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P312 Call a POISON CENTER or physician if you feel unwell.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste collection point.

Labeling of special preparations (GHS):

EUH031: Contact with acids liberates toxic gas.

Hazard determining component(s) for labelling: sodium hydrogensulphite (aqueous solution)

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. No specific dangers known, if the regulations/notes for storage and handling are considered.

The product does not contain a substance above legal limits fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

aqueous solution, sodium hydrogensulphite ... %NaHSO₃

Regulatory relevant ingredients

sodium hydrogensulphite ... %

Content (W/W): >= 38 % - <= 42 % Acute Tox. 4 (oral)

CAS Number: 7631-90-5 H302

EC-Number: 231-548-0 EUH031

REACH registration number: 01-

2119524563-42

INDEX-Number: 016-064-00-8

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. After inhalation of decomposition products: Immediately administer a corticosteroid from a controlled/metered dose inhaler.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Overexposure may cause: vomiting, convulsions, circulatory collapse, CNS stimulation, abdominal cramps, hypotony, gastric hemorrhage, nausea, diarrhea

Hazards: Risk of sulfur dioxide formation by reaction with gastric acid after swallowing.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

water spray, alcohol-resistant foam, dry powder, carbon dioxide

5.2. Special hazards arising from the substance or mixture

Endangering substances: Sulphur dioxide

Advice: The substances/groups of substances mentioned can be released if the product is involved in a fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. Contaminated extinguishing water must be disposed of in accordance with official regulations. In case of fire and/or explosion do not breathe fumes.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Breathing protection required.

6.2. Environmental precautions

Do not empty into drains.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

For large amounts: Pump off product. Dispose of absorbed material in accordance with regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Use only in well-ventilated areas. Avoid inhalation of dusts/mists/vapours. Breathing must be protected when large quantities are decanted without local exhaust ventilation.

Protection against fire and explosion:

The substance/product is non-combustible. No special precautions necessary.

7.2. Conditions for safe storage, including any incompatibilities

Suitable materials for containers: Polyester resin, glass reinforced (Palatal A410), rubberized, Stainless steel 1.4462, Stainless steel 1.4402 (V4A), Stainless steel 1.4404

Further information on storage conditions: Keep away from heat. Keep at temperature not exceeding 40 °C. The product consumes oxygen. Danger of lack of oxygen in containers and tanks.

Storage class according to TRGS 510 (originally VCI, Germany): (12) Non-combustible liquids

Protect from temperatures below: 10 °C

The packed product must be protected from temperatures below the indicated one.

7.3. Specific end use(s)

See exposure scenario(s) in the attachment to this safety data sheet.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

No occupational exposure limits known.

The release and quantity of the stated substance is dependent on the processing conditions. The substance mentioned develops if the regulation/notes for storage and handling are not observed.

7446-09-5: Sulphur dioxide

Short Term Exposure Classification: (TRGS 900 (DE))

Category I: Substances for which the localized effect has an assigned exposure limit or for substances with a sensitizing effect in respiratory passages

OEL 2,7 mg/m³ ; 1 ppm (TRGS 900 (DE))

Ceiling limit value/factor: 1

If the occupational exposure limit value (AGW) and the biological limit value (BGW) are complied with, there should be no risk of damage for the unborn child (see TRGS 900, Number 2.7)

Skin Designation (TRGS 900 (DE))

The substance can be absorbed through the skin.

Components with PNEC

7631-90-5: sodium hydrogensulphite ... %

freshwater: 1,09 mg/l

marine water: 0,11 mg/l

STP: 82,5 mg/l

Components with DNEL

7631-90-5: sodium hydrogensulphite ... %

worker: Long-term exposure- systemic effects, Inhalation: 246 mg/m³

consumer: Long-term exposure- systemic effects, Inhalation: 73 mg/m³

consumer: Long-term exposure- systemic effects, oral: 9,5 mg/kg

7446-09-5: Sulphur dioxide

worker: Short-term exposure - local effects, Inhalation: 2,7 mg/m³

worker: Long-term exposure - local effects, Inhalation: 1,3 mg/m³

consumer: Long-term exposure - local effects, Inhalation: 0,53 mg/m³

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Gas filter for gases/vapours of inorganic compounds (e.g. EN 14387 Type B) Suitable respiratory protection for higher concentrations or long-term effect: Self-contained breathing apparatus.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):

chloroprene rubber (CR) - 0.5 mm coating thickness

butyl rubber (butyl) - 0.7 mm coating thickness

nitrile rubber (NBR) - 0.4 mm coating thickness

fluoroelastomer (FKM) - 0.7 mm coating thickness

polyvinylchloride (PVC) - 0.7 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Do not breathe vapour/spray.

SECTION 9: Physical and Chemical Properties**9.1. Information on basic physical and chemical properties**

State of matter:	liquid
Form:	aqueous solution
Colour:	colourless to yellow
Odour:	pungent odour
Odour threshold:	Not determined due to potential health hazard by inhalation.
crystallization temperature:	< 5 °C
Boiling point:	100 °C (1.013 mbar)
Flammability:	Information applies to the solvent. not flammable
Lower explosion limit:	For liquids not relevant for classification and labelling.
Upper explosion limit:	For liquids not relevant for classification and labelling.
Flash point:	not applicable
Auto-ignition temperature:	not applicable

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

Self-ignition temperature:

Test type: Self-ignition at high temperatures.

Thermal decomposition: not self-igniting

It is not a self-decomposable substance.

pH value: 3,5 - 5,0 (DIN 19268)

Viscosity, kinematic:

not determined

Viscosity, dynamic: 3,64 mPa.s (DIN 51562)
(20 °C)

Solubility in water:

approx. 515 g/l
(20 °C)

Solubility (quantitative) solvent(s): Water

approx. 515 g/l
(20 °C)The values mentioned are those of
the solved solid.*Information on: sodium hydrogensulphite ... %**Partitioning coefficient n-octanol/water (log Kow):**not applicable*-----
Vapour pressure: approx. 155 mbar
(55 °C)approx. 124 mbar
(50 °C)approx. 24 mbar
(20 °C)The vapour pressure of the aqueous
solution consists of the partial
pressure for water and the partial
pressure for sulphur dioxide.27 hPa
(20 °C)103 hPa
(50 °C)Density: 1,31 - 1,35 g/cm³ (DIN 51757)
(20 °C)Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form. -

9.2. Other information**Information with regard to physical hazard classes**Explosives

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

Explosion hazard: Based on the chemical structure there is no indication of explosive properties.

Oxidizing properties

Fire promoting properties: not fire-propagating

Flammable solids

Burning rate:
not applicable

Pyrophoric properties

Self-ignition temperature: Test type: Spontaneous self-ignition at room-temperature.
not self-igniting

Other safety characteristics

pKA:
not applicable

Adsorption/water - soil:
Study scientifically not justified.

Surface tension:
Based on chemical structure, surface activity is not to be expected.

Evaporation rate:
Value can be approximated from Henry's Law Constant or vapor pressure.

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

Exothermic reaction. Reacts with peroxides. Reacts with nitrites. The product consumes oxygen.

10.4. Conditions to avoid

avoid atmospheric oxygen See SDS section 7 - Handling and storage.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

10.5. Incompatible materials

Substances to avoid:
acids, oxidizing agents

10.6. Hazardous decomposition products

Possible thermal decomposition products:
Sulphur dioxide

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Experimental/calculated data:

LC50 rat (by inhalation): > 5,5 mg/l 4 h (OECD Guideline 403)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

LD50 rat (dermal): > 2.000 mg/kg (OECD Guideline 402)

No mortality was observed. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: sodium hydrogensulphite ... %

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Information on: sodium hydrogensulphite ... %

Experimental/calculated data:

LD50 rat (oral): approx. 2.610 mg/kg (similar to OECD guideline 401)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Irritation

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (OECD Guideline 404)

Literature data.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

Serious eye damage/irritation
rabbit: non-irritant (OECD Guideline 405)
Literature data.

Respiratory/Skin sensitization

Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: Non-sensitizing. (OECD Guideline 429)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in a test with mammals.

Carcinogenicity

Assessment of carcinogenicity:

No reliable data was available concerning carcinogenic activity. The chemical structure does not suggest a specific alert for such an effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Experiences in humans

Experimental/calculated data:

If this substance comes into close contact with the skin of hypersensitive persons, sensitization might occur.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No substance-specific organotoxicity was observed after repeated administration to animals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aspiration hazard

No aspiration hazard expected.

Interactive effects

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other information

Other relevant toxicity information

after oral administration after inhalation Can cause allergies

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

Chronic toxicity to fish:

No observed effect concentration (34 d) \geq 50 mg/l, *Brachydanio rerio* (OECD Guideline 210, Flow through.)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Nominal concentration.

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d) $>$ 10 mg/l, *Daphnia magna* (OECD Guideline 211, semistatic)

Nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: sodium hydrogensulphite ... %

Toxicity to fish:

*LC50 (96 h) 316 mg/l, *Leuciscus idus* (DIN 38412 Part 15, static)*

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Nominal concentration.

Information on: sodium hydrogensulphite ... %

Aquatic invertebrates:

*(48 h) 89 mg/l, *Daphnia magna* (Directive 79/831/EEC, static)*

Nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: sodium hydrogensulphite ... %

Aquatic plants:

*EC50 (72 h) 43,8 mg/l (growth rate), *Scenedesmus subspicatus* (OECD Guideline 201, static)*

Nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: sodium hydrogensulphite ... %

Microorganisms/Effect on activated sludge:

EC10 (3 h) 634,4 mg/l, (OECD Guideline 209, static)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Nominal concentration.

Assessment of terrestrial toxicity:

Study scientifically not justified.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H₂O):

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

Inorganic product which cannot be eliminated from water by biological purification processes. Decomposition products formed by microbiotic degradation may affect the activity in biological waste water treatment plants.

Assessment of stability in water:

According to structural properties, hydrolysis is not expected/probable.

Study scientifically not justified.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

Accumulation in organisms is not to be expected.

Bioaccumulation potential:

Study scientifically not justified.

Information on: sodium hydrogensulphite ... %

Assessment bioaccumulation potential:

Accumulation in organisms is not to be expected.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: Adsorption to solid soil phase is not expected.

12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative). Self classification

12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

12.8. Additional information

Other ecotoxicological advice:

Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations. At the present state of knowledge, no negative ecological effects are expected.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Contact manufacturer regarding recycling.

Contact waste centre regarding recycling.

Must be disposed of or incinerated in accordance with local regulations.

Obtain the consent of pollution control authorities before discharging to wastewater treatment plants.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

SECTION 14: Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable

UN proper shipping name: Not applicable

Transport hazard class(es): Not applicable

Packing group: Not applicable

Environmental hazards: Not applicable

Special precautions for user: None known

RID

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable

UN proper shipping name: Not applicable

Transport hazard class(es): Not applicable

Packing group: Not applicable

Environmental hazards: Not applicable

Special precautions for user: None known

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

Inland waterway transport

ADN

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	None known

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	None known

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3

Hazardous Incident Ordinance (Germany):

Listed in above regulation: no

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):

Listed in above regulation: no

Classification according to 'TA-Luft' (Germany):

5.2.1: total dust, including fine dust

Water hazard class (§8/§10 AwSV (Self-classification of the mixture according to calculation method)): (1) Weakly water polluting.

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

15.2. Chemical Safety Assessment

Chemical Safety Assessment performed

SECTION 16: Other Information

Assessment of the hazard classes according to UN GHS criteria (most recent version)

Acute Tox. 4 (oral)

Aquatic Acute 3

Acute Tox.

Acute toxicity

H302

Harmful if swallowed.

EUH031

Contact with acids liberates toxic gas.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

Annex: Exposure Scenarios

Index

1. Manufacture of substance, Industrial applications, Formulation of solutions, (liquid products)
 SU3; SU1, SU2a, SU2b, SU3, SU4, SU5, SU6a, SU6b, SU7, SU8, SU9, SU10, SU11, SU12, SU13, SU14, SU15, SU16, SU17, SU18, SU19, SU20, SU23; ERC1, ERC2, ERC4, ERC5, ERC6a, ERC6b, ERC6c, ERC6d, ERC7, ERC8a, ERC8b, ERC8e, ERC9a, ERC9b; PROC1, PROC2, PROC3, PROC4, PROC5, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC12, PROC13, PROC14, PROC15, PROC16, PROC17, PROC18, PROC19; PC1, PC2, PC3, PC4, PC7, PC8, PC9a, PC9b, PC12, PC13, PC14, PC15, PC17, PC18, PC19, PC20, PC23, PC24, PC25, PC26, PC28, PC30, PC31, PC32, PC34, PC35, PC37, PC38, PC39, PC40

2. Professional applications, (liquid products)
 SU22; SU22; ERC1, ERC2, ERC4, ERC5, ERC6a, ERC6b, ERC6c, ERC6d, ERC7, ERC8a, ERC8b, ERC8e, ERC9a, ERC9b; PROC2, PROC3, PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC10, PROC11, PROC12, PROC13, PROC14, PROC15, PROC16, PROC17, PROC18, PROC19, PROC20; PC1, PC2, PC7, PC9a, PC9b, PC12, PC14, PC15, PC17, PC18, PC20, PC23, PC24, PC25, PC26, PC30, PC31, PC34, PC35, PC37, PC38, PC40

3. Cleaning agents
 SU21; SU21; ERC8a, ERC8b; PC0,,

4. Production of woodbased materials (panels, bricks, etc)
 SU3; SU3, SU6a, SU18; ERC5, ERC6b; PROC4, PROC6, PROC8b, PROC21, PROC24

5. Use in Wood articles
 SU22; SU22, SU6a, SU18; ERC11a, ERC11b; PROC21, PROC24

1. Short title of exposure scenario

Manufacture of substance, Industrial applications, Formulation of solutions, (liquid products)
 SU3; SU1, SU2a, SU2b, SU3, SU4, SU5, SU6a, SU6b, SU7, SU8, SU9, SU10, SU11, SU12, SU13, SU14, SU15, SU16, SU17, SU18, SU19, SU20, SU23; ERC1, ERC2, ERC4, ERC5, ERC6a, ERC6b, ERC6c, ERC6d, ERC7, ERC8a, ERC8b, ERC8e, ERC9a, ERC9b; PROC1, PROC2, PROC3, PROC4, PROC5, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC12, PROC13, PROC14, PROC15, PROC16, PROC17, PROC18, PROC19; PC1, PC2, PC3, PC4, PC7, PC8, PC9a, PC9b, PC12, PC13, PC14, PC15, PC17, PC18, PC19, PC20, PC23, PC24, PC25, PC26, PC28, PC30, PC31, PC32, PC34, PC35, PC37, PC38, PC39, PC40

Control of exposure and risk management measures

Contributing exposure scenario	
Use descriptors covered	PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. PROC2: Chemical production or

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC12: Use of blowing agents in manufacture of foam Use domain: industrial
Operational conditions	
Concentration of the substance	sodium hydrogensulphite ... % Content: >= 0 % - <= 100 %
Physical state	liquid
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Use suitable chemically resistant gloves. Wear suitable working clothes. Wear suitable face shield	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
PROC1, PROC2, PROC12	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,001 mg/m ³
Risk Characterization Ratio (RCR)	< 0,001
PROC1, PROC2, PROC12	
Assessment method	Qualitative assessment
	Worker - contact with eyes
Contributing exposure scenario	
Use descriptors covered	PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing). PROC13: Treatment of articles by dipping and pouring. PROC14: Tableting, compression, extrusion, pelletisation,

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

	granulation PROC15: Use a laboratory reagent. PROC16: Use of fuels Use domain: industrial
Operational conditions	
Concentration of the substance	sodium hydrogensulphite ... % Content: >= 0 % - <= 100 %
Physical state	liquid
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Use suitable chemically resistant gloves. Wear suitable face shield Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
PROC3, PROC8b, PROC9, PROC13, PROC14, PROC15, PROC16	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,01 mg/m ³
Risk Characterization Ratio (RCR)	0,001
PROC3, PROC8b, PROC9, PROC13, PROC14, PROC15, PROC16	
Assessment method	Qualitative assessment
	Worker - contact with eyes
Contributing exposure scenario	
Use descriptors covered	PROC4: Chemical production where opportunity for exposure arises PROC5: Mixing or blending in batch processes PROC8a: Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC10: Roller application or brushing PROC19: Manual activities involving hand contact Use domain: industrial
Operational conditions	
Concentration of the substance	sodium hydrogensulphite ... % Content: >= 0 % - <= 100 %

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

Physical state	liquid
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Use suitable chemically resistant gloves. Wear suitable face shield Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
PROC4, PROC5, PROC8a, PROC10, PROC19	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,05 mg/m ³
Risk Characterization Ratio (RCR)	0,005
PROC4, PROC5, PROC8a, PROC10, PROC19	
Assessment method	Qualitative assessment
	Worker - contact with eyes
Assessment method	Qualitative assessment
	Worker - contact with eyes

Contributing exposure scenario	
Use descriptors covered	PROC17: Lubrication at high energy conditions in metal working operations PROC18: General greasing /lubrication at high kinetic energy conditions Use domain: industrial
Operational conditions	
Concentration of the substance	sodium hydrogensulphite ... % Content: >= 0 % - <= 100 %
Physical state	liquid
Duration and Frequency of activity	5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Avoid frequent and direct contact with substance. Clean equipment and the	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

work area every day.	
Use suitable chemically resistant gloves. Wear suitable face shield Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
PROC17, PROC18	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,1 mg/m ³
Risk Characterization Ratio (RCR)	0,01
PROC17, PROC18	
Assessment method	Qualitative assessment
	Worker - contact with eyes

Contributing exposure scenario	
Use descriptors covered	PROC7: Industrial spraying Use domain: industrial
Operational conditions	
Concentration of the substance	sodium hydrogensulphite ... % Content: >= 0 % - <= 100 %
Physical state	liquid
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Avoid frequent and direct contact with substance. Clean equipment and the work area every day.	
Provide extract ventilation to points where emissions occur (LEV).	Effectiveness: 78,0 %
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

characterisation.	
Exposure estimate and reference to its source	
PROC7	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	4,4 mg/m ³
Risk Characterization Ratio (RCR)	0,44
PROC7	
Assessment method	Qualitative assessment
	Worker - contact with eyes

Contributing exposure scenario	
Use descriptors covered	As no environmental hazard was identified no environmental-related exposure assessment and risk characterization was performed.

* * * * *

2. Short title of exposure scenario

Professional applications, (liquid products)

SU22; SU22; ERC1, ERC2, ERC4, ERC5, ERC6a, ERC6b, ERC6c, ERC6d, ERC7, ERC8a, ERC8b, ERC8e, ERC9a, ERC9b; PROC2, PROC3, PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC10, PROC11, PROC12, PROC13, PROC14, PROC15, PROC16, PROC17, PROC18, PROC19, PROC20; PC1, PC2, PC7, PC9a, PC9b, PC12, PC14, PC15, PC17, PC18, PC20, PC23, PC24, PC25, PC26, PC30, PC31, PC34, PC35, PC37, PC38, PC40

Control of exposure and risk management measures

Contributing exposure scenario	
Use descriptors covered	PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC12: Use of blowing agents in manufacture of foam PROC20: Use of functional fluids in small devices Use domain: professional
Operational conditions	
Concentration of the substance	sodium hydrogensulphite ... % Content: >= 0 % - <= 100 %
Physical state	liquid
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
PROC2, PROC12, PROC20	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,001 mg/m ³
Risk Characterization Ratio (RCR)	< 0,001
PROC2, PROC12, PROC20	
Assessment method	Qualitative assessment
	Worker - contact with eyes

Contributing exposure scenario	
Use descriptors covered	PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC15: Use a laboratory reagent. Use domain: professional
Operational conditions	
Concentration of the substance	sodium hydrogensulphite ... % Content: >= 0 % - <= 100 %
Physical state	liquid
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Ensure minimization of manual phases Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
PROC3, PROC15	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,01 mg/m ³
Risk Characterization Ratio (RCR)	0,001
PROC3, PROC15	
Assessment method	Qualitative assessment
	Worker - contact with eyes

Contributing exposure scenario	
Use descriptors covered	PROC4: Chemical production where opportunity for exposure arises PROC5: Mixing or blending in batch processes PROC14: Tableting, compression, extrusion, pelletisation, granulation Use domain: professional
Operational conditions	
Concentration of the substance	sodium hydrogensulphite ... % Content: >= 0 % - <= 100 %
Physical state	liquid
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
PROC4, PROC5, PROC14	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,1 mg/m ³
Risk Characterization Ratio (RCR)	0,001

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

PROC4, PROC5, PROC14	
Assessment method	Qualitative assessment
	Worker - contact with eyes
Contributing exposure scenario	
Use descriptors covered	PROC8a: Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing). PROC13: Treatment of articles by dipping and pouring. PROC16: Use of fuels PROC18: General greasing /lubrication at high kinetic energy conditions Use domain: professional
Operational conditions	
Concentration of the substance	sodium hydrogensulphite ... % Content: >= 0 % - <= 100 %
Physical state	liquid
Duration and Frequency of activity	480 min 5 days per year
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC19	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,05 mg/m ³
Risk Characterization Ratio (RCR)	0,005
PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC19	
Assessment method	Qualitative assessment
	Worker - contact with eyes

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

Contributing exposure scenario	
Use descriptors covered	PROC11: Non industrial spraying Use domain: professional
Operational conditions	
Concentration of the substance	sodium hydrogensulphite ... % Content: >= 0 % - <= 100 %
Physical state	liquid
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes. Wear suitable respiratory protection.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
PROC11	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	5 mg/m ³
Risk Characterization Ratio (RCR)	0,5
PROC11	
Assessment method	Qualitative assessment
	Worker - contact with eyes

Contributing exposure scenario	
Use descriptors covered	PROC17: Lubrication at high energy conditions in metal working operations Use domain: professional
Operational conditions	
Concentration of the substance	sodium hydrogensulphite ... % Content: >= 0 % - <= 100 %
Physical state	liquid
Duration and Frequency of activity	480 min 5 days per week

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
PROC17	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	1 mg/m ³
Risk Characterization Ratio (RCR)	0,1
PROC17	
Assessment method	Qualitative assessment
	Worker - contact with eyes

Contributing exposure scenario	
Use descriptors covered	PROC16: Use of fuels PROC18: General greasing /lubrication at high kinetic energy conditions Use domain: professional
Operational conditions	
Concentration of the substance	sodium hydrogensulphite ... % Content: >= 0 % - <= 100 %
Physical state	liquid
Duration and Frequency of activity	480 min 5 days per week
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Wear suitable face shield Use suitable chemically resistant gloves. Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
PROC16, PROC18	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,5 mg/m ³
Risk Characterization Ratio (RCR)	0,05
PROC16, PROC18	
Assessment method	Qualitative assessment
	Worker - contact with eyes

Contributing exposure scenario	
Use descriptors covered	As no environmental hazard was identified no environmental-related exposure assessment and risk characterization was performed.

3. Short title of exposure scenario

Cleaning agents

SU21; SU21; ERC8a, ERC8b; PC0,,

Control of exposure and risk management measures

Contributing exposure scenario	
Use descriptors covered	SU21: Consumer uses Indoor Spot removers (liquid) The exposure scenario considers exposure of children.
Operational conditions	
Concentration of the substance	sodium hydrogensulphite ... % Content: >= 20 % - <= 50 %
Physical state	liquid
Duration and Frequency of activity	< 15 min 1 uses per day
Indoor/Outdoor	Indoor
Exposed skin area	Fingertips (36 cm ²), Palm of both hands (430 cm ²)
Risk Management Measures	
Application Area	Consumer use
Route of exposure	Oral
Consumer Measures	After contact with skin, wash immediately with plenty of

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

	water
Exposure estimate and reference to its source	
PROC0	
Assessment method	Other consideration (non-standard tool)
	Consumer- oral, long-term - local und systemic
Exposure estimate	0,0025 mg/kg bw/day
Risk Characterization Ratio (RCR)	0,026

Contributing exposure scenario	
Use descriptors covered	As no environmental hazard was identified no environmental-related exposure assessment and risk characterization was performed.

* * * * *

4. Short title of exposure scenario

Production of woodbased materials (panels, bricks, etc)

SU3; SU3, SU6a, SU18; ERC5, ERC6b; PROC4, PROC6, PROC8b, PROC21, PROC24

Control of exposure and risk management measures

Contributing exposure scenario	
Use descriptors covered	PROC4: Chemical production where opportunity for exposure arises Use domain: industrial
Operational conditions	
Concentration of the substance	sodium hydrogensulphite ... % Content: >= 0 % - <= 100 %
Physical state	liquid
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Use suitable chemically resistant gloves. Wear suitable face shield Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
PROC4	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,05 mg/m ³
Risk Characterization Ratio (RCR)	0,005
PROC4	
Assessment method	Qualitative assessment
	Worker - contact with eyes
Assessment method	Qualitative assessment
	Worker - contact with eyes

Contributing exposure scenario	
Use descriptors covered	PROC6: Calendering operations
Operational conditions	
Concentration of the substance	sodium hydrogensulphite ... % Content: >= 0 % - <= 100 %
Physical state	Solid
Duration and Frequency of activity	Exposure duration: 480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Use suitable chemically resistant gloves. Wear suitable working clothes. Wear safety shoes during all process steps	
Personal measures have to be applied in case of potential exposure only., Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
PROC6	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	5 mg/m ³
Risk Characterization Ratio (RCR)	0,5
PROC6	
Assessment method	Qualitative assessment
	Worker - contact with eyes

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

Contributing exposure scenario	
Use descriptors covered	PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities Use domain: industrial
Operational conditions	
Concentration of the substance	sodium hydrogensulphite ... % Content: >= 0 % - <= 100 %
Physical state	liquid
Duration and Frequency of activity	480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Use suitable chemically resistant gloves. Wear suitable face shield Wear suitable working clothes.	
Personal measures have to be applied in case of potential exposure only.	
Use suitable eye protection.	
Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
PROC8b	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,01 mg/m ³
Risk Characterization Ratio (RCR)	0,001
PROC8b	
Assessment method	Qualitative assessment
	Worker - contact with eyes

Contributing exposure scenario	
Use descriptors covered	PROC21: Low energy manipulation and handling of substances bound in/on materials or articles PROC24: High (mechanical) energy work-up of substances bound in /on materials and/or articles
Operational conditions	
Concentration of the substance	sodium hydrogensulphite ... % Content: >= 0 % - <= 100 %
Physical state	Solid

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

Duration and Frequency of activity	Exposure duration: 480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Use suitable chemically resistant gloves. Wear suitable working clothes. Wear safety shoes during all process steps	
Personal measures have to be applied in case of potential exposure only., Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
PROC21	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,5 mg/m ³
Risk Characterization Ratio (RCR)	0,05
PROC24	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	5,5 mg/m ³
Risk Characterization Ratio (RCR)	0,55
PROC21, PROC24	
Assessment method	Qualitative assessment
	Worker - contact with eyes

Contributing exposure scenario	
Use descriptors covered	As no environmental hazard was identified no environmental-related exposure assessment and risk characterization was performed.

* * * * *

5. Short title of exposure scenario

Use in Wood articles

SU22; SU22, SU6a, SU18; ERC11a, ERC11b; PROC21, PROC24

Control of exposure and risk management measures

Contributing exposure scenario	
Use descriptors covered	PROC21: Low energy manipulation and handling of

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023

	substances bound in/on materials or articles PROC24: High (mechanical) energy work-up of substances bound in /on materials and/or articles
Operational conditions	
Concentration of the substance	sodium hydrogensulphite ... % Content: >= 0 % - <= 100 %
Physical state	Solid
Duration and Frequency of activity	Exposure duration: 480 min 5 days per week
Indoor/Outdoor	Indoor
Risk Management Measures	
Clean equipment and the work area every day. Avoid frequent and direct contact with substance.	
Use suitable chemically resistant gloves. Wear suitable working clothes. Wear safety shoes during all process steps	
Personal measures have to be applied in case of potential exposure only., Risk Management Measures are based on qualitative risk characterisation.	
Exposure estimate and reference to its source	
PROC21	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	0,5 mg/m ³
Risk Characterization Ratio (RCR)	0,05
PROC24	
Assessment method	MEASE
	Worker - inhalation, long-term - systemic
Exposure estimate	5,5 mg/m ³
Risk Characterization Ratio (RCR)	0,55
PROC21, PROC24	
Assessment method	Qualitative assessment
	Worker - contact with eyes
Contributing exposure scenario	
Use descriptors covered	As no environmental hazard was identified no environmental-related exposure assessment and risk characterization was performed.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.01.2023

Version: 1.1

Date previous version: 15.12.2022

Previous version: 1.0

Date / First version: 15.12.2022

Product: **Sodium Bisulfite Solution 38-40% non food grade**

(ID no. 30042368/SDS_GEN_DE/EN)

Date of print 29.03.2023
