


**Priaxor**<sup>®</sup>  
Xemium<sup>®</sup> Brand Fungicide

**Headline AMP**<sup>®</sup>  
Fungicide

# For Disease Control, Plant Health and Maximum Yield Potential in Corn

## Sequential Fungicide Applications on Corn—Priaxor<sup>®</sup> Fungicide followed by Headline AMP<sup>®</sup> Fungicide

- Maximum disease protection and Plant Health for corn.
- Early fungicide application for disease prevention and Plant Health growth and development.
- Tassel fungicide application with:
  - Proven Plant Health benefits and yield performance of Headline<sup>®</sup> fungicide.
  - Post infection disease control with the best in class triazole, metconazole.
- More corn yield than any other two fungicide sequential program on the market in university trials.



$$\text{Yield} = (\text{Ears/A} \times \text{Kernels/Ear} \times \text{Kernel wt})$$

Research shows that a BASF sequential fungicide program controls disease, maximizes photosynthesis, and minimizes stress during critical corn growth stages for optimum yield.

Corn Fungicide Solution Guide  
for Southern States

 **BASF**  
The Chemical Company

# Priaxor®

Xemium® Brand Fungicide

# Headline AMP®

Fungicide


Ground & Aerial Application	Adjuvant Recommendations		
	Adjuvant Flexible	Adjuvant Restricted	Adjuvant Flexible
<p>An adjuvant may be used with Priaxor® fungicide and Headline AMP® fungicide prior to the V8 stage and after corn reaches the VT stage.</p> <p>Do not use an adjuvant with a fungicide treatment when applied from V8 to VT corn stage.</p> <p>A compatibility agent, another fungicide, or an insecticide may be included in the tank mix, if needed, and labeled for use on corn.</p> <p><b>GPA: Ground:</b> ≥ 10 GPA <b>Aerial:</b> ≥ 5 GPA</p>	<p>Priaxor fungicide 4 fl oz/A Timing: V5-V18</p> <p>Headline AMP fungicide 10 fl oz/A Timing: VT-R2</p>		

## Fungicide Plant Health in Corn



Agricenter International, Memphis, TN – 2012


## Yield Increase by Various Corn Growth Stage Applications



From F500® fungicide, the active ingredient in Headline® fungicide


## Headline Fungicide and Headline AMP Fungicide

2012 Corn Demo — Sequential Applications



Headline fungicide (6 fl oz/A) at V5 followed by Headline AMP fungicide (10 fl oz/A) applied VT to R1. Arkansas 2012. 6 Split Field Locations

## Sequential Applications in Corn: 2010-2012 On-farm Trials – Yield Increase by Application Timing



Yield data from Headline fungicide based applications.

# Priaxor®

Xemium® Brand Fungicide

# Headline AMP®

Fungicide

Always read and follow label directions.

F500, Headline, Headline AMP, Priaxor and Xemium are registered trademarks of BASF.

©2013 BASF Corporation. All Rights Reserved. APN # 1302013 Priaxor-Headline AMP-Southern Corn

